

# Package ‘PRISMA2020’

July 12, 2021

**Title** Make Interactive 'PRISMA' Flow Diagrams

**Version** 0.0.3

**Description** Systematic reviews should be described in a high degree of methodological detail. The 'PRISMA' Statement calls for a high level of reporting detail in systematic reviews and meta-analyses. An integral part of the methodological description of a review is a flow diagram.

This package produces an interactive flow diagram that conforms to the 'PRISMA2020' preprint. When made interactive, the reader/user can click on each box and be directed to another website or file online (e.g. a detailed description of the screening methods, or a list of excluded full texts), with a mouse-over tool tip that describes the information linked to in more detail. Interactive versions can be saved as HTML files, whilst static versions for inclusion in manuscripts can be saved as HTML, PDF, PNG, SVG, PS or WEBP files.

**Imports** DiagrammeR, DiagrammeRsvg, htmltools, htmlwidgets, rsvg, scales, shiny, shinyjs, stats, stringr, utils, xml2, webp, DT, rio, tools

**License** MIT + file LICENSE

**Encoding** UTF-8

**RoxygenNote** 7.1.1

**NeedsCompilation** no

**Author** Neal Haddaway [aut, cre] (<<https://orcid.org/0000-0003-3902-2234>>),  
Luke McGuinness [aut] (<<https://orcid.org/0000-0001-8730-9761>>),  
Chris Pritchard [aut] (<<https://orcid.org/0000-0002-1143-9751>>)

**Maintainer** Neal Haddaway <nealhaddaway@gmail.com>

**Repository** CRAN

**Date/Publication** 2021-07-12 09:30:05 UTC

## R topics documented:

PRISMA_data . . . . .	2
PRISMA_flowdiagram . . . . .	2

PRISMA_save . . . . .	4
read_PRISMAdata . . . . .	5
sr_flow_interactive . . . . .	6

<b>Index</b>	<b>7</b>
--------------	----------

---

PRISMA_data	<i>Read in PRISMA flow diagram data</i>
-------------	---

---

### Description

Read in a template CSV containing data for the flow diagram

### Usage

```
PRISMA_data(data)
```

### Arguments

data            File to read in.

### Value

A list of objects needed to plot the flow diagram

### Examples

```
csvFile <- system.file("extdata", "PRISMA.csv", package = "PRISMA2020")
data <- read.csv(csvFile);
data <- PRISMA_data(data);
```

---

PRISMA_flowdiagram	<i>Plot interactive flow diagrams for systematic reviews</i>
--------------------	--

---

### Description

Produces a PRISMA2020 style flow diagram for systematic reviews, with the option to add interactivity through tooltips (mouseover popups) and hyperlink URLs to each box. Data can be imported from the standard CSV template provided.

**Usage**

```

PRISMA_flowdiagram(
  data,
  interactive = FALSE,
  previous = TRUE,
  other = TRUE,
  fontsize = 7,
  font = "Helvetica",
  title_colour = "Goldenrod1",
  greybox_colour = "Gainsboro",
  main_colour = "Black",
  arrow_colour = "Black",
  arrow_head = "normal",
  arrow_tail = "none",
  side_boxes = TRUE
)

```

**Arguments**

data	List of data inputs including numbers of studies, box text, tooltips and urls for hyperlinks. Data inputted via the <code>PRISMA_data()</code> function. If inputting individually, see the necessary parameters listed in the <code>PRISMA_data()</code> function and combine them in a list using <code>data &lt;- list()</code> .
interactive	Logical argument TRUE or FALSE whether to plot interactivity (tooltips and hyperlinked boxes).
previous	Logical argument (TRUE or FALSE) specifying whether previous studies were sought.
other	Logical argument (TRUE or FALSE) specifying whether other studies were sought.
fontsize	The font size for text in each box. The default is '12'.
font	The font for text in each box. The default is 'Helvetica'.
title_colour	The colour for the upper middle title box (new studies). The default is 'Goldenrod1'. See 'DiagrammeR' colour scheme <a href="http://rich-iannone.github.io/DiagrammeR/graphviz_and_mermaid.html#colors">http://rich-iannone.github.io/DiagrammeR/graphviz_and_mermaid.html#colors</a> .
greybox_colour	The colour for the left and right column boxes. The default is 'Gainsboro'. See 'DiagrammeR' colour scheme <a href="http://rich-iannone.github.io/DiagrammeR/graphviz_and_mermaid.html#colors">http://rich-iannone.github.io/DiagrammeR/graphviz_and_mermaid.html#colors</a> .
main_colour	The colour for the main box borders. The default is 'Black'. See 'DiagrammeR' colour scheme <a href="http://rich-iannone.github.io/DiagrammeR/graphviz_and_mermaid.html#colors">http://rich-iannone.github.io/DiagrammeR/graphviz_and_mermaid.html#colors</a> .
arrow_colour	The colour for the connecting lines. The default is 'Black'. See 'DiagrammeR' colour scheme <a href="http://rich-iannone.github.io/DiagrammeR/graphviz_and_mermaid.html#colors">http://rich-iannone.github.io/DiagrammeR/graphviz_and_mermaid.html#colors</a> .
arrow_head	The head shape for the line connectors. The default is 'normal'. See DiagrammeR arrow shape specification <a href="http://rich-iannone.github.io/DiagrammeR/graphviz_and_mermaid.html#arrow-shapes">http://rich-iannone.github.io/DiagrammeR/graphviz_and_mermaid.html#arrow-shapes</a> .

arrow_tail	The tail shape for the line connectors. The default is 'none'. See DiagrammeR arrow shape specification <a href="http://rich-iannone.github.io/DiagrammeR/graphviz_and_mermaid.html#arrow-shapes">http://rich-iannone.github.io/DiagrammeR/graphviz_and_mermaid.html#arrow-shapes</a> .
side_boxes	Whether or not to include the blue label boxes along the side

### Value

A flow diagram plot.

### Examples

```
csvFile <- system.file("extdata", "PRISMA.csv", package = "PRISMA2020")
data <- read.csv(csvFile);
data <- PRISMA_data(data);
plot <- PRISMA_flowdiagram(data,
  fontsize = 12,
  interactive = TRUE,
  previous = FALSE,
  other = TRUE);
plot
```

---

PRISMA\_save

*Save PRISMA2020 flow diagram*

---

### Description

Save the output from `PRISMA_flowdiagram()` to the working directory.

### Usage

```
PRISMA_save(
  plotobj,
  filename = "PRISMA2020_flowdiagram.html",
  filetype = NA,
  overwrite = FALSE
)
```

### Arguments

plotobj	A plot produced using <code>PRISMA_flowdiagram()</code> .
filename	The filename to save (including extension)
filetype	The filetype to save the plot in, supports: HTML, PDF, PNG, SVG, PS and WEBP (if NA, the filetype will be calculated out based on the file extension) HTML files maintain hyperlinks and tooltips
overwrite	if TRUE, will overwrite an existing file

**Value**

the absolute filename of the saved diagram plot.

**Examples**

```
csvFile <- system.file("extdata", "PRISMA.csv", package = "PRISMA2020")
data <- read.csv(csvFile);
data <- PRISMA_data(data);
plot <- PRISMA_flowdiagram(data,
  fontsize = 12,
  interactive = TRUE,
  previous = FALSE,
  other = TRUE);
PRISMA_save(plot, filename = tempfile(), filetype="html");
```

---

read_PRISMAdata	<i>Read in PRISMA flow diagram data - DEPRECATED</i>
-----------------	--

---

**Description**

DEPRECATED - read in a template CSV containing data for the flow diagram

**Usage**

```
read_PRISMAdata(data)
```

**Arguments**

data            File to read in.

**Value**

A list of objects needed to plot the flow diagram

**See Also**

[PRISMA\\_data\(\)](#)

---

sr\_flow\_interactive *Plot interactive flow diagram for systematic reviews - DEPRECATED*

---

**Description**

DEPRECATED - Converts a PRISMA systematic review flow diagram into an interactive HTML plot, for embedding links from each box.

**Usage**

```
sr_flow_interactive(plot, urls, previous, other)
```

**Arguments**

plot	A plot object from <a href="#">PRISMA_flowdiagram()</a> .
urls	A dataframe consisting of two columns: nodes and urls. The first column should contain 19 rows for the nodes from node1 to node19. The second column should contain a corresponding URL for each node.
previous	Logical argument (TRUE or FALSE) (supplied through <a href="#">PRISMA_flowdiagram()</a> ) specifying whether previous studies were sought.
other	Logical argument (TRUE or FALSE) (supplied through <a href="#">PRISMA_flowdiagram()</a> ) specifying whether other studies were sought.

**Value**

An interactive flow diagram plot.

**See Also**

[PRISMA\\_interactive\\_\(\)](#)

# Index

PRISMA\_data, [2](#)  
PRISMA\_data(), [3](#), [5](#)  
PRISMA\_flowdiagram, [2](#)  
PRISMA\_flowdiagram(), [4](#), [6](#)  
PRISMA\_interactive\_(), [6](#)  
PRISMA\_save, [4](#)  
  
read\_PRISMAdata, [5](#)  
  
sr\_flow\_interactive, [6](#)