

Package ‘RcppTN’

November 21, 2017

Type Package

Title Rcpp-Based Truncated Normal Distribution RNG and Family

Version 0.2-2

Date 2017-11-21

Author Jonathan Olmsted [aut, cre]

Maintainer Jonathan Olmsted <jpolmsted@gmail.com>

Description R-level and C++-level functionality to generate random deviates from and calculate moments of a Truncated Normal distribution using the algorithm of Robert (1995) <DOI:10.1007/BF00143942>. In addition to RNG, functions for calculating moments, densities, and entropies are provided at both levels.

URL <http://github.com/olmjo/RcppTN>

BugReports <http://github.com/olmjo/RcppTN/issues>

License GPL (>= 2)

Depends

Suggests testthat

LinkingTo Rcpp

Imports Rcpp

RoxygenNote 6.0.1

NeedsCompilation yes

Repository CRAN

Date/Publication 2017-11-21 11:42:30 UTC

R topics documented:

dtm	2
enttn	3
etn	4
rtn	5
vtn	6

dtn	<i>Truncated Normal Distribution Density</i>
-----	--

Description

Calculate density of Truncated Normal distributions

Usage

```
dtn(.x = 0, .mean = rep(0, length(.x)), .sd = rep(1, length(.x)),  
    .low = rep(-Inf, length(.x)), .high = rep(Inf, length(.x)),  
    .checks = TRUE)
```

Arguments

<code>.x</code>	Length K vector of the points at which to evaluate the density
<code>.mean</code>	Length K vector with the means of the K Normal distributions *prior* to truncation
<code>.sd</code>	Length K vector with the standard deviations of the K Normal distributions *prior* to truncation
<code>.low</code>	Length K vector with the lower truncation bound of the K Normal distributions *prior* to truncation
<code>.high</code>	Length K vector with the upper truncation bound of the K Normal distributions *prior* to truncation
<code>.checks</code>	Logical indicating whether inputs and outputs should be checked and either stop (for bad inputs) or warn (for likely bad outputs)

Value

Length K vector with the entropies associated with each of the K Truncated Normal distributions

Author(s)

Jonathan Olmsted

Examples

```
lows <- c(-1, 5, -100, 4, 4, -100, 7)  
highs <- c(1, 100, 10, 7, 4.1, 100, 100)  
dtn(.x = rep(0, length(lows)),  
    .mean = rep(0, length(lows)),  
    .sd = rep(1, length(lows)),  
    .high = highs  
)
```

enttn *Truncated Normal Distribution Entropy*

Description

Calculate entropy of Truncated Normal distributions

Usage

```
enttn(.mean = rep(0, 1), .sd = rep(1, length(.mean)), .low = rep(-Inf,  
  length(.mean)), .high = rep(Inf, length(.mean)))
```

Arguments

<code>.mean</code>	Length K vector with the means of the K Normal distributions prior to truncation
<code>.sd</code>	Length K vector with the standard deviations of the K Normal distributions prior to truncation
<code>.low</code>	Length K vector with the lower truncation bound of the K Normal distributions prior to truncation
<code>.high</code>	Length K vector with the upper truncation bound of the K Normal distributions prior to truncation

Value

Length K vector with the entropies associated with each of the K Truncated Normal distributions

Author(s)

Jonathan Olmsted

Examples

```
lows <- c(-1, 5, -100, 4, 4, -100, 7)  
highs <- c(1, 100, 10, 7, 4.1, 100, 100)  
enttn(.mean = rep(0, length(lows)),  
  .sd = rep(1, length(lows)),  
  .low = lows,  
  .high = highs  
)
```

 etn

Truncated Normal Distribution Expectation

Description

Calculate expectation of Truncated Normal distributions

Usage

```
etn(.mean = rep(0, 1), .sd = rep(1, length(.mean)), .low = rep(-Inf,
  length(.mean)), .high = rep(Inf, length(.mean)), .checks = TRUE)
```

Arguments

<code>.mean</code>	Length K vector with the means of the K Normal distributions prior to truncation
<code>.sd</code>	Length K vector with the standard deviations of the K Normal distributions prior to truncation
<code>.low</code>	Length K vector with the lower truncation bound of the K Normal distributions prior to truncation
<code>.high</code>	Length K vector with the upper truncation bound of the K Normal distributions prior to truncation
<code>.checks</code>	Length 1 logical vector indicating whether to perform checks (safer) or not (faster) on the input parameters

Details

The special values of `-Inf` and `Inf` are valid values in the `.low` and `.high` arguments, respectively.

Value

A length K vector of expectations corresponding to the Truncated Normal distributions. NAs are returned (with a warning) for invalid parameter values.

Author(s)

Jonathan Olmsted

Examples

```
etn() ## 0
etn(0, 1, -Inf, Inf) ## 0
etn(0, 1, -9999, 9999) ## 0

etn(0, 1, 0, Inf) ## 0.798

etn(0, 1, Inf, -Inf) ## NA with warning
```

```

etn(c(0, 0),
    c(1, 1),
    c(-Inf, 5),
    c(1, Inf)
) ## multiple expectations

```

rtn

Truncated Normal Distribution RNG

Description

Sample from Truncated Normal distributions

Usage

```

rtn(.mean = rep(0, 1), .sd = rep(1, length(.mean)), .low = rep(-Inf,
length(.mean)), .high = rep(Inf, length(.mean)), .checks = TRUE)

```

Arguments

<code>.mean</code>	Length K vector with the means of the K Normal distributions prior to truncation
<code>.sd</code>	Length K vector with the standard deviations of the K Normal distributions prior to truncation
<code>.low</code>	Length K vector with the lower truncation bound of the K Normal distributions prior to truncation
<code>.high</code>	Length K vector with the upper truncation bound of the K Normal distributions prior to truncation
<code>.checks</code>	Length 1 logical vector indicating whether to perform checks (safer) or not (faster) on the input parameters

Details

The special values of `-Inf` and `Inf` are valid values in the `.low` and `.high` arguments, respectively. The implementation is from Robert (1995). The computation is written in Rcpp-based C++ code, but respects R's RNG state. The draws from this function are reproducible because it respects R's RNG state. Draws using this algorithm (whether implemented in R code or C++) will be the same if seeded correctly. However, you should not expect these draws to match those from another algorithm.

Value

A length K vector of expectations corresponding to the Truncated Normal distributions. NAs are returned (with a warning) for invalid parameter values.

Author(s)

Jonathan Olmsted

References

Robert, Christian P. "Simulation of truncated normal variables". *Statistics and Computing* 5.2 (1995): 121-125. <http://dx.doi.org/10.1007/BF00143942>

Examples

```
set.seed(1)
rtn(0, 1, -Inf, Inf) # single draw from a single distribution

## [1] -0.6264538

set.seed(1)
rtn(0, 1, -Inf, Inf) # again, because it respects the RNG state

## [1] -0.6264538

rtn(rep(0, 3),
    rep(1, 3),
    rep(-Inf, 3),
    rep(Inf, 3)
) # multiple draws from a single distribution

## [1] 0.1836433 -0.8356286 1.5952808

rtn(c(0, 0),
    c(1, 1),
    c(-Inf, 5),
    c(1, Inf)
) # multiple draws, each from a different distribution

## [1] 0.3295078 5.3917301
```

vtn

Truncated Normal Distribution Variance

Description

Calculate variance of Truncated Normal distributions

Usage

```
vtn(.mean = rep(0, 1), .sd = rep(1, length(.mean)), .low = rep(-Inf,
length(.mean)), .high = rep(Inf, length(.mean)), .checks = TRUE)
```

Arguments

<code>.mean</code>	Length K vector with the means of the K Normal distributions prior to truncation
<code>.sd</code>	Length K vector with the standard deviations of the K Normal distributions prior to truncation
<code>.low</code>	Length K vector with the lower truncation bound of the K Normal distributions prior to truncation
<code>.high</code>	Length K vector with the upper truncation bound of the K Normal distributions prior to truncation
<code>.checks</code>	Length 1 logical vector indicating whether to perform checks (safer) or not (faster) on the input parameters

Details

The special values of `-Inf` and `Inf` are valid values in the `.low` and `.high` arguments, respectively.

Value

A length K vector of expectations corresponding to the Truncated Normal distributions. NAs are returned (with a warning) for invalid parameter values.

Author(s)

Jonathan Olmsted

Examples

```
vtn() ## 1
vtn(0, 1, -Inf, Inf) ## 1
vtn(0, 1, -9999, 9999) ## 1

vtn(0, 1, 0, Inf) ## 0.36338

vtn(0, 1, Inf, -Inf) ## NA with warning

vtn(c(0, 0),
     c(1, 1),
     c(-Inf, 5),
     c(1, Inf)
     ) ## multiple variances
```

Index

dtm, 2

enttn, 3

etn, 4

rtn, 5

vtn, 6