

Package ‘fedregs’

September 16, 2019

Type Package

Title Text Analysis of the US Code of Federal Regulations

Version 1.0.0

Description The Code of Federal Regulations (CFR) annual edition is the codification of the general and permanent rules published in the Federal Register by the departments and agencies of the Federal Government of the United States of America. Simply, the 'fedregs' package facilitates word processing and sentiment analysis of the CFR using tidy principles. Note: According to the Code of Federal Regulations XML Rendition User Guide Document:

``In general, there are no restrictions on re-use of information in Code of Federal Regulations material because U.S. Government works are not subject to copyright. OFR and GPO do not restrict downstream uses of Code of Federal Regulations data, except that independent providers should be aware that only the OFR and GPO are entitled to represent that they are the providers of the official versions of the Code of Federal Regulations and related Federal Register publications."

License GPL-3

BugReports <https://github.com/slarge/fedregs/issues>

Encoding UTF-8

LazyData true

Depends R (>= 3.1.0),

Imports dplyr (>= 0.7.4), magrittr (>= 1.5), xml2 (>= 1.2.0), purrr(>= 0.2.5), rvest(>= 0.3.2), stringi(>= 1.1.7), httr (>= 1.3.1), tidyr (>= 1.0.0), tidytext (>= 0.1.9)

Suggests ggplot2 (>= 2.2.1), testthat (>= 2.0.0)

RoxygenNote 6.1.1

NeedsCompilation no

Author Scott Large [cre, aut]

Maintainer Scott Large <scott.large@noaa.gov>

Repository CRAN

Date/Publication 2019-09-16 20:00:03 UTC

R topics documented:

cfr_text	2
fedregs	3

Index	4
--------------	----------

cfr_text	<i>Extract the Text for a Given Year, Title, Chapter, and Part</i>
----------	--

Description

cfr_text returns a tibble of CFR text

Usage

```
cfr_text(year, title_number, chapter, part, token = "words",
  return_tidytext = TRUE, verbose = FALSE, ...)
```

Arguments

year	numeric between 1996 and 2018.
title_number	numeric between 1 and 50.
chapter	numeric or roman numeral.
part	numeric.
token	character. Unit for tokenizing. Currently
return_tidytext	logical. TRUE = tidytext, FALSE = raw data
verbose	logical. Will return "helpful" messages regarding the status of the URL.
...	Extra arguments passed on to tokenizers, such as n and k for "ngrams" and "skip_ngrams"

Details

cfr_text

This function is the main function of the fedregs package. It takes the title, chapter, part, and year and returns a tibble of raw text (return_tidytext = FALSE) or **tidytext** text (return_tidytext = TRUE). N.b., it has not been extensively tested on titles and chapters other than Title 50 chapter VI and part 648.

Value

a tibble with year, title_number, chapter, part, and text nested by subpart

Examples

```
regs <- cfr_text(year = 2018,  
title_number = 50,  
chapter = 6,  
part = 648,  
return_tidytext = TRUE,  
token = "words",  
verbose = TRUE)  
head(regs)
```

fedregs

fedregs *package*

Description

Text Analysis of the US Code of Federal Regulations

Details

See the README on [GitHub](#)

Index

cfr_text, [2](#)

fedregs, [3](#)

fedregs-package (fedregs), [3](#)