

Package ‘gpx’

November 8, 2021

Type Package

Title Process GPX Files into R Data Structures

Version 1.1.0

Description Process open standard GPX files into data.frames for further use and analysis in R.

License MIT + file LICENSE

Encoding UTF-8

Depends R (>= 4.0)

Imports xml2, rvest, lubridate

Suggests testthat

RoxygenNote 7.1.2

NeedsCompilation no

Author Mark Ewing [aut, cre]

Maintainer Mark Ewing <b.mark@ewingsonline.com>

Repository CRAN

Date/Publication 2021-11-08 16:40:02 UTC

R topics documented:

read_gpx	1
Index	3

read_gpx	<i>Read a .gpx file into a data.frame</i>
----------	---

Description

Read a .gpx file into a list of data.frames, one each for tracks, routes and waypoints.

The named element 'tracks' is a named list of tracks present in the file. It will always contain columns for Elevation, Time, Latitude, Longitude, and Segment ID.

The named element 'routes' is an unnamed list of routes present in the file. It will always contain columns for Elevation, Time, Latitude, and Longitude.

The named element 'waypoints' is an unnamed list of routes present in the file. It will always contain columns for Elevation, Time, Latitude, and Longitude.

In each case, if there are extensions in the file within the record type, it will attempt to include them as columns as well. If there are no points of the specified type, it will contain a 0-row data.frame with all the standard column names.

Usage

```
read_gpx(file)
```

Arguments

file A path to a .gpx file

Value

List of data frames

Examples

```
## Not run:  
hikes = read_gpx('hiking_file.gpx')  
hikes$tracks  
hikes$routes  
hikes$waypoints  
  
## End(Not run)
```

Index

read_gpx, 1