

# Package ‘importar’

September 27, 2017

**Type** Package

**Title** Enables Importing>Loading of Packages or Functions While  
Creating an Alias for Them

**Version** 0.1.1

**Author** Andrea Cantieni

**Maintainer** Andrea Cantieni <[andrea.cantieni@phsz.ch](mailto:andrea.cantieni@phsz.ch)>

**Description** Enables 'Python'-like importing/loading of packages or functions  
with aliasing to prevent namespace conflicts.

**URL** <https://github.com/andreaphsz/importar>

**License** GPL-3

**Encoding** UTF-8

**LazyData** true

**RoxygenNote** 6.0.1

**Suggests** dplyr

**Imports** utils

**NeedsCompilation** no

**Repository** CRAN

**Date/Publication** 2017-09-27 09:29:09 UTC

## R topics documented:

import . . . . .	<a href="#">2</a>
import_fun . . . . .	<a href="#">2</a>

**Index**

[3](#)

**import**

*This function imports/loads packages as in 'Python', i.e., "import package as alias"*

**Description**

This function imports/loads packages as in 'Python', i.e., "import package as alias"

**Usage**

```
import(package, alias)
```

**Arguments**

package	Package name (unquoted).
alias	Alias (unquoted) for the package.

**Examples**

```
import(dplyr, d)
df <- data.frame(a=1:3, b=4:6)
df %>% d$filter(a == 2)
```

**import\_fun**

*This function imports/loads functions as in 'Python', i.e., "from package import function as alias"*

**Description**

This function imports/loads functions as in 'Python', i.e., "from package import function as alias"

**Usage**

```
import_fun(package, fun, alias)
```

**Arguments**

package	Package name (unquoted).
fun	Function name (unquoted).
alias	Alias (unquoted) for the function.

**Examples**

```
import_fun(dplyr, filter, fil)
df <- data.frame(a=1:3, b=4:6)
fil(df, a == 2)
```

# Index

[import](#), 2  
[import\\_fun](#), 2