

Package ‘plsVarSel’

July 16, 2022

Encoding UTF-8

Type Package

Title Variable Selection in Partial Least Squares

Version 0.9.8

Date 2022-07-14

Description Interfaces and methods for variable selection in Partial Least Squares. The methods include filter methods, wrapper methods and embedded methods. Both regression and classification is supported.

License GPL (>= 2)

URL <https://github.com/khliland/plsVarSel/>

BugReports <https://github.com/khliland/plsVarSel/issues/>

Depends pls

Imports grDevices, graphics, genalg, mvtnorm, bdsmatrix, MASS, progress, parallel, stats, MSQC, praznik

Suggests Rmpi

RoxygenNote 7.2.0

NeedsCompilation no

Author Kristian Hovde Liland [aut, cre]
(<<https://orcid.org/0000-0001-6468-9423>>),
Tahir Mehmood [ctb],
Solve Sæbø [ctb]

Maintainer Kristian Hovde Liland <kristian.liland@nmbu.no>

Repository CRAN

Date/Publication 2022-07-16 07:30:16 UTC

R topics documented:

bve_pls	2
covSel	3

filterPLSR	4
ga_pls	6
ipw_pls	7
lda_from_pls	8
lda_from_pls_cv	9
mcuve_pls	10
mvrV	11
myImagePlot	13
plsVarSel	14
rep_pls	14
setDA	15
shaving	16
simulate_classes	18
spa_pls	19
stpls	20
summary.mvrV	21
T2_pls	22
truncation	23
VIP	24
WVC_pls	25

Index **27**

bve_pls

Backward variable elimination PLS (BVE-PLS)

Description

A backward variable elimination procedure for elimination of non informative variables.

Usage

```
bve_pls(y, X, ncomp = 10, ratio = 0.75, VIP.threshold = 1)
```

Arguments

y	vector of response values (numeric or factor).
X	numeric predictor matrix.
ncomp	integer number of components (default = 10).
ratio	the proportion of the samples to use for calibration (default = 0.75).
VIP.threshold	thresholding to remove non-important variables (default = 1).

Details

Variables are first sorted with respect to some importance measure, and usually one of the filter measures described above are used. Secondly, a threshold is used to eliminate a subset of the least informative variables. Then a model is fitted again to the remaining variables and performance is measured. The procedure is repeated until maximum model performance is achieved.

Value

Returns a vector of variable numbers corresponding to the model having lowest prediction error.

Author(s)

Tahir Mehmood, Kristian Hovde Liland, Solve Sæbø.

References

I. Frank, Intermediate least squares regression method, *Chemometrics and Intelligent Laboratory Systems* 1 (3) (1987) 233-242.

See Also

[VIP \(SR/sMC/LW/RC\)](#), [filterPLSR](#), [shaving](#), [stpls](#), [truncation](#), [bve_pls](#), [ga_pls](#), [ipw_pls](#), [mcuve_pls](#), [rep_pls](#), [spa_pls](#), [lda_from_pls](#), [lda_from_pls_cv](#), [setDA](#).

Examples

```
data(gasoline, package = "pls")
with( gasoline, bve_pls(octane, NIR) )
```

 covSel

Covariance Selection - CovSel

Description

Sequential selection of variables based on squared covariance with response and intermediate deflation (as in Partial Least Squares).

Usage

```
covSel(X, Y, nvar)
```

Arguments

X	matrix of input variables
Y	matrix of response variable(s)
nvar	maximum number of variables

Value

selected	an integer vector of selected variables
scores	a matrix of score vectors
loadings	a matrix of loading vectors
Yloadings	a matrix of Y loadings

References

J.M. Roger, B. Palagos, D. Bertrand, E. Fernandez-Ahumada. CovSel: Variable selection for highly multivariate and multi-response calibration: Application to IR spectroscopy. *Chemom Intel Lab Syst.* 2011;106(2):216-223. P. Mishra, A brief note on a new faster covariate's selection (fCovSel) algorithm, *Journal of Chemometrics* 36(5) 2022.

Examples

```
data(gasoline, package = "pls")
sels <- with(gasoline, covSel(NIR, octane, 5))
matplot(t(gasoline$NIR), type = "l")
abline(v = sels$selected, col = 2)
```

filterPLSR

Optimisation of filters for Partial Least Squares

Description

Extract the index of influential variables based on threshold defined for LW (loading weights), RC (regression coef), JT (jackknife testing) and VIP (variable importance on projection).

Usage

```
filterPLSR(
  y,
  X,
  ncomp = 10,
  ncomp.opt = c("minimum", "same"),
  validation = "LOO",
  LW.threshold = NULL,
  RC.threshold = NULL,
  URC.threshold = NULL,
  FRC.threshold = NULL,
  JT.threshold = NULL,
  VIP.threshold = NULL,
  SR.threshold = NULL,
  sMC.threshold = NULL,
  mRMR.threshold = NULL,
  WVC.threshold = NULL,
  ...
)
```

Arguments

y vector of response values (numeric or factor).
X numeric predictor matrix.
ncomp integer number of components (default = 10).

ncomp.opt	use the number of components corresponding to minimum error (minimum) or ncomp (same).
validation	type of validation in the PLS modelling (default = "LOO").
LW.threshold	threshold for Loading Weights if applied (default = NULL).
RC.threshold	threshold for Regression Coefficients if applied (default = NULL).
URC.threshold	threshold for Unit normalized Regression Coefficients if applied (default = NULL).
FRC.threshold	threshold for Fitness normalized Regression Coefficients if applied (default = NULL).
JT.threshold	threshold for Jackknife Testing if applied (default = NULL).
VIP.threshold	threshold for Variable Importance on Projections if applied (default = NULL).
SR.threshold	threshold for Selectivity Ration if applied (default = NULL).
sMC.threshold	threshold for Significance Multivariate Correlation if applied (default = NULL).
mRMR.threshold	threshold for minimum Redundancy Maximum Relevance if applied (default = NULL).
WVC.threshold	threshold for Weighted Variable Contribution if applied (default = NULL).
...	additional paramters for pls, e.g. segmentation or similar.

Details

Filter methods are applied for variable selection with PLSR. This function can return selected variables and Root Mean Squared Error of Cross-Validation for various filter methods and determine optimum numbers of components.

Value

Returns a list of lists containing filters (outer list), their selected variables, optimal numbers of components and prediction accuracies.

Author(s)

Tahir Mehmood, Kristian Hovde Liland, Solve Sæbø.

References

T. Mehmood, K.H. Liland, L. Snipen, S. Sæbø, A review of variable selection methods in Partial Least Squares Regression, *Chemometrics and Intelligent Laboratory Systems* 118 (2012) 62-69.

See Also

[VIP \(SR/sMC/LW/RC/URC/FRC/mRMR\)](#), [filterPLSR](#), [spa_pls](#), [stpls](#), [truncation](#), [bve_pls](#), [mcuve_pls](#), [ipw_pls](#), [ga_pls](#), [rep_pls](#), [WVC_pls](#), [T2_pls](#).

Examples

```

data(gasoline, package = "pls")
## Not run:
with( gasoline, filterPLSR(octane, NIR, ncomp = 10, "minimum", validation = "LOO",
  RC.threshold = c(0.1,0.5), SR.threshold = 0.5))

## End(Not run)

```

ga_pls

*Genetic algorithm combined with PLS regression (GA-PLS)***Description**

A subset search algorithm inspired by biological evolution theory and natural selection.

Usage

```
ga_pls(y, X, GA.threshold = 10, iters = 5, popSize = 100)
```

Arguments

y	vector of response values (numeric or factor).
X	numeric predictor matrix.
GA.threshold	the change for a zero for mutations and initialization (default = 10). (The ratio of non-selected variables for each chromosome.)
iters	the number of iterations (default = 5).
popSize	the population size (default = 100).

Details

1. Building an initial population of variable sets by setting bits for each variable randomly, where bit '1' represents selection of corresponding variable while '0' presents non-selection. The approximate size of the variable sets must be set in advance.
2. Fitting a PLSR-model to each variable set and computing the performance by, for instance, a leave one out cross-validation procedure.
3. A collection of variable sets with higher performance are selected to survive until the next "generation".
4. Crossover and mutation: new variable sets are formed 1) by crossover of selected variables between the surviving variable sets, and 2) by changing (mutating) the bit value for each variable by small probability.
5. The surviving and modified variable sets form the population serving as input to point 2.

Value

Returns a vector of variable numbers corresponding to the model having lowest prediction error.

Author(s)

Tahir Mehmood, Kristian Hovde Liland, Solve Sæbø.

References

K. Hasegawa, Y. Miyashita, K. Funatsu, GA strategy for variable selection in QSAR studies: GA-based PLS analysis of calcium channel antagonists, *Journal of Chemical Information and Computer Sciences* 37 (1997) 306-310.

See Also

[VIP \(SR/sMC/LW/RC\)](#), [filterPLSR](#), [shaving](#), [stpls](#), [truncation](#), [bve_pls](#), [ga_pls](#), [ipw_pls](#), [mcuve_pls](#), [rep_pls](#), [spa_pls](#), [lda_from_pls](#), [lda_from_pls_cv](#), [setDA](#).

Examples

```
data(gasoline, package = "pls")
# with( gasoline, ga_pls(octane, NIR, GA.threshold = 10) ) # Time-consuming
```

ipw_pls

Iterative predictor weighting PLS (IPW-PLS)

Description

An iterative procedure for variable elimination.

Usage

```
ipw_pls(  
  y,  
  X,  
  ncomp = 10,  
  no.iter = 10,  
  IPW.threshold = 0.01,  
  filter = "RC",  
  scale = TRUE  
)  
  
ipw_pls_legacy(y, X, ncomp = 10, no.iter = 10, IPW.threshold = 0.1)
```

Arguments

y	vector of response values (numeric or factor).
X	numeric predictor matrix.
ncomp	integer number of components (default = 10).
no.iter	the number of iterations (default = 10).

IPW.threshold threshold for regression coefficients (default = 0.1).
 filter which filtering method to use (among "RC", "SR", "LW", "VIP", "sMC")
 scale standardize data (default=TRUE, as in reference)

Details

This is an iterative elimination procedure where a measure of predictor importance is computed after fitting a PLSR model (with complexity chosen based on predictive performance). The importance measure is used both to re-scale the original X-variables and to eliminate the least important variables before subsequent model re-fitting

The IPW implementation was corrected in plsVarSel version 0.9.5. For backward compatibility the old implementation is included as ipw_pls_legacy.

Value

Returns a vector of variable numbers corresponding to the model having lowest prediction error.

Author(s)

Kristian Hovde Liland

References

M. Forina, C. Casolino, C. Pizarro Millan, Iterative predictor weighting (IPW) PLS: a technique for the elimination of useless predictors in regression problems, *Journal of Chemometrics* 13 (1999) 165-184.

See Also

[VIP \(SR/sMC/LW/RC\)](#), [filterPLSR](#), [shaving](#), [stpls](#), [truncation](#), [bve_pls](#), [ga_pls](#), [ipw_pls](#), [mcuve_pls](#), [rep_pls](#), [spa_pls](#), [lda_from_pls](#), [setDA](#).

Examples

```
data(gasoline, package = "pls")
with( gasoline, ipw_pls(octane, NIR) )
```

lda_from_pls

LDA/QDA classification from PLS model

Description

For each number of components LDA/QDA models are created from the scores of the supplied PLS model and classifications are performed.

Usage

```
lda_from_pls(model, grouping, newdata, ncomp)
```

Arguments

model	pls model fitted with the pls package
grouping	vector of grouping labels
newdata	predictors in the same format as in the pls model
ncomp	maximum number of PLS components

Value

matrix of classifications

See Also

[VIP \(SR/sMC/LW/RC\)](#), [filterPLSR](#), [shaving](#), [stpls](#), [truncation](#), [bve_pls](#), [ga_pls](#), [ipw_pls](#), [mcuve_pls](#), [rep_pls](#), [spa_pls](#), [lda_from_pls](#), [lda_from_pls_cv](#), [setDA](#).

Examples

```
data(mayonnaise, package = "pls")
mayonnaise <- within(mayonnaise, {dummy <- model.matrix(~y-1, data.frame(y=factor(oil.type)))})
pls <- pls(dummy ~ NIR, ncomp = 10, data = mayonnaise, subset = train)
with(mayonnaise, {
  classes <- lda_from_pls(pls, oil.type[train], NIR[!train,], 10)
  colSums(oil.type[!train] == classes) # Number of correctly classified out of 42
})
```

lda_from_pls_cv

Cross-validated LDA/QDA classification from PLS model

Description

For each number of components LDA/QDA models are created from the scores of the supplied PLS model and classifications are performed. This use of cross-validation has limitations. Handle with care!

Usage

```
lda_from_pls_cv(model, X, y, ncomp, Y.add = NULL)
```

Arguments

model	pls model fitted with the pls package
X	predictors in the same format as in the pls model
y	vector of grouping labels
ncomp	maximum number of PLS components
Y.add	additional responses

Value

matrix of classifications

See Also

[VIP \(SR/sMC/LW/RC\)](#), [filterPLSR](#), [shaving](#), [stpls](#), [truncation](#), [bve_pls](#), [ga_pls](#), [ipw_pls](#), [mcuve_pls](#), [rep_pls](#), [spa_pls](#), [lda_from_pls](#), [lda_from_pls_cv](#), [setDA](#).

Examples

```
data(mayonnaise, package = "pls")
mayonnaise <- within(mayonnaise, {dummy <- model.matrix(~y-1,data.frame(y=factor(oil.type)))})
pls <- plsr(dummy ~ NIR, ncomp = 8, data = mayonnaise, subset = train,
            validation = "CV", segments = 40, segment.type = "consecutive")
with(mayonnaise, {
  classes <- lda_from_pls_cv(pls, NIR[train,], oil.type[train], 8)
  colSums(oil.type[train] == classes) # Number of correctly classified out of 120
})
```

mcuve_pls

Uninformative variable elimination in PLS (UVE-PLS)

Description

Artificial noise variables are added to the predictor set before the PLSR model is fitted. All the original variables having lower "importance" than the artificial noise variables are eliminated before the procedure is repeated until a stop criterion is reached.

Usage

```
mcuve_pls(y, X, ncomp = 10, N = 3, ratio = 0.75, MCUVE.threshold = NA)
```

Arguments

y	vector of response values (numeric or factor).
X	numeric predictor matrix.
ncomp	integer number of components (default = 10).
N	number of samples Mone Carlo simulations (default = 3).
ratio	the proportion of the samples to use for calibration (default = 0.75).
MCUVE.threshold	thresholding separate signal from noise (default = NA creates automatic threshold from data).

Value

Returns a vector of variable numbers corresponding to the model having lowest prediction error.

Author(s)

Tahir Mehmood, Kristian Hovde Liland, Solve Sæbø.

References

V. Centner, D. Massart, O. de Noord, S. de Jong, B. Vandeginste, C. Sterna, Elimination of uninformative variables for multivariate calibration, *Analytical Chemistry* 68 (1996) 3851-3858.

See Also

[VIP \(SR/sMC/LW/RC\)](#), [filterPLSR](#), [shaving](#), [stpls](#), [truncation](#), [bve_pls](#), [ga_pls](#), [ipw_pls](#), [mcuve_pls](#), [rep_pls](#), [spa_pls](#), [lda_from_pls](#), [lda_from_pls_cv](#), [setDA](#).

Examples

```
data(gasoline, package = "pls")
with( gasoline, mcuve_pls(octane, NIR) )
```

mvrV

Multivariate regression function

Description

Adaptation of mvr from package pls v 2.4.3.

Usage

```

mvrV(
  formula,
  ncomp,
  Y.add,
  data,
  subset,
  na.action,
  shrink,
  method = c("truncation", "stpls", "model.frame"),
  scale = FALSE,
  validation = c("none", "CV", "LOO"),
  model = TRUE,
  x = FALSE,
  y = FALSE,
  ...
)

```

Arguments

formula	a model formula. Most of the lm formula constructs are supported. See below.
ncomp	the number of components to include in the model (see below).
Y.add	a vector or matrix of additional responses containing relevant information about the observations. Only used for cppls.
data	an optional data frame with the data to fit the model from.
subset	an optional vector specifying a subset of observations to be used in the fitting process.
na.action	a function which indicates what should happen when the data contain missing values. The default is set by the na.action setting of options, and is na.fail if that is unset. The 'factory-fresh' default is na.omit. Another possible value is NULL, no action. Value na.exclude can be useful. See na.omit for other alternatives.
shrink	optional shrinkage parameter for stpls.
method	the multivariate regression method to be used. If "model.frame", the model frame is returned.
scale	numeric vector, or logical. If numeric vector, X is scaled by dividing each variable with the corresponding element of scale. If scale is TRUE, X is scaled by dividing each variable by its sample standard deviation. If cross-validation is selected, scaling by the standard deviation is done for every segment.
validation	character. What kind of (internal) validation to use. See below.
model	a logical. If TRUE, the model frame is returned.
x	a logical. If TRUE, the model matrix is returned.
y	a logical. If TRUE, the response is returned.
...	additional arguments, passed to the underlying fit functions, and mvrCv.

See Also[mvr](#)

`myImagePlot`*Matrix plotting*

Description

Plot a heatmap with colorbar.

Usage

```
myImagePlot(x, main, ...)
```

Arguments

<code>x</code>	a matrix to be plotted.
<code>main</code>	header text for the plot.
<code>...</code>	additional arguments (not implemented).

Author(s)

Tahir Mehmood, Kristian Hovde Liland, Solve S?b?.

References

T. Mehmood, K.H. Liland, L. Snipen, S. S?b?, A review of variable selection methods in Partial Least Squares Regression, *Chemometrics and Intelligent Laboratory Systems* 118 (2012) 62-69.

See Also

[VIP \(SR/sMC/LW/RC\)](#), [filterPLSR](#), [shaving](#), [stpls](#), [truncation](#), [bve_pls](#), [ga_pls](#), [ipw_pls](#), [mcuve_pls](#), [rep_pls](#), [spa_pls](#), [lda_from_pls](#), [lda_from_pls_cv](#), [setDA](#).

Examples

```
myImagePlot(matrix(1:12,3,4), 'A header')
```

plsVarSel

*Variable selection in Partial Least Squares***Description**

A large collection of variable selection methods for use with Partial Least Squares. These include all methods in Mehmood et al. 2012 and more. All functions treat numeric responses as regression and factor responses as classification. Default classification is PLS + LDA, but `setDA()` can be used to choose PLS + QDA or PLS with response column maximization.

References

T. Mehmood, K.H. Liland, L. Snipen, S. Sæbø, A review of variable selection methods in Partial Least Squares Regression, *Chemometrics and Intelligent Laboratory Systems* 118 (2012) 62-69. T. Mehmood, S. Sæbø, K.H. Liland, Comparison of variable selection methods in partial least squares regression, *Journal of Chemometrics* 34 (2020) e3226.

See Also

[VIP \(SR/sMC/LW/RC\)](#), [filterPLSR](#), [shaving](#), [stpls](#), [truncation](#), [bve_pls](#), [ga_pls](#), [ipw_pls](#), [mcuve_pls](#), [rep_pls](#), [spa_pls](#), [lda_from_pls](#), [lda_from_pls_cv](#), [setDA](#).

rep_pls

*Regularized elimination procedure in PLS***Description**

A regularized variable elimination procedure for parsimonious variable selection, where also a step-wise elimination is carried out

Usage

```
rep_pls(y, X, ncomp = 5, ratio = 0.75, VIP.threshold = 0.5, N = 3)
```

Arguments

y	vector of response values (numeric or factor).
X	numeric predictor matrix.
ncomp	integer number of components (default = 5).
ratio	the proportion of the samples to use for calibration (default = 0.75).
VIP.threshold	thresholding to remove non-important variables (default = 0.5).
N	number of samples in the selection matrix (default = 3).

Details

A stability based variable selection procedure is adopted, where the samples have been split randomly into a predefined number of training and test sets. For each split, *g*, the following stepwise procedure is adopted to select the variables.

Value

Returns a vector of variable numbers corresponding to the model having lowest prediction error.

Author(s)

Tahir Mehmood, Kristian Hovde Liland, Solve Sæbø.

References

T. Mehmood, H. Martens, S. Sæbø, J. Warringer, L. Snipen, A partial least squares based algorithm for parsimonious variable selection, *Algorithms for Molecular Biology* 6 (2011).

See Also

[VIP \(SR/sMC/LW/RC\)](#), [filterPLSR](#), [shaving](#), [stpls](#), [truncation](#), [bve_pls](#), [ga_pls](#), [ipw_pls](#), [mcuve_pls](#), [rep_pls](#), [spa_pls](#), [lda_from_pls](#), [lda_from_pls_cv](#), [setDA](#).

Examples

```
data(gasoline, package = "pls")
## Not run:
with( gasoline, rep_pls(octane, NIR) )

## End(Not run)
```

setDA

Set chosen Discriminant Analysis

Description

The default methods is LDA, but QDA and column of maximum prediction can be chosen.

Usage

```
setDA(LQ = NULL)
```

Arguments

LQ character argument 'lda', 'qda', 'max' or NULL

Value

Returns the default set method.

See Also

[VIP \(SR/sMC/LW/RC\)](#), [filterPLSR](#), [shaving](#), [stpls](#), [truncation](#), [bve_pls](#), [ga_pls](#), [ipw_pls](#), [mcuve_pls](#), [rep_pls](#), [spa_pls](#), [lda_from_pls](#), [lda_from_pls_cv](#), [setDA](#).

Examples

```
## Not run:
setDA() # Query 'lda', 'qda' or 'max'
setDA('qda') # Set default method to QDA

## End(Not run)
```

shaving

Repeated shaving of variables

Description

One of five filter methods can be chosen for repeated shaving of a certain percentage of the worst performing variables. Performance of the reduced models are stored and viewable through print and plot methods.

Usage

```
shaving(
  y,
  X,
  ncomp = 10,
  method = c("SR", "VIP", "sMC", "LW", "RC"),
  prop = 0.2,
  min.left = 2,
  comp.type = c("CV", "max"),
  validation = c("CV", 1),
  fixed = integer(0),
  newy = NULL,
  newX = NULL,
  segments = 10,
  plsType = "plsr",
  Y.add = NULL,
  ...
)

## S3 method for class 'shaved'
plot(x, y, what = c("error", "spectra"), index = "min", log = "x", ...)
```



```
## S3 method for class 'shaved'
print(x, ...)
```

Arguments

<code>y</code>	vector of response values (numeric or factor).
<code>X</code>	numeric predictor matrix.
<code>ncomp</code>	integer number of components (default = 10).
<code>method</code>	filter method, i.e. SR, VIP, sMC, LW or RC given as character.
<code>prop</code>	proportion of variables to be removed in each iteration (numeric).
<code>min.left</code>	minimum number of remaining variables.
<code>comp.type</code>	use number of components chosen by cross-validation, "CV", or fixed, "max".
<code>validation</code>	type of validation for pls. The default is "CV". If more than one set of CV segments is wanted, use a vector of length two, e.g. <code>c("CV", 5)</code> .
<code>fixed</code>	vector of indices for compulsory/forced variables that should always be included in the modelling.
<code>newy</code>	validation response for RMSEP/error computations.
<code>newX</code>	validation predictors for RMSEP/error computations.
<code>segments</code>	see <code>mvr</code> for documentation of segment choices.
<code>plsType</code>	Type of PLS model, "pls" or "cppls".
<code>Y.add</code>	Additional response for CPPLS, see <code>plsType</code> .
<code>...</code>	additional arguments for <code>pls</code> or <code>cvsegments</code> .
<code>x</code>	object of class <code>shaved</code> for plotting or printing.
<code>what</code>	plot type. Default = "error". Alternative = "spectra".
<code>index</code>	which iteration to plot. Default = "min"; corresponding to minimum RMSEP.
<code>log</code>	logarithmic x (default) or y scale.

Details

Variables are first sorted with respect to some importance measure, and usually one of the filter measures described above are used. Secondly, a threshold is used to eliminate a subset of the least informative variables. Then a model is fitted again to the remaining variables and performance is measured. The procedure is repeated until maximum model performance is achieved.

Value

Returns a list object of class `shaved` containing the method type, the error, number of components, and number of variables per reduced model. It also contains a list of all sets of reduced variable sets plus the original data.

Author(s)

Kristian Hovde Liland

See Also

VIP (SR/sMC/LW/RC), [filterPLSR](#), [shaving](#), [stpls](#), [truncation](#), [bve_pls](#), [ga_pls](#), [ipw_pls](#), [mcuve_pls](#), [rep_pls](#), [spa_pls](#), [lda_from_pls](#), [lda_from_pls_cv](#), [setDA](#).

Examples

```
data(mayonnaise, package = "pls")
sh <- shaving(mayonnaise$design[,1], pls::msc(mayonnaise$NIR), type = "interleaved")
pars <- par(mfrow = c(2,1), mar = c(4,4,1,1))
plot(sh)
plot(sh, what = "spectra")
par(pars)
print(sh)
```

simulate_classes *Simulate classes*

Description

Simulate multivariate normal data.

Usage

```
simulate_classes(p, n1, n2)

simulate_data(dims, n1 = 150, n2 = 50)
```

Arguments

p	integer number of variables.
n1	integer number of samples in each of two classes in training/calibration data.
n2	integer number of samples in each of two classes in test/validation data.
dims	a 10 element vector of group sizes.

Details

The class simulation is a straight forward simulation of multivariate normal data into two classes for training and test data, respectively. The data simulation uses a strictly structured multivariate normal simulation for with continuous response data.

Value

Returns a list of predictor and response data for training and testing.

Author(s)

Tahir Mehmood, Kristian Hovde Liland, Solve S?b?.

References

T. Mehmood, K.H. Liland, L. Snipen, S. Sæbø, A review of variable selection methods in Partial Least Squares Regression, *Chemometrics and Intelligent Laboratory Systems* 118 (2012) 62-69. T. Mehmood, S. Sæbø, K.H. Liland, Comparison of variable selection methods in partial least squares regression, *Journal of Chemometrics* 34 (2020) e3226.

See Also

[VIP \(SR/sMC/LW/RC\)](#), [filterPLSR](#), [shaving](#), [stpls](#), [truncation](#), [bve_pls](#), [ga_pls](#), [ipw_pls](#), [mcuve_pls](#), [rep_pls](#), [spa_pls](#), [lda_from_pls](#), [lda_from_pls_cv](#), [setDA](#).

Examples

```
str(simulate_classes(5,4,4))
```

 spa_pls

Sub-window permutation analysis coupled with PLS (SwPA-PLS)

Description

SwPA-PLS provides the influence of each variable without considering the influence of the rest of the variables through sub-sampling of samples and variables.

Usage

```
spa_pls(y, X, ncomp = 10, N = 3, ratio = 0.8, Qv = 10, SPA.threshold = 0.05)
```

Arguments

y	vector of response values (numeric or factor).
X	numeric predictor matrix.
ncomp	integer number of components (default = 10).
N	number of Monte Carlo simulations (default = 3).
ratio	the proportion of the samples to use for calibration (default = 0.8).
Qv	integer number of variables to be sampled in each iteration (default = 10).
SPA.threshold	thresholding to remove non-important variables (default = 0.05).

Value

Returns a vector of variable numbers corresponding to the model having lowest prediction error.

Author(s)

Tahir Mehmood, Kristian Hovde Liland, Solve Sæbø.

References

H. Li, M. Zeng, B. Tan, Y. Liang, Q. Xu, D. Cao, Recipe for revealing informative metabolites based on model population analysis, *Metabolomics* 6 (2010) 353-361. <http://code.google.com/p/spa2010/downloads/list>.

See Also

[VIP \(SR/sMC/LW/RC\)](#), [filterPLSR](#), [shaving](#), [stpls](#), [truncation](#), [bve_pls](#), [ga_pls](#), [ipw_pls](#), [mcuve_pls](#), [rep_pls](#), [spa_pls](#), [lda_from_pls](#), [lda_from_pls_cv](#), [setDA](#).

Examples

```
data(gasoline, package = "pls")
with( gasoline, spa_pls(octane, NIR) )
```

stpls	<i>Soft-Threshold PLS (ST-PLS)</i>
-------	------------------------------------

Description

A soft-thresholding step in PLS algorithm (ST-PLS) based on ideas from the nearest shrunken centroid method.

Usage

```
stpls(..., method = c("stpls", "model.frame"))
```

Arguments

...	arguments passed on to <code>mvrV</code> .
<code>method</code>	choice between the default <code>stpls</code> and alternative <code>model.frame</code> .

Details

The ST-PLS approach is more or less identical to the Sparse-PLS presented independently by Lê Cao et al. This implementation is an expansion of code from the `pls` package.

Value

Returns an object of class `mvrV`, simliar to to `mvr` object of the `pls` package.

Author(s)

Solve Sæbø, Tahir Mehmood, Kristian Hovde Liland.

References

S. Sæbø, T. Almøy, J. Aarøe, A.H. Aastveit, ST-PLS: a multi-dimensional nearest shrunken centroid type classifier via `pls`, *Journal of Chemometrics* 20 (2007) 54-62.

See Also

[VIP \(SR/sMC/LW/RC\)](#), [filterPLSR](#), [shaving](#), [stpls](#), [truncation](#), [bve_pls](#), [ga_pls](#), [ipw_pls](#), [mcuve_pls](#), [rep_pls](#), [spa_pls](#), [lda_from_pls](#), [lda_from_pls_cv](#), [setDA](#).

Examples

```
data(yarn, package = "pls")
st <- stpls(density~NIR, ncomp=5, shrink=c(0.1,0.2), validation="CV", data=yarn)
summary(st)
```

summary.mvrV

Summary method for stpls and trunc

Description

Adaptation of `summary.mvr` from the `pls` package v 2.4.3.

Usage

```
## S3 method for class 'mvrV'
summary(
  object,
  what = c("all", "validation", "training"),
  digits = 4,
  print.gap = 2,
  ...
)
```

Arguments

<code>object</code>	an <code>mvrV</code> object
<code>what</code>	one of "all", "validation" or "training"
<code>digits</code>	integer. Minimum number of significant digits in the output. Default is 4.
<code>print.gap</code>	Integer. Gap between coloumns of the printed tables.
<code>...</code>	Other arguments sent to underlying methods.

See Also

[summary.mvr](#)

T2_pls

*Hotelling's T² based variable selection in PLS – T²-PLS)***Description**

Variable selection based on the T² statistic. A side effect of running the selection is printing of tables and production of plots, as the T² calculations done by `mult.chart`.

Usage

```
T2_pls(ytr, Xtr, yts, Xts, ncomp = 10, alpha = c(0.2, 0.15, 0.1, 0.05, 0.01))
```

Arguments

ytr	Vector of responses for model training.
Xtr	Matrix of predictors for model training.
yts	Vector of responses for model testing.
Xts	Matrix of predictors for model testing.
ncomp	Number of PLS components.
alpha	Hotelling's T ² significance levels.

Value

Parameters and variables corresponding to variable selections of minimum error and minimum variable set.

Examples

```
data(gasoline, package = "pls")
library(pls)
if(interactive()){
  t2 <- T2_pls(gasoline$octane[1:40], gasoline$NIR[1:40,],
             gasoline$octane[-(1:40)], gasoline$NIR[-(1:40),],
             ncomp = 10, alpha = c(0.2, 0.15, 0.1, 0.05, 0.01))
  matplot(t(gasoline$NIR), type = 'l', col=1, ylab='intensity')
  points(t2$mv[[1]], colMeans(gasoline$NIR)[t2$mv[[1]]], col=2, pch='x')
  points(t2$mv[[2]], colMeans(gasoline$NIR)[t2$mv[[2]]], col=3, pch='o')
}
```

truncation	<i>Truncation PLS</i>
------------	-----------------------

Description

Distribution based truncation for variable selection in subspace methods for multivariate regression.

Usage

```
truncation(..., Y.add, weights, method = "truncation")
```

Arguments

...	arguments passed on to <code>mvrV</code> .
<code>Y.add</code>	optional additional response vector/matrix found in the input data.
<code>weights</code>	optional object weighting vector.
<code>method</code>	choice (default = <code>truncation</code>).

Details

Loading weights are truncated around their median based on confidence intervals for modelling without replicates (Lenth et al.). The arguments passed to `mvrV` include all possible arguments to `cpppls` and the following truncation parameters (with defaults) `trunc.pow=FALSE`, `truncation=NULL`, `trunc.width=NULL`, `trunc.weight=0`, `reorth=FALSE`, `symmetric=FALSE`.

The default way of performing truncation involves the following parameter values: `truncation="Lenth"`, `trunc.width=0.95`, indicating Lenth's confidence intervals (assymmetric), with a confidence of 95 shrinkage instead of a hard threshold. An alternative truncation strategy can be used with: `truncation="quantile"`, in which a quantile line is used for detecting outliers/inliers.

Value

Returns an object of class `mvrV`, simliar to to `mvr` object of the `pls` package.

Author(s)

Kristian Hovde Liland.

References

K.H. Liland, M. Høy, H. Martens, S. Sæbø: Distribution based truncation for variable selection in subspace methods for multivariate regression, *Chemometrics and Intelligent Laboratory Systems* 122 (2013) 103-111.

See Also

[VIP \(SR/sMC/LW/RC\)](#), [filterPLSR](#), [shaving](#), [stpls](#), [truncation](#), [bve_pls](#), [ga_pls](#), [ipw_pls](#), [mcuve_pls](#), [rep_pls](#), [spa_pls](#), [lda_from_pls](#), [lda_from_pls_cv](#), [setDA](#).

Examples

```
data(yarn, package = "pls")
tr <- truncation(density ~ NIR, ncomp=5, data=yarn, validation="CV",
  truncation="Lenth", trunc.width=0.95) # Default truncation
summary(tr)
```

VIP

Filter methods for variable selection with Partial Least Squares.

Description

Various filter methods extracting and using information from `mvr` objects to assign importance to all included variables. Available methods are Significance Multivariate Correlation (sMC), Selectivity Ratio (SR), Variable Importance in Projections (VIP), Loading Weights (LW), Regression Coefficients (RC).

Usage

```
VIP(pls.object, opt.comp, p = dim(pls.object$coef)[1])
```

```
SR(pls.object, opt.comp, X)
```

```
sMC(pls.object, opt.comp, X, alpha_mc = 0.05)
```

```
LW(pls.object, opt.comp)
```

```
RC(pls.object, opt.comp)
```

```
URC(pls.object, opt.comp)
```

```
FRC(pls.object, opt.comp)
```

```
mRMR(pls.object, nsel, X)
```

Arguments

<code>pls.object</code>	<code>mvr</code> object from PLS regression.
<code>opt.comp</code>	optimal number of components of PLS model.
<code>p</code>	number of variables in PLS model.
<code>X</code>	data matrix used as predictors in PLS modelling.
<code>alpha_mc</code>	quantile significance for automatic selection of variables in sMC.
<code>nsel</code>	number of variables to select.

Value

A vector having the same length as the number of variables in the associated PLS model. High values are associated with high importance, explained variance or relevance to the model.

The sMC has an attribute "quantile", which is the associated quantile of the F-distribution, which can be used as a cut-off for significant variables, similar to the cut-off of 1 associated with the VIP.

Author(s)

Tahir Mehmood, Kristian Hovde Liland, Solve Sæbø.

References

T. Mehmood, K.H. Liland, L. Snipen, S. Sæbø, A review of variable selection methods in Partial Least Squares Regression, *Chemometrics and Intelligent Laboratory Systems* 118 (2012) 62-69. T. Mehmood, S. Sæbø, K.H. Liland, Comparison of variable selection methods in partial least squares regression, *Journal of Chemometrics* 34 (2020) e3226.

See Also

[VIP \(SR/sMC/LW/RC\)](#), [filterPLSR](#), [shaving](#), [stpls](#), [truncation](#), [bve_pls](#), [ga_pls](#), [ipw_pls](#), [mcuve_pls](#), [rep_pls](#), [spa_pls](#), [lda_from_pls](#), [lda_from_pls_cv](#), [setDA](#).

Examples

```
data(gasoline, package = "pls")
library(pls)
pls <- pls(octane ~ NIR, ncomp = 10, validation = "L00", data = gasoline)
comp <- which.min(pls$validation$PRESS)
X <- unclass(gasoline$NIR)
vip <- VIP(pls, comp)
sr <- SR (pls, comp, X)
smc <- sMC(pls, comp, X)
lw <- LW (pls, comp)
rc <- RC (pls, comp)
urc <- URC(pls, comp)
frc <- FRC(pls, comp)
mrm <- mRMR(pls, 401, X)$score
matplot(scale(cbind(vip, sr, smc, lw, rc, urc, frc, mrm)), type = 'l')
```

Description

Weighted Variable Contribution in PLS (WVC-PLS)

Usage

```
WVC_pls(y, X, ncomp, normalize = FALSE, threshold = NULL)
```

Arguments

y	Vector of responses.
X	Matrix of predictors.
ncomp	Number of components.
normalize	Divide WVC vectors by maximum value.
threshold	Set loading weights smaller than threshold to 0 and recompute component.

Value

loading weights, loadings, regression coefficients, scores and Y-loadings plus the WVC weights.

Examples

```
library(pls)
data(mayonnaise, package = "pls")
wvc <- WVC_pls(factor(mayonnaise$oil.type), mayonnaise$NIR, 10)
wvcNT <- WVC_pls(factor(mayonnaise$oil.type), mayonnaise$NIR, 10, TRUE, 0.5)
old.par <- par(mfrow=c(3,1), mar=c(2,4,1,1))
matplot(t(mayonnaise$NIR), type='l', col=1, ylab='intensity')
matplot(wvc$W[,1:3], type='l', ylab='W')
matplot(wvcNT$W[,1:3], type='l', ylab='W, thr.=0.5')
par(old.par)
```

Index

bve_pls, 2, 3, 5, 7–11, 13–16, 18–21, 23, 25
covSel, 3
cppls, 23
filterPLSR, 3, 4, 5, 7–11, 13–16, 18–21, 23, 25
FRC (VIP), 24
ga_pls, 3, 5, 6, 7–11, 13–16, 18–21, 23, 25
ipw_pls, 3, 5, 7, 7, 8–11, 13–16, 18–21, 23, 25
ipw_pls_legacy (ipw_pls), 7
lda_from_pls, 3, 7, 8, 8, 9–11, 13–16, 18–21, 23, 25
lda_from_pls_cv, 3, 7, 9, 9, 10, 11, 13–16, 18–21, 23, 25
LW (VIP), 24
mcuve_pls, 3, 5, 7–10, 10, 11, 13–16, 18–21, 23, 25
mRMR (VIP), 24
mult.chart, 22
mvr, 13
mvrV, 11
myImagePlot, 13
plot.shaved (shaving), 16
plsVarSel, 14
print.shaved (shaving), 16
RC (VIP), 24
rep_pls, 3, 5, 7–11, 13, 14, 14, 15, 16, 18–21, 23, 25
setDA, 3, 7–11, 13–15, 15, 16, 18–21, 23, 25
shaving, 3, 7–11, 13–16, 16, 18–21, 23, 25
simulate_classes, 18
simulate_data (simulate_classes), 18
SMC (VIP), 24
spa_pls, 3, 5, 7–11, 13–16, 18, 19, 19, 20, 21, 23, 25
SR (VIP), 24
stpls, 3, 5, 7–11, 13–16, 18–20, 20, 21, 23, 25
summary.mvr, 21
summary.mvrV, 21
T2_pls, 5, 22
truncation, 3, 5, 7–11, 13–16, 18–21, 23, 23, 25
URC (VIP), 24
VIP, 3, 5, 7–11, 13–16, 18–21, 23, 24, 25
WVC_pls, 5, 25