

Package ‘rintimg’

September 30, 2020

Type Package

Title View Images on Full Screen in 'RMarkdown' Documents and 'shiny' Applications

Version 0.1.0

Maintainer Mohamed El Fodil Ihaddaden <ihaddaden.fodeil@gmail.com>

Description Allows the user to view an image in full screen when clicking on it in 'RMarkdown' documents and 'shiny' applications.
The package relies on the 'JavaScript' library 'intense-images'. See <<https://tholman.com/intense-images/>> for more information.

License MIT + file LICENSE

Encoding UTF-8

LazyData true

Imports htmltools, glue

RoxygenNote 7.1.1

URL <https://github.com/feddelegrand7/rintimg>

BugReports <https://github.com/feddelegrand7/rintimg/issues>

NeedsCompilation no

Author Mohamed El Fodil Ihaddaden [aut, cre],
Tim Holman [ctb, cph] (intense-images.js library developer)

Repository CRAN

Date/Publication 2020-09-30 08:40:06 UTC

R topics documented:

img_intensify	2
intense_dependency	3

Index	4
--------------	----------

`img_intensify`*Viewing images on full screen*

Description

Viewing images on full screen

Usage

```
img_intensify(target = "img")
```

Arguments

`target` By default, the function intensifies all the images (tag) however the user can target specific classes

Value

images that when clicked can be viewed on full screen no matter their initial size

Examples

```
if (interactive()) {  
  
  ui <- fluidPage(  
  
    h1("Click on the image to view it in full screen"),  
  
    img(src = "https://www.r-project.org/logo/Rlogo.png",  
        width = "200px", height = "200px"),  
  
    img_intensify()  
  
  )  
  
  server <- function(input, output) {  
  
  }  
  
  shinyApp(ui = ui, server = server)  
  
}
```

`intense_dependency` *Create an HTML dependency for intense-images.js*

Description

Create an HTML dependency for intense-images.js

Usage

`intense_dependency()`

Index

`img_intensify`, 2

`intense_dependency`, 3