

Package ‘robis’

October 13, 2021

Title Ocean Biodiversity Information System (OBIS) Client

Description Client for the Ocean Biodiversity Information System (<<https://obis.org>>).

Version 2.8.2

Date 2021-10-13

URL <https://github.com/iobis/robis>

BugReports <https://github.com/iobis/robis/issues>

Depends R (>= 3.1.3)

Imports httr, dplyr, jsonlite, leaflet, ggplot2, tidyverse, httpcache, tibble, mapedit, sf, rlang, purrr, stringr, curl, data.table, tidyselect, xml2

Collate robis.R util.R area.R checklist.R dataset.R dna.R map.R mof.R node.R occurrence.R taxon.R

License MIT + file LICENSE

Suggests testthat, knitr, rmarkdown, spelling

RoxygenNote 7.1.1

VignetteBuilder knitr

Language en-US

NeedsCompilation no

Author Pieter Provoost [cre, aut],
Samuel Bosch [aut],
Ward Appeltans [ctb],
OBIS [cph]

Maintainer Pieter Provoost <pieterprovoost@gmail.com>

Repository CRAN

Date/Publication 2021-10-13 13:12:04 UTC

R topics documented:

area	2
checklist	3
dataset	4
dna_records	5
get_geometry	5
map_ggplot	6
map_leaflet	6
measurements	7
node	7
occurrence	8
robis	9
taxon	10

Index

11

area	<i>Fetch a list of areas</i>
------	------------------------------

Description

Fetch a list of areas

Usage

```
area(verbose = FALSE)
```

Arguments

verbose logical. Optional parameter to enable verbose logging (default = FALSE).

Value

The areas.

Examples

```
areas <- area(verbose = FALSE)
```

checklist*Create a checklist.*

Description

Create a checklist.

Usage

```
checklist(scientificname = NULL, taxonid = NULL, datasetid = NULL,
nodeid = NULL, instituteid = NULL, areaid = NULL, startdate = NULL, enddate = NULL,
startdepth = NULL, enddepth = NULL, geometry = NULL, redlist = NULL,
hab = NULL, wrims = NULL, dropped = NULL, flags = NULL, exclude = NULL,
verbose = FALSE)
```

Arguments

scientificname	the scientific name.
taxonid	the taxon identifier (WoRMS AphiaID).
datasetid	the dataset identifier.
nodeid	the OBIS node identifier.
instituteid	the OBIS institute identifier.
areaid	the OBIS area identifier.
startdate	the earliest date on which occurrence took place.
enddate	the latest date on which the occurrence took place.
startdepth	the minimum depth below the sea surface.
enddepth	the maximum depth below the sea surface.
geometry	a WKT geometry string.
redlist	include only IUCN Red List species.
hab	include only IOC-UNESCO HAB species.
wrims	include only WRiMS species.
dropped	only include dropped records (TRUE), exclude dropped records (NULL) or include dropped records (include).
flags	quality flags which need to be set.
exclude	quality flags to be excluded from the results.
verbose	logical. Optional parameter to enable verbose logging (default = FALSE).

Value

The checklist.

Examples

```
taxa <- checklist(scientificname = "Tellinidae")
taxa <- checklist(geometry = "POLYGON ((2.3 51.8, 2.3 51.6, 2.6 51.6, 2.6 51.8, 2.3 51.8))")
taxa <- checklist(areaid = 10181)
```

dataset	<i>Create a list of datasets.</i>
---------	-----------------------------------

Description

Create a list of datasets.

Usage

```
dataset(scientificname = NULL, taxonid = NULL, datasetid = NULL,
nodeid = NULL, instituteid = NULL, areaid = NULL, startdate = NULL,
enddate = NULL, startdepth = NULL, enddepth = NULL, geometry = NULL,
redlist = NULL, hab = NULL, wrims = NULL, exclude = NULL, verbose = FALSE)
```

Arguments

scientificname	the scientific name.
taxonid	the taxon identifier (WoRMS AphiaID).
datasetid	the dataset identifier.
nodeid	the OBIS node identifier.
instituteid	the OBIS institute identifier.
areaid	the OBIS area identifier.
startdate	the earliest date on which occurrence took place.
enddate	the latest date on which the occurrence took place.
startdepth	the minimum depth below the sea surface.
enddepth	the maximum depth below the sea surface.
geometry	a WKT geometry string.
redlist	include only IUCN Red List species.
hab	include only IOC-UNESCO HAB species.
wrims	include only WRiMS species.
exclude	quality flags to be excluded from the results.
verbose	logical. Optional parameter to enable verbose logging (default = FALSE).

Value

The datasets.

Examples

```
datasets <- dataset(scientificname = "Tellinidae")
datasets <- dataset(geometry = "POLYGON ((2.3 51.8, 2.3 51.6, 2.6 51.6, 2.6 51.8, 2.3 51.8))")
datasets <- dataset(areaid = 10181)
```

dna_records*Extract DNA records from occurrence data with a dna column.*

Description

Extract DNA records from occurrence data with a dna column.

Usage

```
dna_records(df, fields = "id")
```

Arguments

<code>df</code>	the occurrence dataframe.
<code>fields</code>	columns from the occurrence dataframe to include.

Value

The DNA records.

get_geometry*Get a WKT geometry by drawing on a map.*

Description

Get a WKT geometry by drawing on a map.

Usage

```
get_geometry(provider_tiles = "Esri.WorldGrayCanvas")
```

Arguments

`provider_tiles` the base map provider.

Value

A WKT representation of a geometry.

`map_ggplot` *Create a ggplot2 map.*

Description

Create a ggplot2 map.

Usage

```
map_ggplot(data, color = "#ff3399")
```

Arguments

<code>data</code>	the occurrences from <code>occurrence()</code> .
<code>color</code>	color to be used for the dots.

Value

A ggplot object.

`map_leaflet` *Create a leaflet map.*

Description

Create a leaflet map.

Usage

```
map_leaflet(data, color = "#ff3399",
            provider_tiles = "Esri.WorldGrayCanvas", popup = function(x) { x["id"] },
            antarctic = FALSE)
```

Arguments

<code>data</code>	the occurrences from <code>occurrence()</code> .
<code>color</code>	color to be used for the dots.
<code>provider_tiles</code>	the base map provider.
<code>popup</code>	function generating the popup content.
<code>antarctic</code>	use antarctic polar stereographic projection.

Value

A leaflet object.

measurements	<i>Extract measurements or facts from occurrence data with a mof column.</i>
--------------	--

Description

Extract measurements or facts from occurrence data with a mof column.

Usage

```
measurements(df, fields = "id")
```

Arguments

- | | |
|--------|---|
| df | the occurrence dataframe. |
| fields | columns from the occurrence dataframe to include. |

Value

The measurements.

node	<i>Fetch a list of nodes</i>
------	------------------------------

Description

Fetch a list of nodes

Usage

```
node(verbose = FALSE)
```

Arguments

- | | |
|---------|--|
| verbose | logical. Optional parameter to enable verbose logging (default = FALSE). |
|---------|--|

Value

The nodes

Examples

```
nodes <- node()
```

occurrence	<i>Find occurrences.</i>
------------	--------------------------

Description

Find occurrences.

Usage

```
occurrence(scientificname = NULL, taxonid = NULL, datasetid = NULL,
nodeid = NULL, instituteid = NULL, areaid = NULL, startdate = NULL, enddate = NULL,
startdepth = NULL, enddepth = NULL, geometry = NULL,
measurementtype = NULL, measurementtypeid = NULL, measurementvalue = NULL,
measurementvalueid = NULL, measurementunit = NULL, measurementunitid = NULL,
redlist = NULL, hab = NULL, wrims = NULL, mof = NULL, dna = NULL, absence = NULL,
event = NULL, dropped = NULL, flags = NULL, exclude = NULL, fields = NULL,
qcfields = NULL, verbose = FALSE)
```

Arguments

scientificname	the scientific name.
taxonid	the taxon identifier (WoRMS AphiaID).
datasetid	the dataset identifier.
nodeid	the OBIS node identifier.
instituteid	the OBIS institute identifier.
areaid	the OBIS area identifier.
startdate	the earliest date on which occurrence took place.
enddate	the latest date on which the occurrence took place.
startdepth	the minimum depth below the sea surface.
enddepth	the maximum depth below the sea surface.
geometry	a WKT geometry string.
measurementtype	the measurement type to be included in the measurements data.
measurementtypeid	the measurement type ID to be included in the measurements data.
measurementvalue	the measurement value to be included in the measurements data.
measurementvalueid	the measurement value ID to be included in the measurements data.
measurementunit	the measurement unit to be included in the measurements data.
measurementunitid	the measurement unit ID to be included in the measurements data.

redlist	include only IUCN Red List species.
hab	include only IOC-UNESCO HAB species.
wrims	include only WRiMS species.
mof	include measurements data (default = NULL).
dna	include DNA data (default = NULL).
absence	only include absence records (TRUE), exclude absence records (NULL) or include absence records (include).
event	only include pure event records (TRUE), exclude pure event records (NULL) or include event records (include).
dropped	only include dropped records (TRUE), exclude dropped records (NULL) or include dropped records (include).
flags	quality flags which need to be set.
exclude	quality flags to be excluded from the results.
fields	fields to be included in the results.
qcfields	include lists of missing and invalid fields (default = NULL).
verbose	logical. Optional parameter to enable verbose logging (default = FALSE).

Value

The occurrence records.

Examples

```
records <- occurrence(scientificname = "Abra sibogai")
records <- occurrence(taxonid = 141438, startdate = as.Date("2007-10-10"))
records <- occurrence(taxon = 141438, geometry = "POLYGON ((0 0, 0 45, 45 45, 45 0, 0 0))")
```

Description

This is an R client for the Ocean Biodiversity Information System (OBIS) API which is documented at <https://api.obis.org>.

Code and issues for this package are managed at <https://github.com/iobis/robis>.

Author(s)

Pieter Provoost, <p.provoost@unesco.org>

Samuel Bosch

taxon *Get taxon by taxon ID.*

Description

Get taxon by taxon ID.

Usage

```
taxon(taxonid, verbose = FALSE)
```

Arguments

taxonid	the taxon identifier (WoRMS AphiaID).
verbose	logical. Optional parameter to enable verbose logging (default = FALSE).

Value

Tibble containing taxon records.

Examples

```
taxon(c(141433, 141434))
```

Index

area, 2
checklist, 3
dataset, 4
dna_records, 5
get_geometry, 5
map_ggplot, 6
map_leaflet, 6
measurements, 7
node, 7
occurrence, 8
robis, 9
taxon, 10