## Package 'trade'

August 24, 2022

Type Package

Title Tools for Trade Practitioners

**Version** 0.8.1

Date 2022-08-23

Author Charles Taragin

Maintainer Charles Taragin < ctaragin + trader@gmail.com>

**Depends** antitrust (>= 0.99.11)

URL https://github.com/luciu5/trade

Imports methods, stats

Suggests BB,competitiontoolbox,rmarkdown,bookdown,knitr

VignetteBuilder knitr

**Description** A collection of tools for trade practitioners, including the ability to calibrate different consumer demand systems and simulate the effects of tariffs and quotas under different competitive regimes. These tools are derived from Anderson et al. (2001) <doi:10.1016/S0047-2727(00)00085-2> and Froeb et al. (2003) <doi:10.1016/S0304-4076(02)00166-5>.

License CC0

**Encoding** UTF-8

LazyLoad yes

RoxygenNote 7.2.0

Collate 'TariffClasses.R' 'ps-methods.R' 'HypoMonMethods.R'

'QuotaClasses.R' 'summary-methods.R' 'bargaining\_tariff.R'

'SimFunctions.R' 'TariffCournot-methods.R'

'TariffMonComRUM-methods.R' 'auction2nd\_tariff.R'

'bertrand quota.R' 'bertrand tariff.R' 'cournot tariff.R'

'initialize-methods.R' 'monopolistic\_competition\_tariff.R'

'trade-deprecated.R' 'trade\_shiny.R'

NeedsCompilation no

Repository CRAN

**Date/Publication** 2022-08-24 07:10:06 UTC

2 auction2nd\_tariff

### **R** topics documented:

auction2nd_tariff	2
bargaining_tariff	4
bertrand_quota	7
bertrand_tariff	
cournot_tariff	12
defineMarketTools-methods	15
initialize-methods	16
monopolistic_competition_tariff	17
ps-methods	
Quota-classes	19
Sim-Functions	20
summary-methods	23
Tariff-classes	24
TariffCournot-methods	24
TariffMonComRUM-methods	25
	27

auction2nd\_tariff

Tariff Simulation With A Second Score Procurement Auction Game

### Description

Simulate the effect of tariffs when firms play a second score procurement auction game and consumer demand is Logit.

### Usage

```
auction2nd_tariff(
  demand = c("logit"),
 prices,
  quantities,
 margins,
 owner = NULL,
 mktElast = NA_real_,
  diversions,
  tariffPre = rep(0, length(quantities)),
  tariffPost = rep(0, length(quantities)),
  priceStart,
  parmStart,
  control.slopes,
  control.equ,
  labels = paste("Prod", 1:length(quantities), sep = ""),
)
```

auction2nd\_tariff 3

### **Arguments**

demand	A character vector indicating which demand system to use. Currently allows logit (default).
prices	A length k vector product prices.
quantities	A length k vector of product quantities.
margins	A length k vector of product margins. All margins must be in <b>levels</b> (not w.r.t to price), or NA.
owner	EITHER a vector of length $k$ whose values indicate which firm produced a product before the tariff OR a $k$ x $k$ matrix of pre-merger ownership shares.
mktElast	A negative number equal to the industry pre-merger price elasticity. Default is $\ensuremath{NA}$ .
diversions	A k x k matrix of diversion ratios with diagonal elements equal to -1. Default is missing, in which case diversion according to revenue share is assumed.
tariffPre	A vector of length k where each element equals the <b>current</b> <i>ad valorem</i> tariff (expressed as a proportion of the consumer price) imposed on each product. Default is 0, which assumes no tariff.
tariffPost	A vector of length k where each element equals the <b>new</b> <i>ad valorem</i> tariff (expressed as a proportion of the consumer price) imposed on each product. Default is 0, which assumes no tariff.
priceStart	For aids, a vector of length $k$ who elements equal to an initial guess of the proportional change in price caused by the merger. The default is to draw $k$ random elements from a $[0,1]$ uniform distribution. For ces and logit, the default is prices.
parmStart	aids only. A vector of length 2 whose elements equal to an initial guess for each "known" element of the diagonal of the demand matrix and the market elasticity.
control.slopes	A list of optim control parameters passed to the calibration routine optimizer (typically the calcSlopes method).
control.equ	A list of BBsolve control parameters passed to the non-linear equation solver (typically the calcPrices method).
labels	A k-length vector of labels.
•••	Additional options to feed to the BBsolve optimizer used to solve for equilibrium prices.

### **Details**

Let k denote the number of products produced by all firms. Using price, and quantity, information for all products in each market, as well as margin information for at least one products in each market, auction2ndtariff is able to recover the slopes and intercepts of a Logit, CES, demand system. These parameters are then used to simulate the price effects of an *ad valorem* tariff under the assumption that the firms are playing a 2nd score auction.

### Value

auction2ndtariff returns an instance of class Tariff2ndLogit

4 bargaining\_tariff

#### References

Simon P. Anderson, Andre de Palma, Brent Kreider, Tax incidence in differentiated product oligopoly, Journal of Public Economics, Volume 81, Issue 2, 2001, Pages 173-192.

#### See Also

bertrand\_tariff to simulate the effects of a tariff under a Bertrand pricing game and monopolistic\_competition\_tariff to simulate the effects of a tariff under monopolistic competition.

### Examples

```
## Calibration and simulation results from a 10% tariff on non-US beers "OTHER-LITE"
## and "OTHER-REG"
## Source: Epstein/Rubenfeld 2004, pg 80
prodNames <- c("BUD","OLD STYLE","MILLER","MILLER-LITE","OTHER-LITE","OTHER-REG")</pre>
owner <-c("BUD","OLD STYLE","MILLER","MILLER","OTHER-LITE","OTHER-REG")</pre>
       <- c(.0441,.0328,.0409,.0396,.0387,.0497)
quantities <- c(.066,.172,.253,.187,.099,.223)*100
margins <- c(.3830,.5515,.5421,.5557,.4453,.3769) # margins in terms of price
margins <- margins*price # dollar margins
tariff <- c(0,0,0,0,.1,.1)
names(price) <-
names(quantities) <-</pre>
names(margins) <-</pre>
prodNames
result.2nd <- auction2nd_tariff(demand = "logit",prices=price,quantities=quantities,
                                 margins = margins,owner=owner,
                                  tariffPost = tariff, labels=prodNames)
print(result.2nd)
                            # return predicted price change
summary(result.2nd)
                             # summarize merger simulation
```

 ${\tt bargaining\_tariff}$ 

Tariff Simulation With A Nash Bargaining Game

### **Description**

Simulate the effect of tariffs when firms play a Nash Bargaining game and consumer demand is Logit.

bargaining\_tariff 5

### Usage

```
bargaining_tariff(
  demand = c("logit"),
  prices,
  shares,
 margins,
 owner = NULL,
 mktElast = NA_real_,
  insideSize = NA_real_,
  diversions,
  tariffPre = rep(0, length(shares)),
  tariffPost = rep(0, length(shares)),
 bargpowerPre = rep(0.5, length(prices)),
 bargpowerPost = bargpowerPre,
 normIndex = ifelse(isTRUE(all.equal(sum(shares), 1, check.names = FALSE)), 1, NA),
 priceOutside = ifelse(demand == "logit", 0, 1),
 priceStart,
 control.slopes,
  control.equ,
 labels = paste("Prod", 1:length(shares), sep = ""),
)
```

demand	A character vector indicating which demand system to use. Currently allows logit (default).
prices	A length k vector product prices.
shares	A length k vector of product shares. Values must be between 0 and 1.
margins	A length k vector of product margins. All margins must be in <b>levels</b> (not w.r.t to price), or NA.
owner	EITHER a vector of length k whose values indicate which firm produced a product before the tariff OR a k x k matrix of pre-merger ownership shares.
mktElast	A negative number equal to the industry pre-merger price elasticity. Default is $NA$ .
insideSize	An integer equal to total pre-merger units sold. If shares sum to one, this also equals the size of the market.
diversions	A k x k matrix of diversion ratios with diagonal elements equal to -1. Default is missing, in which case diversion according to revenue share is assumed.
tariffPre	A vector of length k where each element equals the <b>current</b> <i>ad valorem</i> tariff (expressed as a proportion of the consumer price) imposed on each product. Default is 0, which assumes no tariff.
tariffPost	A vector of length k where each element equals the <b>new</b> <i>ad valorem</i> tariff (expressed as a proportion of the consumer price) imposed on each product. Default is 0, which assumes no tariff.

6 bargaining\_tariff

A length k vector of pre-tariff bargaining power parameters. Values must be between 0 (sellers have the power) and 1 (buyers the power). NA values are allowed, though must be calibrated from additional margin and share data. Default

is 0.5.

bargpowerPost A length k vector of post-tariff bargaining power parameters. Values must be

between 0 (sellers have the power) and 1 (buyers the power). NA values are allowed, though must be calibrated from additional margin and share data. Default

is 'bargpowerPre'.

normIndex An integer equalling the index (position) of the inside product whose mean val-

uation will be normalized to 1. Default is 1, unless 'shares' sum to less than 1, in which case the default is NA and an outside good is assumed to exist.

priceOutside price of the outside good. Equals 0 for logit and 1 for ces. Not used for aids.

priceStart For aids, a vector of length k who elements equal to an initial guess of the

proportional change in price caused by the merger. The default is to draw k random elements from a [0,1] uniform distribution. For ces and logit, the default

is prices.

control.slopes A list of optim control parameters passed to the calibration routine optimizer

(typically the calcSlopes method).

control.equ A list of BBsolve control parameters passed to the non-linear equation solver

(typically the calcPrices method).

labels A k-length vector of labels.

... Additional options to feed to the BBsolve optimizer used to solve for equilib-

rium prices.

### **Details**

Let k denote the number of products produced by all firms. Using price, and quantity, information for all products in each market, as well as margin information for at least one products in each market, bargaining\_tariff is able to recover the slopes and intercepts of a Logit demand system. These parameters are then used to simulate the price effects of an *ad valorem* tariff under the assumption that the firms are playing a Nash Bargaining game.

#### Value

bargaining\_tariff returns an instance of class TariffBargainingLogit

### References

Simon P. Anderson, Andre de Palma, Brent Kreider, Tax incidence in differentiated product oligopoly, Journal of Public Economics, Volume 81, Issue 2, 2001, Pages 173-192.

#### See Also

bertrand\_tariff to simulate the effects of a tariff under a Bertrand pricing game and monopolistic\_competition\_tariff to simulate the effects of a tariff under monopolistic competition.

bertrand\_quota 7

### **Examples**

```
## Calibration and simulation results from a 10% tariff on non-US beers "OTHER-LITE"
## and "OTHER-REG"
## Source: Epstein/Rubenfeld 2004, pg 80
prodNames <- c("BUD","OLD STYLE","MILLER","MILLER-LITE","OTHER-LITE","OTHER-REG")</pre>
owner <-c("BUD","OLD STYLE","MILLER","MILLER","OTHER-LITE","OTHER-REG")</pre>
price <- c(.0441,.0328,.0409,.0396,.0387,.0497)
shares <- c(.066,.172,.253,.187,.099,.223)
margins <- c(.3830,.5515,.5421,.5557,.4453,.3769) # margins in terms of price
tariff <-c(0,0,0,0,.1,.1)
names(price) <-</pre>
 names(shares) <-</pre>
 names(margins) <-</pre>
 prodNames
result.barg <- bargaining_tariff(demand = "logit",prices=price,shares=shares,</pre>
                                 margins = margins,owner=owner,
                                  tariffPost = tariff, labels=prodNames)
print(result.barg)
                              # return predicted price change
summary(result.barg)
                              # summarize merger simulation
```

bertrand\_quota

quota Simulation With A Bertrand Pricing Game

### **Description**

Simulate the effect of quotas when firms play a Bertrand pricing game and consumer demand is either Logit, CES, or AIDS

### Usage

```
bertrand_quota(
  demand = c("logit"),
  prices,
  quantities,
  margins,
  owner = NULL,
  mktElast = NA_real_,
  diversions,
  quotaPre = rep(Inf, length(quantities)),
  quotaPost,
  priceOutside = ifelse(demand == "logit", 0, 1),
```

8 bertrand\_quota

```
priceStart,
  isMax = FALSE,
  parmStart,
  control.slopes,
  control.equ,
  labels = paste("Prod", 1:length(quantities), sep = ""),
  ...
)
```

### Arguments

demand A character vector indicating which demand system to use. Currently allows

logit (default), ces, or aids.

prices A length k vector product prices. Default is missing, in which case demand

intercepts are not calibrated.

quantities A length k vector of product quantities.

margins A length k vector of product margins. All margins must be either be between 0

and 1, or NA.

owner EITHER a vector of length k whose values indicate which firm produced a prod-

uct before the merger OR a k x k matrix of pre-merger ownership shares.

mktElast A negative number equal to the industry pre-merger price elasticity. Default is

NA.

diversions A k x k matrix of diversion ratios with diagonal elements equal to -1. Default is

missing, in which case diversion according to revenue share is assumed.

quotaPre A vector of length k where each element equals the **current** quota (expressed as

a proportion of pre-merger quantities) imposed on each product. Default is Inf,

which assumes no quota.

quotaPost A vector of length k where each element equals the **new** quota (expressed as a

proportion of pre-merger quantities) imposed on each product. Default is Inf,

which assumes no quota.

priceOutside price of the outside good. Equals 0 for logit and 1 for ces. Not used for aids.

priceStart For aids, a vector of length k who elements equal to an initial guess of the

proportional change in price caused by the merger. The default is to draw k random elements from a [0,1] uniform distribution. For ces and logit, the default

is prices.

isMax If TRUE, checks to see whether computed price equilibrium locally maximizes

firm profits and returns a warning if not. Default is FALSE.

parmStart aids only. A vector of length 2 who elements equal to an initial guess for

"known" element of the diagonal of the demand matrix and the market elasticity.

control.slopes A list of optim control parameters passed to the calibration routine optimizer

(typically the calcSlopes method).

control.equ A list of BBsolve control parameters passed to the non-linear equation solver

(typically the calcPrices method).

labels A k-length vector of labels.

.. Additional options to feed to the BBsolve optimizer used to solve for equilib-

rium prices.

bertrand\_tariff 9

#### **Details**

Let k denote the number of products produced by all firms. Using price, and quantity, information for all products in each market, as well as margin information for at least one products in each market, bertrand\_quota is able to recover the slopes and intercepts of the Logit, demand system. These parameters are then used to simulate the price effects of a quota under the assumption that the firms are playing a simultaneous price setting game.

#### Value

bertrand\_quota returns an instance of class QuotaLogit.

#### References

Simon P. Anderson, Andre de Palma, Brent Kreider, Tax incidence in differentiated product oligopoly, Journal of Public Economics, Volume 81, Issue 2, 2001, Pages 173-192.

### **Examples**

```
## Calibration and simulation results from a 80% quota on non-US beers "OTHER-LITE"
## and "OTHER-REG"
## Source: Epstein/Rubenfeld 2004, pg 80
prodNames <- c("BUD","OLD STYLE","MILLER","MILLER-LITE","OTHER-LITE","OTHER-REG")</pre>
owner <-c("BUD","OLD STYLE","MILLER","MILLER","OTHER-LITE","OTHER-REG")</pre>
         <- c(.0441,.0328,.0409,.0396,.0387,.0497)
quantities <- c(.066,.172,.253,.187,.099,.223)*100
margins < c(.3830,.5515,.5421,.5557,.4453,.3769)
quota <- c(Inf,Inf,Inf,Inf,.8,.8)</pre>
names(price) <-
names(quantities) <-</pre>
names(margins) <-</pre>
prodNames
result.logit <- bertrand_quota(demand = "logit",prices=price,quantities=quantities,
                       margins = margins,owner=owner, quotaPost = quota, labels=prodNames)
print(result.logit)
                               # return predicted price change
summary(result.logit)
                               # summarize merger simulation
```

bertrand\_tariff

Tariff Simulation With A Bertrand Pricing Game

#### Description

Simulate the effect of tariffs when firms play a Bertrand pricing game and consumer demand is either Logit, CES, or AIDS

10 bertrand\_tariff

### Usage

```
bertrand_tariff(
  demand = c("logit", "ces", "aids"),
  prices,
  quantities,
 margins,
 owner = NULL,
 mktElast = NA_real_,
  diversions,
  tariffPre = rep(0, length(quantities)),
  tariffPost = rep(0, length(quantities)),
  priceOutside = ifelse(demand == "logit", 0, 1),
  priceStart,
  isMax = FALSE,
  parmStart,
  control.slopes,
  control.equ,
  labels = paste("Prod", 1:length(quantities), sep = ""),
)
```

### **Arguments**

demand	A character vector indicating	which demand system to use.	Currently allows

logit (default), ces, or aids.

prices A length k vector product prices. Default is missing, in which case demand

intercepts are not calibrated.

quantities A length k vector of product quantities.

margins A length k vector of product margins. All margins must be either be between 0

and 1, or NA.

owner EITHER a vector of length k whose values indicate which firm produced a prod-

uct before the tariff OR a k x k matrix of pre-merger ownership shares.

mktElast A negative number equal to the industry pre-merger price elasticity. Default is

NA .

diversions A k x k matrix of diversion ratios with diagonal elements equal to -1. Default is

missing, in which case diversion according to revenue share is assumed.

tariffPre A vector of length k where each element equals the **current** ad valorem tariff

(expressed as a proportion of the consumer price) imposed on each product.

Default is 0, which assumes no tariff.

tariffPost A vector of length k where each element equals the **new** ad valorem tariff (ex-

pressed as a proportion of the consumer price) imposed on each product. Default

is 0, which assumes no tariff.

priceOutside price of the outside good. Equals 0 for logit and 1 for ces. Not used for aids.

priceStart For aids, a vector of length k who elements equal to an initial guess of the

proportional change in price caused by the merger. The default is to draw k

bertrand\_tariff 11

	random elements from a [0,1] uniform distribution. For ces and logit, the default is prices.
isMax	If TRUE, checks to see whether computed price equilibrium locally maximizes firm profits and returns a warning if not. Default is FALSE.
parmStart	aids only. A vector of length 2 whose elements equal to an initial guess for each "known" element of the diagonal of the demand matrix and the market elasticity.
control.slopes	A list of optim control parameters passed to the calibration routine optimizer (typically the calcSlopes method).
control.equ	A list of BBsolve control parameters passed to the non-linear equation solver (typically the calcPrices method).
labels	A k-length vector of labels.
• • •	Additional options to feed to the BBsolve optimizer used to solve for equilibrium prices.

#### **Details**

Let k denote the number of products produced by all firms. Using price, and quantity, information for all products in each market, as well as margin information for at least one products in each market, bertrand\_tariff is able to recover the slopes and intercepts of either a Logit, CES, or AIDS demand system. These parameters are then used to simulate the price effects of an *ad valorem* tariff under the assumption that the firms are playing a simultaneous price setting game.

### Value

bertrand\_tariff returns an instance of class TariffLogit, TariffCES, or TariffAIDS, depending upon the value of the "demand" argument.

#### References

Simon P. Anderson, Andre de Palma, Brent Kreider, Tax incidence in differentiated product oligopoly, Journal of Public Economics, Volume 81, Issue 2, 2001, Pages 173-192.

### See Also

monopolistic\_competition\_tariff to simulate the effects of a tariff under monopolistic competition.

### **Examples**

```
## Calibration and simulation results from a 10% tariff on non-US beers "OTHER-LITE"
## and "OTHER-REG"
## Source: Epstein/Rubenfeld 2004, pg 80

prodNames <- c("BUD","OLD STYLE","MILLER","MILLER-LITE","OTHER-LITE","OTHER-REG")
owner <-c("BUD","OLD STYLE","MILLER","MILLER","OTHER-LITE","OTHER-REG")
price <- c(.0441,.0328,.0409,.0396,.0387,.0497)
quantities <- c(.066,.172,.253,.187,.099,.223)*100
margins <- c(.3830,.5515,.5421,.5557,.4453,.3769)</pre>
```

12 cournot\_tariff

 $cournot\_tariff$ 

Tariff Simulation With A Cournot Quantity Setting Game

### **Description**

Simulate the effect of tariffs when firms play a cournot quantity setting game and consumer demand is either linear or log-linear

### Usage

```
cournot_tariff(
  prices,
  quantities,
 margins = matrix(NA_real_, nrow(quantities), ncol(quantities)),
 demand = rep("linear", length(prices)),
  cost = rep("linear", nrow(quantities)),
  tariffPre = matrix(0, nrow = nrow(quantities), ncol = ncol(quantities)),
  tariffPost = tariffPre,
 mcfunPre = list(),
 mcfunPost = mcfunPre,
 vcfunPre = list(),
  vcfunPost = vcfunPre,
  capacitiesPre = rep(Inf, nrow(quantities)),
  capacitiesPost = capacitiesPre,
  productsPre = !is.na(quantities),
  productsPost = productsPre,
  owner = NULL,
 mktElast = rep(NA_real_, length(prices)),
  quantityStart = as.vector(quantities),
  control.slopes,
  control.equ,
  labels,
```

cournot\_tariff 13

)

### Arguments

A length k vector product prices. prices An n x k matrix of product quantities. All quantities must either be positive, or quantities if the product is not produced by a plant, NA margins An n x k matrix of product margins. All margins must be either be between 0 and 1, or NA. A length k character vector equal to "linear" if a product's demand curve is demand assumed to be linear or "log" if a product's demand curve is assumed to be loglinear. A length k character vector equal to "linear" if a plant's marginal cost curve is cost assumed to be linear or "constant" if a plant's marginal curve is assumed to be constant. Returns an error if a multi-plant firm with constant marginal costs does not have capacity constraints. tariffPre An n x k matrix where each element equals the **current** ad valorem tariff (expressed as a proportion of consumer price) imposed on each product. Default is 0, which assumes no tariff. tariffPost An n x k matrix where each element equals the **new** ad valorem tariff (expressed as a proportion of consumer price) imposed on each product. Default is 0, which assumes no tariff. mcfunPre a length n list of functions that calculate a plant's marginal cost under the current tariff structure. If empty (the default), assumes quadratic costs. mcfunPost a length n list of functions that calculate a plant's marginal cost under the new tariff structure. If empty (the default), assumes quadratic costs. vcfunPre a length n list of functions that calculate a plant's variable cost under the current tariff structure. If empty (the default), assumes quadratic costs. vcfunPost a length n list of functions that calculate a plant's variable cost under the new tariff structure. If empty (the default), assumes quadratic costs. A length n numeric vector of plant capacities under the current tariff regime. capacitiesPre Default is Inf. capacitiesPost A length n numeric vector of plant capacities under the new tariff regime. Default is Inf. productsPre An n x k matrix that equals TRUE if under the current tariff regime, a plant produces a product. Default is TRUE if 'quantities' is not NA. An n x k matrix that equals TRUE if under the new tariff regime, a plant proproductsPost duces a product. Default equals 'productsPre'. EITHER a vector of length n whose values indicate which plants are commonly owner owned OR an n x n matrix of ownership shares. mktElast A length k vector of product elasticities. Default is a length k vector of NAs quantityStart A length k vector of quantities used as the initial guess in the nonlinear equation solver. Default is 'quantities'.

14 cournot\_tariff

control.slopes A list of optim control parameters passed to the calibration routine optimizer (typically the calcSlopes method).

control.equ A list of BBsolve control parameters passed to the non-linear equation solver (typically the calcPrices method).

labels A k-length vector of labels.

Additional options to feed to the BBsolve optimizer used to solve for equilibrium quantities.

#### **Details**

Let k denote the number of products and n denote the number of plants. Using price, and quantity, information for all products in each market, as well as margin information for at least one products in each market, cournot\_tariff is able to recover the slopes and intercepts of either a Linear or Log-linear demand system. These parameters are then used to simulate the price effects of a tariff under the assumption that the firms are playing a homogeneous products simultaneous quantity setting game.

#### Value

cournot\_tariff returns an instance of class Cournot from package **antitrust**, depending upon the value of the "demand" argument.

#### References

Simon P. Anderson, Andre de Palma, Brent Kreider, The efficiency of indirect taxes under imperfect competition, Journal of Public Economics, Volume 81, Issue 2, 2001, Pages 231-251.

### **Examples**

```
## Simulate the effect of a 75% ad valorem tariff in a
## 5-firm, single-product market with linear demand and quadratic costs
## Firm 1 is assumed to be foreign, and so subject to a tariff
n <- 5 #number of firms in market
cap <- rnorm(n, mean = .5, sd = .1)
int <- 10
slope <- -.25
tariffPre <- tariffPost <- rep(0, n)
tariffPost[1] < - .75
B.pre.c = matrix(slope,nrow=n,ncol=n)
diag(B.pre.c) = 2* diag(B.pre.c) - 1/cap
quantity.pre.c = rowSums(solve(B.pre.c) * -int)
price.pre.c = int + slope * sum(quantity.pre.c)
mc.pre.c = quantity.pre.c/cap
vc.pre.c = quantity.pre.c^2/(2*cap)
margin.pre.c = 1 - mc.pre.c/price.pre.c
#prep inputs for Cournot
```

defineMarketTools-methods 15

defineMarketTools-methods

Methods For Implementing The Hypothetical Monopolist Test

### **Description**

An adaptation of the Hypothetical Monopolist Test described in the 2010 Horizontal Merger Guidelines for use in non-merger settings.

HypoMonTest implements the Hypothetical Monopolist Test for a given 'ssnip'. '...' may be used to pass arguments to the optimizer.

### Usage

```
## S4 method for signature 'TariffBertrand'
HypoMonTest(object, prodIndex, ssnip = 0.05, ...)
## S4 method for signature 'TariffCournot'
HypoMonTest(object, plantIndex, prodIndex, ssnip = 0.05, ...)
```

object	An instance of one of the classes listed above.
prodIndex	A vector of product indices that are to be placed under the control of the Hypothetical Monopolist.
ssnip	A number between 0 and 1 that equals the threshold for a "Small but Significant and Non-transitory Increase in Price" (SSNIP). Default is .05, or 5%.
	Pass options to the optimizer used to solve for equilibrium prices.
plantIndex	A vector of plant indices that are to be placed under the control of the Hypothetical Monopolist (Cournot).

16 initialize-methods

#### **Details**

HypoMonTest is an implementation of the Hypothetical Monopolist Test on the products indexed by 'prodIndex' for a 'ssnip'. The Hypothetical Monopolist Test determines whether a profit-maximizing Hypothetical Monopolist who controls the products indexed by 'prodIndex' would increase the price of at least one of the products in 'prodIndex' by a small, significant, and non-transitory amount (i.e. impose a SSNIP). The main difference between this implementation and antitrust::HypoMonTest() is this implementation does not check to see if 'prodIndex' contains a merging party's product.

### Value

HypoMonTest returns TRUE if a profit-maximizing Hypothetical Monopolist who controls the products indexed by 'prodIndex' would increase the price of at least one of the products in 'prodIndex' by a 'ssnip', and FALSE otherwise.

### References

U.S. Department of Justice and Federal Trade Commission, *Horizontal Merger Guidelines*. Washington DC: U.S. Department of Justice, 2010. https://www.justice.gov/atr/horizontal-merger-guidelines-081920 (accessed July 29, 2011).

initialize-methods

Initialize Methods

### **Description**

Initialize methods for the TariffBertrand and TariffCournot classes

### Usage

```
## S4 method for signature 'TariffBertrand'
initialize(.Object, ...)
## S4 method for signature 'QuotaBertrand'
initialize(.Object, ...)
## S4 method for signature 'TariffCournot'
initialize(.Object, ...)
```

```
.0bject an instance of class TariffBertrand or TariffCournot arguments to pass to initialize
```

```
monopolistic_competition_tariff
```

Tariff Simulation With A Monopolistic Competition Pricing Game

### Description

Simulate the effect of tariffs when firms play a Monopolistic Competition game and consumer demand is either Logit or CES

### Usage

```
monopolistic_competition_tariff(
  demand = c("logit", "ces"),
  prices,
  quantities,
  margins,
  mktElast = NA_real_,
  mktSize,
  tariffPre = rep(0, length(quantities)),
  tariffPost = rep(0, length(quantities)),
  priceOutside = ifelse(demand == "logit", 0, 1),
  labels = paste("Prod", 1:length(quantities), sep = "")
)
```

demand	A character vector indicating which demand system to use. Currently allows "logit" or "ces".
prices	A length k vector product prices. Default is missing, in which case demand intercepts are not calibrated.
quantities	A length k vector of product quantities.
margins	A length $k$ vector of product margins. All margins must be either be between $\boldsymbol{0}$ and $\boldsymbol{1},$ or NA.
mktElast	A negative number no greater than -1 equal to the industry pre-tariff price elasticity. Default is $NA$ .
mktSize	A positive number equal to the industry pre-tariff market size. Market size equals total quantity sold, <i>including sales to the outside good</i> .
tariffPre	A vector of length k where each element equals the <b>current</b> <i>ad valorem</i> tariff (expressed as a proportion of the consumer price) imposed on each product. Default is 0, which assumes no tariff.
tariffPost	A vector of length k where each element equals the <b>new</b> <i>ad valorem</i> tariff (expressed as a proportion of the consumer price) imposed on each product. Default is 0, which assumes no tariff.
priceOutside	price of the outside good. Default 0 for logit and 1 for ces. Not used for aids.
labels	A k-length vector of labels.

#### **Details**

Let k denote the number of products produced by all firms. Using price, and quantity, information for all products in each market, as well as margin information for at least one products in each market, monopolistic\_competition\_tariff is able to recover the slopes and intercepts of a Logit demand system. These parameters are then used to simulate the price effects of an *ad valorem* tariff under the assumption that the firms are playing a monopolisically competitive pricing game

#### Value

monopolistic\_competition\_tariff returns an instance of class TariffMonComLogit , depending upon the value of the "demand" argument.

#### References

Simon P. Anderson, Andre de Palma, Brent Kreider, Tax incidence in differentiated product oligopoly, Journal of Public Economics, Volume 81, Issue 2, 2001, Pages 173-192. Anderson, Simon P., and André De Palma. Economic distributions and primitive distributions in monopolistic competition. Centre for Economic Policy Research, 2015.

#### See Also

bertrand\_tariff to simulate the effects of a tariff under a Bertrand pricing game.

### **Examples**

```
## Calibration and simulation results from a 10% tariff on non-US beers "OTHER-LITE"
## and "OTHER-REG"
## Source: Epstein/Rubenfeld 2004, pg 80
prodNames <- c("BUD","OLD STYLE","MILLER","MILLER-LITE","OTHER-LITE","OTHER-REG")</pre>
       <- c(.0441,.0328,.0409,.0396,.0387,.0497)
quantities <- c(.066,.172,.253,.187,.099,.223)*100
margins < c(.3830,.5515,.5421,.5557,.4453,.3769)
tariff <-c(0,0,0,0,.1,.1)
names(price) <-
names(quantities) <-</pre>
names(margins) <-</pre>
prodNames
result.logit <- monopolistic_competition_tariff(demand = "logit",prices=price,quantities=quantities,
                                margins = margins,
                                 tariffPost = tariff, labels=prodNames)
print(result.logit)
                              # return predicted price change
summary(result.logit)
                              # summarize merger simulation
result.ces <- monopolistic_competition_tariff(demand = "ces",prices=price,quantities=quantities,
                                margins = margins,
                                 tariffPost = tariff, labels=prodNames)
```

ps-methods 19

```
print(result.ces)  # return predicted price change
summary(result.ces)  # summarize merger simulation
```

ps-methods

Methods To Calculate Producer Surplus

### Description

Producer Surplus methods for the TariffBertrand and TariffCournot classes

### Usage

```
## S4 method for signature 'TariffBertrand'
calcProducerSurplus(object, preMerger = TRUE)
## S4 method for signature 'TariffCournot'
calcProducerSurplus(object, preMerger = TRUE)
```

#### **Arguments**

object an instance of class TariffBertrand or TariffCournot

preMerger when TRUE, calculates producer surplus under the existing tariff regime. When

FALSE, calculates tariffs under the new tariff regime. Default is TRUE.

### Value

product-level (or in the case of Cournot, plant-level) producer surplus

Quota-classes S4 classes to model quotas

#### **Description**

Extend classes from the **antitrust** package to accomodate quotas.

### **Slots**

quotaPre For QuotaCournot, a matrix containing **current** plant-level (rows) AND product-level (columns) quotas. Default is a matrix of 0s. For all other classes, a vector containing **current** product-level quotas. Quotas are expressed as a proportion of pre-merger output. Default is a vector of Infs.

quotaPost a For QuotaCournot, a matrix containing **new** plant-level (rows) AND product-level (columns) quotas. Default is a matrix of Infs. For all other classes, a vector containing **new** product-level quotas. quotas are expressed as a proportion of pre-merger output. Default is a vector of Infss.

20 Sim-Functions

Sim-Functions

Tariff Simulation With User-Supplied Demand Parameters

### Description

Simulates the price effects of an ad valorem tariff with user-supplied demand parameters under the assumption that all firms in the market are playing either a differentiated products Bertrand pricing game, 2nd price auction, or bargaining game.

Let k denote the number of products produced by all firms below.

### Usage

```
sim(
  prices,
  supply = c("moncom", "bertrand", "auction", "bargaining"),
  demand = c("logit", "ces"),
  demand.param,
  owner.
  tariffPre = rep(0, length(prices)),
  tariffPost,
  subset = rep(TRUE, length(prices)),
  insideSize = 1,
  priceOutside,
  priceStart,
  bargpowerPre = rep(0.5, length(prices)),
  bargpowerPost = bargpowerPre,
  labels = paste("Prod", 1:length(prices), sep = ""),
)
```

### Arguments

prices	A length k vector of product	prices.
p. =		P

supply A character string indicating how firms compete with one another. Valid values

are "moncom" (monopolistic competition), "bertrand" (Nash Bertrand), "auc-

tion2nd" (2nd score auction), or "bargaining".

demand A character string indicating the type of demand system to be used in the merger

simulation. Supported demand systems are logit ('Logit') or ces ('CES').

demand.param See Below.

owner EITHER a vector of length k whose values indicate which firm produced a prod-

uct before the tariff OR a k x k matrix of pre-merger ownership shares.

tariffPre A vector of length k where each element equals the **current** ad valorem tariff

(expressed as a proportion of the consumer price) imposed on each product.

Default is 0, which assumes no tariff.

Sim-Functions 21

tariffPost	A vector of length k where each element equals the <b>new</b> <i>ad valorem</i> tariff (expressed as a proportion of the consumer price) imposed on each product. Default is 0, which assumes no tariff.
subset	A vector of length k where each element equals TRUE if the product indexed by that element should be included in the post-merger simulation and FALSE if it should be excluded. Default is a length k vector of TRUE.
insideSize	A length 1 vector equal to total units sold if 'demand' equals "logit", or total revenues if 'demand' equals "ces".
priceOutside	A length 1 vector indicating the price of the outside good. This option only applies to the 'Logit' class and its child classes Default for 'Logit', 'LogitNests', and 'LogitCap' is 0, and for 'CES' and 'CesNests' is 1.
priceStart	A length k vector of starting values used to solve for equilibrium price. Default is the 'prices' vector for all values of demand except for 'AIDS', which is set equal to a vector of 0s.
bargpowerPre	A length k vector of pre-merger bargaining power parameters. Values must be between 0 (sellers have the power) and 1 (buyers the power). Ignored if 'supply' not equal to "bargaining".
bargpowerPost	A length k vector of post-merger bargaining power parameters. Values must be between 0 (sellers have the power) and 1 (buyers the power). Default is 'bargpowerPre'. Ignored if 'supply' not equal to "bargaining".
labels	A k-length vector of labels. Default is "Prod#", where '#' is a number between 1 and the length of 'prices'.
	Additional options to feed to the optimizer used to solve for equilibrium prices.

#### **Details**

Using user-supplied demand parameters, sim simulates the effects of a merger in a market where firms are playing a differentiated products pricing game.

If 'demand' equals 'Logit' then 'demand.param' must equal a list containing

- alphaThe price coefficient.
- meanvalA length-k vector of mean valuations 'meanval'. If none of the values of 'meanval' are zero, an outside good is assumed to exist.

If demand equals 'CES' then 'demand.param' must equal a list containing

- gamma The price coefficient,
- alphaThe coefficient on the numeraire good. May instead be calibrated using 'shareInside',
- meanvalA length-k vector of mean valuations 'meanval'. If none of the values of 'meanval' are zero, an outside good is assumed to exist,
- shareInside The budget share of all products in the market. Default is 1, meaning that all consumer wealth is spent on products in the market. May instead be specified using 'alpha'.

### Value

sim returns an instance of the class specified by the 'demand' argument.

22 Sim-Functions

### Author(s)

Charles Taragin <ctaragin+trader@gmail.com>

#### See Also

The S4 class documentation for: Logit and CES,

### **Examples**

```
## Calibration and simulation results from a merger between Budweiser and
## Old Style. Note that the in the following model there is no outside
## good; BUD's mean value has been normalized to zero.
## Source: Epstein/Rubenfeld 2004, pg 80
prodNames <- c("BUD","OLD STYLE","MILLER","MILLER-LITE","OTHER-LITE","OTHER-REG")</pre>
owner <-c("BUD","OLD STYLE","MILLER","MILLER","OTHER-LITE","OTHER-REG")</pre>
tariff <-c(0,0,0,0,.1,.1)
price
        <- c(.0441,.0328,.0409,.0396,.0387,.0497)
# a list containing price coefficient and mean valuations
demand.param=list(alpha=-48.0457,
                  meanval=c(0,0.4149233,1.1899885,0.8252482,0.1460183,1.4865730)
)
sim.logit <- sim(price,demand="logit",supply="bertrand", demand.param,</pre>
                 owner=owner,tariffPost=tariff,labels=prodNames)
print(sim.logit)
                         # return predicted price change
summary(sim.logit)
                          # summarize merger simulation
                         # returns premerger elasticities
elast(sim.logit,TRUE)
elast(sim.logit,FALSE)
                        # returns postmerger elasticities
diversion(sim.logit,TRUE) # return premerger diversion ratios
diversion(sim.logit,FALSE) # return postmerger diversion ratios
cmcr(sim.logit)
                           #calculate compensating marginal cost reduction
upp(sim.logit)
                           #calculate Upwards Pricing Pressure Index
CV(sim.logit)
                           #calculate representative agent compensating variation
```

summary-methods 23

summary-methods

Summary Methods

### Description

Summary methods for the TariffBertrand, QuotaBertrand, and TariffCournot classes

### Usage

```
## S4 method for signature 'TariffBertrand'
summary(
 object,
  revenue = FALSE,
  levels = FALSE,
 parameters = FALSE,
 market = FALSE,
  insideOnly = TRUE,
 digits = 2
)
## S4 method for signature 'QuotaBertrand'
summary(
 object,
  revenue = FALSE,
  levels = FALSE,
  parameters = FALSE,
 market = FALSE,
  insideOnly = TRUE,
  digits = 2
)
## S4 method for signature 'TariffCournot'
summary(
 object,
 market = FALSE,
 revenue = FALSE,
 levels = FALSE,
 parameters = FALSE,
 digits = 2
)
```

### Arguments

object an instance of class TariffBertrand, QuotaBertrand, or TariffCournot revenue When TRUE, returns revenues, when FALSE returns quantitities. Default is FALSE.

24 TariffCournot-methods

levels When TRUE returns changes in levels rather than percents and quantities rather

than shares, when FALSE, returns changes as a parcent and shares rather than

quantities. Default is FALSE.

parameters When TRUE, displays demand and cost parameters. Default is FALSE.

market When TRUE, displays aggregate information about the effect of a tariff. When

FALSE displays product-specific (or in the case of Cournot, plant-specific) ef-

fects. Default is FALSE

insideOnly When TRUE, rescales shares on inside goods to sum to 1. Default is FALSE.

digits Number of digits to report. Default is 2.

### Value

Prints either market or product/plant-level summary and invisibly returns a data frame containing the same information.

Tariff-classes S4 classes to model tariffs

### **Description**

Extend classes from the **antitrust** package to accomodate tariffs.

### Slots

tariffPre For TariffCournot, a matrix containing **current** plant-level (rows) AND product-level (columns) tariffs. Default is a matrix of 0s. For all other classes, a vector containg **current** product-level tariffs. *ad valorem* taxes are expressed as a proportion of the consumer price. Default is a vector of 0s.

tariffPost a For TariffCournot, a matrix containing **new** plant-level (rows) AND product-level (columns) tariffs. Default is a matrix of 0s. For all other classes, a vector containing **new** product-level tariffs. *ad valorem* taxes are expressed as a proportion of the consumer price. Default is a vector of 0s.

TariffCournot-methods Additional methods for TariffCournot Class

### Description

Producer Surplus methods for the TariffBertrand and TariffCournot classes

### **Usage**

```
## S4 method for signature 'TariffCournot'
calcSlopes(object)
## S4 method for signature 'TariffCournot'
calcQuantities(object, preMerger = TRUE, market = FALSE)
```

### **Arguments**

object an instance of class TariffCournot

preMerger when TRUE, computes result under the existing tariff regime. When FALSE,

calculates tariffs under the new tariff regime. Default is TRUE.

market when TRUE, computes market-wide results. When FALSE, calculates plant-

specific results.

#### Value

calcSlopes return a TariffCournot object containing estimated slopes. CalcQuantities returns a matrix of equilbrium quantities under either the current or new tariff.

TariffMonComRUM-methods

Additional methods for TariffMonComLogit, TariffMonComCES Classes

### Description

 ${\tt calcSlopes}, {\tt Prices}, {\tt Margins} \ methods \ for the \ {\tt TariffMonComLogit} \ and \ {\tt TariffMonComCES} \ classes$ 

### Usage

```
## S4 method for signature 'TariffMonComLogit'
calcSlopes(object)

## S4 method for signature 'TariffMonComCES'
calcSlopes(object)

## S4 method for signature 'TariffMonComLogit'
calcMargins(object, preMerger = TRUE, level = FALSE)

## S4 method for signature 'TariffMonComCES'
calcMargins(object, preMerger = TRUE, level = FALSE)

## S4 method for signature 'TariffMonComLogit'
calcPrices(object, preMerger = TRUE, ...)

## S4 method for signature 'TariffMonComCES'
calcPrices(object, preMerger = TRUE, ...)
```

### **Arguments**

object an instance of class TariffMonComLogit or class TariffMonComCES

preMerger when TRUE, computes result under the existing tariff regime. When FALSE,

calculates tariffs under the new tariff regime. Default is TRUE.

level when TRUE, computes margins in dollars. When FALSE, calculates margins as

a proportion of prices. Default is FALSE.

... harmlessly pass the arguments used in other calcPrices methods to methods for

TariffMonComLogit and TariffMonComCES.

### Value

calcSlopes return a TariffMonComLogit or TariffMonComCES object containing estimated slopes. CalcQuantities returns a matrix of equilbrium quantities under either the current or new tariff.

# **Index**

* methods	${\sf HypoMonTest}$ , ${\sf TariffBertrand-method}$
defineMarketTools-methods, 15	(defineMarketTools-methods), 15
	<pre>HypoMonTest, TariffCournot-method</pre>
antitrust::HypoMonTest(), <i>16</i>	(defineMarketTools-methods), 15
auction2nd_tariff,2	
	initialize,QuotaBertrand-method
bargaining_tariff,4	(initialize-methods), 16
BBsolve, <i>3</i> , <i>6</i> , <i>8</i> , <i>11</i> , <i>14</i>	initialize,TariffBertrand-method
bertrand_quota, 7	(initialize-methods), 16
bertrand_tariff, $4$ , $6$ , $9$ , $18$	initialize,TariffCournot-method
	(initialize-methods), 16
calcMargins, TariffMonComCES-method	initialize-methods, 16
(TariffMonComRUM-methods), 25	
calcMargins,TariffMonComLogit-method	Logit, 22
(TariffMonComRUM-methods), 25	
calcPrices,TariffMonComCES-method	monopolistic_competition_tariff, $4$ , $6$ ,
(TariffMonComRUM-methods), 25	<i>11</i> , 17
calcPrices,TariffMonComLogit-method	
(TariffMonComRUM-methods), 25	optim, 3, 6, 8, 11, 14
calcProducerSurplus,TariffBertrand-method	
(ps-methods), 19	ps-methods, 19
calcProducerSurplus,TariffCournot-method	
(ps-methods), 19	Quota-classes, 19
calcQuantities,TariffCournot-method	QuotaBertrand-class (Quota-classes), 19
(TariffCournot-methods), 24	QuotaCournot-class (Quota-classes), 19
calcSlopes,TariffCournot-method	QuotaLogit, 9
(TariffCournot-methods), 24	QuotaLogit-class (Quota-classes), 19
calcSlopes, TariffMonComCES-method	
(TariffMonComRUM-methods), 25	sim (Sim-Functions), 20
calcSlopes,TariffMonComLogit-method	Sim-Functions, 20
(TariffMonComRUM-methods), 25	summary,QuotaBertrand-method
CES, 22	(summary-methods), 23
Cournot, 14	summary,TariffBertrand-method
cournot_tariff, 12	(summary-methods), 23
	summary,TariffCournot-method
defineMarketTools-methods, 15	(summary-methods), 23
	summary-methods, 23
HypoMonTest, 15	
HypoMonTest	Tariff-classes, 24
(defineMarketTools-methods), 15	Tariff2ndLogit, $3$

28 INDEX

```
{\tt Tariff2ndLogit-class}\ ({\tt Tariff-classes}),
TariffAIDS, 11
TariffAIDS-class (Tariff-classes), 24
TariffBargainingLogit, 6
TariffBargainingLogit-class
        (Tariff-classes), 24
TariffBertrand-class (Tariff-classes),
TariffCES, 11
TariffCES-class (Tariff-classes), 24
TariffCournot-class (Tariff-classes), 24
TariffCournot-methods, 24
TariffLogit, 11
TariffLogit-class (Tariff-classes), 24
TariffMonComLogit, 18
{\it Tariff} Mon Com Logit-class
        (Tariff-classes), 24
TariffMonComRUM-methods, 25
```