

Package ‘voluModel’

June 27, 2022

Title Modeling Species Distributions in Three Dimensions

Version 0.1.6

Maintainer Hannah L. Owens <hannah.owens@gmail.com>

Description Facilitates modeling species' ecological niches and geographic distributions based on occurrences and environments that have a vertical as well as horizontal component, and projecting models into three-dimensional geographic space. Working in three dimensions is useful in an aquatic context when the organisms one wishes to model can be found across a wide range of depths in the water column. The package also contains functions to automatically generate marine training model training regions using machine learning, and interpolate and smooth patchily sampled environmental rasters using thin plate splines.
Davis Rabosky AR, Cox CL, Rabosky DL, Title PO, Holmes IA, Feldman A, McGuire JA (2016) <[doi:10.1038/ncomms11484](https://doi.org/10.1038/ncomms11484)>.
Nychka D, Furrer R, Paige J, Sain S (2021) <[doi:10.5065/D6W957CT](https://doi.org/10.5065/D6W957CT)>.
Pateiro-Lopez B, Rodriguez-Casal A (2022) <<https://CRAN.R-project.org/package=alphahull>>.

License GPL-3

URL <https://hannahlowens.github.io/voluModel/>

BugReports <https://github.com/hannahlowens/voluModel/issues>

Encoding UTF-8

Depends R (>= 4.0.0)

Imports dplyr, dismo, fields, ggplot2, ggtext, grDevices,
latticeExtra, methods, raster, rangeBuilder, rgeos, terra,
viridisLite, sp

Suggests testthat (>= 3.0.0), nlme, knitr, covr, gridExtra, rgdal,
rmarkdown, rnatualearth, rnatualearthdata, tibble

VignetteBuilder knitr

RoxygenNote 7.2.0

Config/testthat/edition 3

NeedsCompilation no

Author Hannah L. Owens [aut, cre] (<<https://orcid.org/0000-0003-0071-1745>>),
Carsten Rahbek [aut] (<<https://orcid.org/0000-0003-4585-0300>>)

Repository CRAN

Date/Publication 2022-06-27 12:10:02 UTC

R topics documented:

| | |
|-----------------------------|-----------|
| bottomRaster | 2 |
| diversityStack | 3 |
| downsample | 4 |
| interpolateRaster | 5 |
| marineBackground | 6 |
| MESS3D | 8 |
| mSampling2D | 9 |
| mSampling3D | 11 |
| oneRasterPlot | 12 |
| plotLayers | 13 |
| pointCompMap | 14 |
| pointMap | 16 |
| rasterComp | 17 |
| smoothRaster | 19 |
| xyzSample | 20 |
| Index | 22 |

| | |
|--------------|---------------------------------|
| bottomRaster | <i>Bottom raster generation</i> |
|--------------|---------------------------------|

Description

Samples deepest depth values from a `SpatialPointsDataFrame` and generates a `RasterLayer`.

Usage

```
bottomRaster(rawPointData)
```

Arguments

`rawPointData` A `SpatialPointsDataFrame` object from which bottom variables will be sampled. See Details for more about format.

Details

`rawPointData` is a `SpatialPointsDataFrame` object that contains measurements of a single environmental variable (e.g. salinity, temperature, etc.) with x, y, and z coordinates. The measurements in the `data.frame` should be organized so that each column is a depth slice, increasing in depth from left to right. The function was designed around the oceanographic data shapefiles supplied by the World Ocean Atlas (<https://www.ncei.noaa.gov/access/world-ocean-atlas-2018/>). The function selects the "deepest" (rightmost) measurement at each x, y coordinate pair that contains data. These measurements are then rasterized at the resolution and extent of the x,y coordinates.

Value

A `RasterLayer` designed to approximate sea bottom measurements for modeling species' distributions and/or niches.

Examples

```
library(sp)

# Create point grid
coords <- data.frame(x = rep(seq(1:5), times = 5),
                    y = unlist(lapply(1:5, FUN = function(x) {
                      rep(x, times = 5)})))

# Create data and add NAs to simulate uneven bottom depths
dd <- data.frame(SURFACE = 1:25,
                d5M = 6:30,
                d10M = 11:35,
                d25M = 16:40)
dd$d25M[c(1:5, 18:25)] <- NA
dd$d10M[c(3:5, 21:23)] <- NA
dd$d5M[c(4, 22)] <- NA

# Create SpatialPointsDataFrame
sp <- sp::SpatialPointsDataFrame(coords = coords,
                                data = dd)

# Here's the function
result <- bottomRaster(rawPointData = sp)
plot(result)
```

Description

Takes list of rasters of species distributions (interpreted as 1 = presence, 0 = absence), which do not have to have the same extents, and stack them to create an estimate of species richness that matches the extent and resolution of a template.

Usage

```
diversityStack(rasterList, template)
```

Arguments

`rasterList` A list of RasterLayer objects, which are interpreted as species distributions (1 = presence, 0 = absence).

`template` A RasterLayer with the desired extent

Value

A RasterLayer

Examples

```
library(raster)
rast1 <- raster(ncol=10, nrow=10)
values(rast1) <- rep(0:1, 50)

rast2 <- raster(ncol=10, nrow=10)
values(rast2) <- c(rep(0, 50), rep(1,50))

rastList <- list(rast1, rast2)
result <- diversityStack(rasterList = rastList,
                        template = rast2)

result
plot(result)
```

downsample

Occurrence downsampling

Description

Reduces number of occurrences to resolution of input raster

Usage

```
downsample(occs, rasterTemplate)
```

Arguments

`occs` A data.frame with at least two columns named "longitude" and "latitude" or that can be coerced into this format.

`rasterTemplate` A Raster* object to serve as a template for the resolution at which occs should be downsampled.

Value

A data.frame with two columns named "longitude" and "latitude" or with names that were used when coercing input data into this format.

Examples

```
library(raster)
# Create sample raster
r <- raster(ncol=10, nrow=10)
values(r) <- 1:100

# Create test occurrences
set.seed(0)
longitude <- sample(extent(r)[1]:extent(r)[2],
                    size = 10, replace = FALSE)
set.seed(0)
latitude <- sample(extent(r)[3]:extent(r)[4],
                  size = 10, replace = FALSE)
occurrences <- as.data.frame(cbind(longitude,latitude))

# Here's the function
result <- downsample(occs = occurrences, rasterTemplate = r)
```

| | |
|-------------------|---|
| interpolateRaster | <i>Interpolate patchily sampled rasters</i> |
|-------------------|---|

Description

Uses thin plate spline regression from fields package to interpolate missing two-dimensional raster values.

Usage

```
interpolateRaster(inputRaster, fast = FALSE, ...)
```

Arguments

| | |
|-------------|---|
| inputRaster | An object of class raster |
| fast | A logical operator. Setting to TRUE triggers use of fastTps instead of Tps. |
| ... | For any additional arguments passed to Tps or fastTps |

Details

Missing data values from original raster are replaced with interpolated values. User has the option of choosing fastTps to speed calculation, but be advised that this is only an approximation of a true thin plate spline.

Value

An object of class raster

See Also

[Tps](#), [fastTps](#)

Examples

```
library(raster)
library(fields)
# Create sample raster
r <- raster(ncol=50, nrow=50)
values(r) <- 1:2500

# Introduce a "hole"
values(r)[c(117:127, 167:177, 500:550)] <- NA
plot(r)

# Patch hole with interpolateRaster
interpolatedRaster <- interpolateRaster(r)
plot(interpolatedRaster)
fastInterp <- interpolateRaster(r, fast = TRUE, aRange = 3.0)
plot(fastInterp)
```

marineBackground

Marine background shapefile generation

Description

Automatically generates background shapefiles for sampling pseudoabsences and/or background points for niche modeling or species distribution modeling. Delineating background sampling regions can be one of the trickiest parts of generating a good model. Automatically generated background shapefiles should be inspected carefully prior to model use.

Useful references, among others:

- Barve N, Barve V, Jiménez-Valverde A, Lira-Noriega A, Maher SP, Peterson AT, Soberón J, Villalobos F. 2011. The crucial role of the accessible area in ecological niche modeling and species distribution modeling. *Ecological modelling* 222:1810-9.
- Merow, C, Smith MJ, Silander JA. 2013. A practical guide to MaxEnt for modeling species' distributions: what it does, and why inputs and settings matter." *Ecography* 36: 1058-69.
- Murphy SJ. 2021. Sampling units derived from geopolitical boundaries bias biodiversity analyses. *Global Ecology and Biogeography* 30: 1876-88.

Usage

```
marineBackground(occs, clipToOcean = TRUE, ...)
```

Arguments

| | |
|-------------|---|
| occs | A data.frame with at least two columns named "longitude" and "latitude" or that can be coerced into this format. |
| clipToOcean | logical. Clips shapefile to oceans where species occurs. Useful in cases where buffers jump over narrow peninsulas (e.g. Isthmus of Panama). Can be quite artificial at ocean boundaries. |
| ... | Additional optional arguments to pass to getDynamicAlphaHull. |

Details

The meat of this function is a special-case wrapper around `getDynamicAlphaHull` from the `rangeBuilder` package. The function documented here is especially useful in cases where one wants to automatically generate training regions that overlap the international date line. Regions that exceed the line are cut and pasted into the appropriate hemisphere instead of being deleted.

If the argument `buff` is not supplied, a buffer is calculated by taking the mean between the 10th and 90th percentile of horizontal distances between occurrence points.

Value

A data.frame with two columns named "longitude" and "latitude" or with names that were used when coercing input data into this format.

See Also

[getDynamicAlphaHull](#)

Examples

```
library(raster)
# Create sample raster
r <- raster(ncol=10, nrow=10)
values(r) <- 1:100

# Create test occurrences
set.seed(0)
longitude <- sample(-50:50,
                    size = 20, replace = FALSE)
set.seed(0)
latitude <- sample(-30:30,
                  size = 20, replace = FALSE)
occurrences <- as.data.frame(cbind(longitude,latitude))

# Here's the function
result <- marineBackground(occs = occurrences, buff = 100000,
                           fraction = .9, partCount = 2, clipToOcean = FALSE)
```

MESS3D

Calculate MESS

Description

Calculates multivariate environmental similarity surface based on model calibration and projection data

Usage

```
MESS3D(calibration, projection)
```

Arguments

| | |
|-------------|--|
| calibration | A data.frame of environmental variables used to calibrate an ecological niche model, one row for measurements from each voxel included in the data used to calibrate the model. Columns with names not corresponding to projection list items are ignored. |
| projection | A named list of RasterBrick objects for projection; names correspond to calibration column names. Each RasterBrick should have the same number of layers, corresponding to vertical depth slices. |

Details

MESS3D is a wrapper around `mess` from the `dismo` package. It calculates MESS for each depth layer. Negative values indicate areas of extrapolation which should be interpreted with caution (see Elith *et al*, 2010 in *MEE*).

Value

A RasterBrick of mess scores in each voxel; layer names correspond to layer names of first RasterBrick in projection list.

Note

The calibration dataset should include both presences and background/pseudoabsence points used to calibrate an ecological niche model.

References

Elith J, Kearney M, and Phillips S. 2010. The art of modelling range-shifting species. *Methods in Ecology and Evolution*, 1, 330-342.

See Also

[mess](#)

Examples

```

library(raster)
library(dplyr)

# Create sample rasterBricks
r1 <- raster(ncol=10, nrow=10)
values(r1) <- 1:100
r2 <- raster(ncol=10, nrow=10)
values(r2) <- c(rep(20, times = 50), rep(60, times = 50))
r3 <- raster(ncol=10, nrow=10)
values(r3) <- 8
envBrick1 <- brick(r1, r2, r3)
names(envBrick1) <- c(0, 10, 30)

r1 <- raster(ncol=10, nrow=10)
values(r1) <- 100:1
r2 <- raster(ncol=10, nrow=10)
values(r2) <- c(rep(10, times = 50), rep(20, times = 50))
r3 <- raster(ncol=10, nrow=10)
values(r3) <- c(rep(c(10,20,30,25), times = 25))
envBrick2 <- brick(r1, r2, r3)
names(envBrick2) <- c(0, 10, 30)

rastList <- list("temperature" = envBrick1, "salinity" = envBrick2)

# Create test reference set
set.seed(0)
longitude <- sample(extent(envBrick1)[1]:extent(envBrick1)[2],
                    size = 10, replace = FALSE)
set.seed(0)
latitude <- sample(extent(envBrick1)[3]:extent(envBrick1)[4],
                  size = 10, replace = FALSE)
set.seed(0)
depth <- sample(0:35, size = 10, replace = TRUE)
occurrences <- as.data.frame(cbind(longitude,latitude,depth))

# Calibration
calibration <- lapply(rastList, FUN = function(x) xyzSample(occurrences, x)) %>% bind_rows

# Run the function
messStack <- MESS3D(calibration = calibration, projection = rastList)
plot(messStack)

```

Description

Samples in 2D at resolution of raster

Usage

```
mSampling2D(occs, rasterTemplate, mShp)
```

Arguments

| | |
|----------------|--|
| occs | A dataframe with at least two columns named "longitude" and "latitude", or that can be coerced into this format. |
| rasterTemplate | A Raster* object to serve as a template for generating background sampling coordinates. |
| mShp | A shapefile defining the area from which background points should be sampled. |

Details

This function is designed to sample background points for distributional modeling in two dimensions. The returned data.frame contains all points from across the designated background. It is up to the user to determine how to appropriately sample from those background points.

Value

A data.frame with 2D coordinates of points for background sampling.

Examples

```
library(raster)
library(sp)

# Create sample raster
r <- raster(ncol=10, nrow=10)
values(r) <- 1:100

# Create test occurrences
set.seed(0)
longitude <- sample(extent(r)[1]:extent(r)[2],
                    size = 10, replace = FALSE)
set.seed(0)
latitude <- sample(extent(r)[3]:extent(r)[4],
                  size = 10, replace = FALSE)
occurrences <- as.data.frame(cbind(longitude,latitude))

# Generate background sampling buffer
buffPts <- SpatialPoints(occurrences[,c("longitude", "latitude")])
crs(buffPts) <- "+proj=longlat +ellps=WGS84 +datum=WGS84 +no_defs"
mShp <- buffer(buffPts, width = 1, dissolve = TRUE)

# Here's the function
result <- mSampling2D(occs = occurrences, rasterTemplate = r, mShp = mShp)
```

`mSampling3D`*3D background sampling*

Description

Samples XYZ coordinates from a shapefile from maximum to minimum occurrence depth at XYZ resolution of envBrick.

Usage

```
mSampling3D(occs, envBrick, mShp, depthLimit = "all")
```

Arguments

| | |
|-------------------------|---|
| <code>occs</code> | A data.frame with at least three columns named "longitude", "latitude", and "depth", or that can be coerced into this format. |
| <code>envBrick</code> | A RasterBrick object to serve as a template for generating background sampling coordinates. |
| <code>mShp</code> | A shapefile defining the area from which background points should be sampled. |
| <code>depthLimit</code> | An argument controlling the depth extent of sampling. Refer to Details for more information. |

Details

This function is designed to sample background points for distributional modeling in three dimensions. If a voxel (3D pixel) in the envBrick intersects with an occurrence from occs, it is removed. Note that this function returns points representing every voxel in the background area within the specified depth range. It is up to the user to downsample from these data as necessary, depending on the model type being used.

depthLimit argument options:

- `occs` Samples background from the full depth extent of occs.
- `all` Samples background from the full depth extent of envBrick.
- A vector of length 2 with maximum and minimum depth values from which to sample.

Value

A data.frame with 3D coordinates of points for background sampling.

Examples

```
library(raster)

# Create test raster
r1 <- raster(ncol=10, nrow=10)
values(r1) <- 1:100
```

```

r2 <- raster(ncol=10, nrow=10)
values(r2) <- c(rep(20, times = 50), rep(60, times = 50))
r3 <- raster(ncol=10, nrow=10)
values(r3) <- 8
envBrick <- brick(r1, r2, r3)
names(envBrick) <- c(0, 10, 30)

# Create test occurrences
set.seed(0)
longitude <- sample(extent(envBrick)[1]:extent(envBrick)[2],
                    size = 10, replace = FALSE)
set.seed(0)
latitude <- sample(extent(envBrick)[3]:extent(envBrick)[4],
                  size = 10, replace = FALSE)
set.seed(0)
depth <- sample(0:35, size = 10, replace = TRUE)
occurrences <- as.data.frame(cbind(longitude, latitude, depth))

# Generate background sampling buffer
buffPts <- SpatialPoints(occurrences[,c("longitude", "latitude")])
crs(buffPts) <- "+proj=longlat +ellps=WGS84 +datum=WGS84 +no_defs"
mShp <- buffer(buffPts, width = 1, dissolve = TRUE)

# Here's the function
occSample3d <- mSampling3D(occurrences,
                          envBrick, mShp = mShp,
                          depthLimit = "occs")

```

oneRasterPlot

Single raster plot

Description

A convenient wrapper around `splot` to generate a formatted plot of a single raster.

Usage

```
oneRasterPlot(rast, land = NA, landCol = "black", title = "A Raster", ...)
```

Arguments

| | |
|----------------------|--|
| <code>rast</code> | A single Raster* layer on a continuous scale. |
| <code>land</code> | An optional coastline polygon shapefile of type <code>sf</code> to provide geographic context for the occurrence points. |
| <code>landCol</code> | Color for land on map. |
| <code>title</code> | A title for the plot. |
| <code>...</code> | Additional optional arguments to pass to <code>splot</code> initial plot object or <code>viridis</code> . |

Value

A plot of class trellis mapping the values of the input raster layer

See Also

[viridis splot](#)

Examples

```
library(raster)
rast <- raster(ncol=10, nrow=10)
values(rast) <- seq(0,99, 1)

oneRasterPlot(rast = rast)
```

plotLayers

Plotting 3D model in 2D

Description

This script plots a semitransparent layer of suitable habitat for each depth layer. The redder the color, the shallower the layer, the bluer, the deeper. The more saturated the color, the more layers with suitable habitat.

Usage

```
plotLayers(rast, land = NA, landCol = "black", title = NULL, ...)
```

Arguments

| | |
|---------|--|
| rast | A Raster* with the 3D presence/absence distribution of a species (interpreted as 1 = presence, 0 = absence). This could be a RasterBrick or a RasterStack. |
| land | An optional coastline polygon shapefile of type sf to provide geographic context for the occurrence points. |
| landCol | Color for land on map. |
| title | A title for the plot. If not title is supplied, the title "Suitability from (MINIMUM DEPTH) to (MAXIMUM DEPTH)" is inferred from names of RasterStack. |
| ... | Additional optional arguments. |

Value

A plot of class trellis

Note

Only include the depth layers that you actually want to plot.

See Also[viridis spplot](#)**Examples**

```
library(raster)

rast1 <- raster(ncol=10, nrow=10)
values(rast1) <- rep(0:1, 50)

rast2 <- raster(ncol=10, nrow=10)
values(rast2) <- c(rep(0, 50), rep(1,50))

rast3 <- raster(ncol=10, nrow=10)
values(rast3) <- rep(c(1,0,0,1), 25)

distBrick <- brick(rast1, rast2, rast3)

plotLayers(distBrick)
```

pointCompMap

Comparative point mapping

Description

A convenient wrapper around ggplot to generate formatted plots comparing two sets of occurrence point plots.

Usage

```
pointCompMap(
  occs1,
  occs2,
  spName,
  land = NA,
  occs1Col = "#bd0026",
  occs2Col = "#fd8d3c",
  agreeCol = "black",
  occs1Name = "Set 1",
  occs2Name = "Set 2",
  landCol = "gray",
  waterCol = "steelblue",
  ptSize = 1,
  ...
)
```

Arguments

| | |
|-----------|--|
| occs1 | A data.frame with at least two columns named "longitude" and "latitude" or that can be coerced into this format. |
| occs2 | A data.frame with at least two columns named "longitude" and "latitude" or that can be coerced into this format. |
| spName | A character string with the species name to be used in the plot title. |
| land | An optional coastline polygon shapefile of type sf to provide geographic context for the occurrence points. |
| occs1Col | Color for occurrence points on map |
| occs2Col | Color for occurrence points on map |
| agreeCol | Color for occurrence points shared between occs1 and occs2. |
| occs1Name | An optional name for the first set of occurrences, which will be color-coded to occs1Col in the resulting plot. |
| occs2Name | An optional name for the first set of occurrences, which will be color-coded to occs2Col in the resulting plot. |
| landCol | Color for land on map |
| waterCol | Color for water on map |
| ptSize | numeric value for cex; size of occurrence points on map. |
| ... | Additional optional arguments to pass to ggplot initial plot object. |

Value

A ggplot plot object.

Note

The x and y column names of occs1 and occs2 must match.

See Also

[ggplot](#)

Examples

```
occs <- read.csv(system.file("extdata/Steindachneria_argentea.csv",
                             package='voluModel'))
set.seed(0)
occs1 <- occs[sample(1:nrow(occs),
                    size = 24, replace = FALSE),]
set.seed(10)
occs2 <- occs[sample(1:nrow(occs),
                    size = 24, replace = FALSE),]

spName <- "Steindachneria argentea"
```

```
pointCompMap(occs1 = occs1, occs2 = occs2,
             occs1Col = "red", occs2Col = "orange",
             agreeCol = "purple",
             occs1Name = "2D",
             occs2Name = "3D",
             landCol = "black",
             waterCol = "steelblue",
             spName = spName,
             ptSize = 2)
```

pointMap

Point mapping

Description

A convenient wrapper around ggplot to generate formatted occurrence point plots.

Usage

```
pointMap(
  occs,
  spName,
  land = NA,
  ptCol = "#bd0026",
  landCol = "gray",
  waterCol = "steelblue",
  ptSize = 1,
  ...
)
```

Arguments

| | |
|----------|--|
| occs | A data.frame with at least two columns named "longitude" and "latitude" or that can be coerced into this format. |
| spName | A character string with the species name to be used in the plot title. |
| land | An optional coastline polygon shapefile of type sf to provide geographic context for the occurrence points. |
| ptCol | Color for occurrence points on map |
| landCol | Color for land on map |
| waterCol | Color for water on map |
| ptSize | numeric value for cex; size of occurrence points on map. |
| ... | Additional optional arguments to pass to ggplot initial plot object. |

Value

A ggplot plot object.

See Also[ggplot](#)**Examples**

```

occs <- read.csv(system.file("extdata/Steindachneria_argentea.csv",
                             package='voluModel'))
spName <- "Steindachneria argentea"
pointMap(occs = occs, spName = spName,
          land = rnaturalearth::ne_countries(scale = "small",
                                             returnclass = "sf")[1])

```

rasterComp

*Comparative raster mapping***Description**

A convenient wrapper around `spplot` to generate formatted plots comparing two rasters. This is used in the context of `voluModel` to overlay semi-transparent distributions (coded as 1) in two different `RasterLayers`.

Usage

```

rasterComp(
  rast1 = NULL,
  rast2 = NULL,
  col1 = "red",
  col2 = "blue",
  rast1Name = "Set 1",
  rast2Name = "Set 2",
  colNeither = "white",
  colBoth = "purple",
  land = NA,
  landCol = "black",
  title = "A Raster Comparison",
  ...
)

```

Arguments

| | |
|--------------------|--|
| <code>rast1</code> | A single <code>RasterLayer</code> showing the distribution of the species corresponding to <code>rast1Name</code> . Should have values of 0 (absence) and 1 (presence). Can also be <code>NULL</code> . |
| <code>rast2</code> | A single <code>RasterLayer</code> showing the distribution of the species corresponding to <code>rast2Name</code> . Should have values of 0 (absence) and 1 (presence). Must match the extent and resolution of <code>rast1</code> . Can also be <code>NULL</code> . |

| | |
|------------|---|
| col1 | Color for rast1 presences |
| col2 | Color for rast2 presences |
| rast1Name | An optional name for the first set of occurrences, which will be color-coded to occs1Col in the resulting plot. |
| rast2Name | An optional name for the first set of occurrences, which will be color-coded to occs2Col in the resulting plot. |
| colNeither | Color for cells with absences for both rast1 and rast2. |
| colBoth | Color for cells with presences for both rast1 and rast2. |
| land | An optional coastline polygon shapefile of type sf to provide geographic context for the occurrence points. |
| landCol | Color for land on map. |
| title | A title for the plot. |
| ... | Additional optional arguments to pass to spplot initial plot object. |

Value

A plot of class trellis overlaying mapped, semitransparent extents of the input rasters

Note

The extents of rast1 and rast2 must match.

See Also

[spplot](#)

Examples

```
library(raster)
rast1 <- raster(ncol=10, nrow=10)
values(rast1) <- rep(0:1, 50)

rast2 <- raster(ncol=10, nrow=10)
values(rast2) <- c(rep(0, 50), rep(1,50))

rasterComp(rast1 = rast1, rast2 = rast2)
```

| | |
|--------------|-----------------------|
| smoothRaster | <i>Smooth rasters</i> |
|--------------|-----------------------|

Description

Uses thin plate spline regression from `fields` package to smooth raster values.

Usage

```
smoothRaster(inputRaster, fast = FALSE, ...)
```

Arguments

| | |
|--------------------------|---|
| <code>inputRaster</code> | An object of class <code>raster</code> |
| <code>fast</code> | A logical operator. Setting to <code>TRUE</code> triggers use of <code>fastTps</code> instead of <code>Tps</code> . |
| <code>...</code> | For any additional arguments passed to <code>Tps</code> or <code>fastTps</code> |

Details

Original raster is smoothed using a thin plate spline. This may be desirable in cases where the user has a reasonable expectation of spatial autocorrelation, but observes putative measurement errors in a raster. The user has the option of choosing `fastTps` to speed calculation, but be advised that this is only an approximation of a true thin plate spline.

Value

An object of class `RasterLayer`

See Also

[Tps](#), [fastTps](#)

Examples

```
library(raster)
library(fields)
# Create sample raster
r <- raster(ncol=100, nrow=100)
values(r) <- 1:10000

# Introduce a "bubble"
values(r)[720:725] <- 9999
plot(r)

# Smooth bubble with smoothRaster
fastSmooth <- smoothRaster(r, fast = TRUE, aRange = 10.0)
plot(fastSmooth)
```

`xyzSample`*Sampling from rasterBrick using 3D coordinates*

Description

Gets values at x,y,z occurrences from a given 3D environmental variable brick

Usage

```
xyzSample(occs, envBrick)
```

Arguments

| | |
|-----------------------|--|
| <code>occs</code> | A dataframe with at least three columns named "longitude", "latitude", and "depth", or that can be coerced into this format. |
| <code>envBrick</code> | A rasterBrick object with one environmental variable. Each layer represents a depth slice. See Details for more information. |

Details

The envBrick rasterBrick object should have numeric names that correspond with the beginning depth of a particular depth slice. For example, one might have three layers, one from 0 to 10m, one from 10 to 30m, and one from 30 to 100m. You would name the layers in this brick `names(envBrick) <- c(0, 10, 30)`. R will rename the layers "X0", "X10", and "X30". This is expected behavior and xyzSample was written to expect this. xyzSample identifies the layer name that is closest to the depth layer value at a particular X, Y coordinate, and samples the environmental value at that 3D coordinate.

Value

Vector of environmental values equal in length to number of rows of input occs data.frame.

Examples

```
library(raster)

# Create test raster
r1 <- raster(ncol=10, nrow=10)
values(r1) <- 1:100
r2 <- raster(ncol=10, nrow=10)
values(r2) <- c(rep(20, times = 50), rep(60, times = 50))
r3 <- raster(ncol=10, nrow=10)
values(r3) <- 8
envBrick <- brick(r1, r2, r3)
names(envBrick) <- c(0, 10, 30)

# Create test occurrences
set.seed(0)
```

```
longitude <- sample(extent(envBrick)[1]:extent(envBrick)[2],
                    size = 10, replace = FALSE)
set.seed(0)
latitude <- sample(extent(envBrick)[3]:extent(envBrick)[4],
                  size = 10, replace = FALSE)
set.seed(0)
depth <- sample(0:35, size = 10, replace = TRUE)
occurrences <- as.data.frame(cbind(longitude,latitude,depth))

# Test function
occSample3d <- xyzSample(occurrences, envBrick)

# How to use
occurrences$envtValue <- occSample3d
```

Index

- * **backgroundSampling**
 - marineBackground, 6
 - mSampling2D, 9
 - mSampling3D, 11
 - * **dataPrep**
 - interpolateRaster, 5
 - smoothRaster, 19
 - xyzSample, 20
 - * **inputProcessing**
 - bottomRaster, 2
 - downsample, 4
 - * **modelDiagnostics**
 - MESS3D, 8
 - * **plotting**
 - diversityStack, 3
 - oneRasterPlot, 12
 - plotLayers, 13
 - pointCompMap, 14
 - pointMap, 16
 - rasterComp, 17
- bottomRaster, 2
- diversityStack, 3
- downsample, 4
- fastTps, 6, 19
- getDynamicAlphaHull, 7
- ggplot, 15, 17
- interpolateRaster, 5
- marineBackground, 6
- mess, 8
- MESS3D, 8
- mSampling2D, 9
- mSampling3D, 11
- oneRasterPlot, 12
- plotLayers, 13
- pointCompMap, 14
- pointMap, 16
- rasterComp, 17
- smoothRaster, 19
- spplot, 13, 14, 18
- Tps, 6, 19
- viridis, 13, 14
- xyzSample, 20