

Package ‘genieclust’

September 5, 2022

Type Package

Title Fast and Robust Hierarchical Clustering with Noise Points
Detection

Version 1.1.0

Date 2022-09-05

Description A retake on the Genie algorithm
(Gagolewski, 2021 <[DOI:10.1016/j.softx.2021.100722](https://doi.org/10.1016/j.softx.2021.100722)>) - a robust
hierarchical clustering method
(Gagolewski, Bartoszuk, Cena, 2016 <[DOI:10.1016/j.ins.2016.05.003](https://doi.org/10.1016/j.ins.2016.05.003)>).
Now faster and more memory efficient; determining the whole hierarchy
for datasets of 10M points in low dimensional Euclidean spaces or
100K points in high-dimensional ones takes only 1-2 minutes.
Allows clustering with respect to mutual reachability distances
so that it can act as a noise point detector or a robustified version of
'HDBSCAN*' (that is able to detect a predefined number of
clusters and hence it does not dependent on the somewhat
fragile 'eps' parameter).
The package also features an implementation of economic inequity indices
(the Gini, Bonferroni index), external cluster validity measures
(e.g., the adjusted asymmetric accuracy and partition similarity scores
such as the adjusted Rand, Fowlkes-Mallows, adjusted mutual information,
and pair sets indices),
and internal cluster validity indices (e.g., the Calinski-Harabasz,
Davies-Bouldin, Ball-Hall, Silhouette, and generalised Dunn indices).
See also the 'Python' version of 'genieclust' available on 'PyPI', which
supports sparse data, more metrics, and even larger datasets.

BugReports <https://github.com/gagolews/genieclust/issues>

URL <https://genieclust.gagolewski.com/>,
<https://clustering-benchmarks.gagolewski.com/>,
<https://github.com/gagolews/genieclust>

License AGPL-3

Imports Rcpp (>= 1.0.4), stats, utils

Suggests datasets, mlpack

LinkingTo Rcpp

Encoding UTF-8

SystemRequirements OpenMP, C++11

RoxygenNote 7.2.1

NeedsCompilation yes

Author Marek Gagolewski [aut, cre, cph]
 (<<https://orcid.org/0000-0003-0637-6028>>),
 Maciej Bartoszek [ctb],
 Anna Cena [ctb],
 Peter M. Larsen [ctb]

Maintainer Marek Gagolewski <marek@gagolewski.com>

Repository CRAN

Date/Publication 2022-09-05 08:40:02 UTC

R topics documented:

genieclust-package	2
cluster_validity_measures	3
comparing_partitions	5
emst_mlpack	8
gclust	9
gini_index	12
mst	14
Index	17

genieclust-package *The Genie Hierarchical Clustering Algorithm (with Extras)*

Description

See [genie\(\)](#) for more details.

Author(s)

[Marek Gagolewski](#) and other contributors

See Also

The official online manual of **genieclust** at <https://genieclust.gagolewski.com/>

Gagolewski M., **genieclust**: Fast and robust hierarchical clustering, *SoftwareX* 15:100722, 2021, [doi:10.1016/j.softx.2021.100722](https://doi.org/10.1016/j.softx.2021.100722).

`cluster_validity_measures`*Internal Cluster Validity Measures*

Description

Implementation of a number of so-called cluster validity indices critically reviewed in (Gagolewski, Bartoszek, Cena, 2021). See Section 2 therein and (Gagolewski, 2022) for the respective definitions.

The greater the index value, the more *valid* (whatever that means) the assessed partition. For consistency, the Ball-Hall and Davies-Bouldin indexes as well as the within-cluster sum of squares (WCSS) take negative values.

Usage

`calinski_harabasz_index(X, y)`

```
dunnowa_index(  
  X,  
  y,  
  M = 25L,  
  owa_numerator = "SMin:5",  
  owa_denominator = "Const"  
)
```

`generalised_dunn_index(X, y, lowercase_d, uppercase_d)``negated_ball_hall_index(X, y)``negated_davies_bouldin_index(X, y)``negated_wcss_index(X, y)``silhouette_index(X, y)``silhouette_w_index(X, y)``wcnn_index(X, y, M = 25L)`

Arguments

<code>X</code>	numeric matrix with <code>n</code> rows and <code>d</code> columns, representing <code>n</code> points in a <code>d</code> -dimensional space
<code>y</code>	vector of <code>n</code> integer labels, representing a partition whose <i>quality</i> is to be assessed; <code>y[i]</code> is the cluster ID of the <code>i</code> -th point, <code>X[i,]</code> ; $1 \leq y[i] \leq K$, where <code>K</code> is the number of clusters
<code>M</code>	number of nearest neighbours

owa_numerator, owa_denominator	single string specifying the OWA operators to use in the definition of the DuNN index; one of: "Mean", "Min", "Max", "Const", "SMin:D", "SMax:D", where D is an integer defining the degree of smoothness
lowercase_d	an integer between 1 and 5, denoting d_1, \dots, d_5 in the definition of the generalised Dunn (Bezdek-Pal) index (numerator: min, max, and mean pairwise intracluster distance, distance between cluster centroids, weighted point-centroid distance, respectively)
uppercase_d	an integer between 1 and 3, denoting D_1, \dots, D_3 in the definition of the generalised Dunn (Bezdek-Pal) index (denominator: max and min pairwise intracluster distance, average point-centroid distance, respectively)

Value

A single numeric value (the more, the *better*).

Author(s)

[Marek Gagolewski](#) and other contributors

References

- Ball G.H., Hall D.J., *ISODATA: A novel method of data analysis and pattern classification*, Technical report No. AD699616, Stanford Research Institute, 1965.
- Bezdek J., Pal N., Some new indexes of cluster validity, *IEEE Transactions on Systems, Man, and Cybernetics, Part B* 28, 1998, 301-315, doi:10.1109/3477.678624.
- Calinski T., Harabasz J., A dendrite method for cluster analysis, *Communications in Statistics* 3(1), 1974, 1-27, doi:10.1080/03610927408827101.
- Davies D.L., Bouldin D.W., A Cluster Separation Measure, *IEEE Transactions on Pattern Analysis and Machine Intelligence PAMI-1* (2), 1979, 224-227, doi:10.1109/TPAMI.1979.4766909.
- Dunn J.C., A Fuzzy Relative of the ISODATA Process and Its Use in Detecting Compact Well-Separated Clusters, *Journal of Cybernetics* 3(3), 1973, 32-57, doi:10.1080/01969727308546046.
- Gagolewski M., Bartoszek M., Cena A., Are cluster validity measures (in)valid?, *Information Sciences* 581, 620-636, 2021, doi:10.1016/j.ins.2021.10.004; preprint: <https://raw.githubusercontent.com/gagolews/bibliography/master/preprints/2021cvi.pdf>.
- Gagolewski M., *A Framework for Benchmarking Clustering Algorithms*, 2022, <https://clustering-benchmarks.gagolewski.com>.
- Rousseeuw P.J., Silhouettes: A Graphical Aid to the Interpretation and Validation of Cluster Analysis, *Computational and Applied Mathematics* 20, 1987, 53-65, doi:10.1016/03770427(87)901257.

See Also

- The official online manual of **genieclust** at <https://genieclust.gagolewski.com/>
- Gagolewski M., **genieclust**: Fast and robust hierarchical clustering, *SoftwareX* 15:100722, 2021, doi:10.1016/j.softx.2021.100722.

Examples

```
X <- as.matrix(iris[,1:4])
X[,] <- jitter(X) # otherwise we get a non-unique solution
y <- as.integer(iris[[5]])
calinski_harabasz_index(X, y) # good
calinski_harabasz_index(X, sample(1:3, nrow(X), replace=TRUE)) # bad
```

comparing_partitions *External Cluster Validity Measures and Pairwise Partition Similarity Scores*

Description

The functions described in this section quantify the similarity between two label vectors x and y which represent two partitions of a set of n elements into, respectively, K and L nonempty and pairwise disjoint subsets.

For instance, x and y can be two clusterings of a dataset with n observations specified by two vectors of labels. These functions can be used as external cluster validity measures, where we assume that x is the reference (ground-truth) partition (compare Gagolewski, 2022).

Usage

```
adjusted_asymmetric_accuracy(x, y = NULL)

normalized_accuracy(x, y = NULL)

pair_sets_index(x, y = NULL, simplified = FALSE)

adjusted_rand_score(x, y = NULL)

rand_score(x, y = NULL)

adjusted_fm_score(x, y = NULL)

fm_score(x, y = NULL)

mi_score(x, y = NULL)

normalized_mi_score(x, y = NULL)

adjusted_mi_score(x, y = NULL)

normalized_confusion_matrix(x, y = NULL)

normalizing_permutation(x, y = NULL)
```

Arguments

x	an integer vector of length n (or an object coercible to) representing a K-partition of an n-set (e.g., a reference partition), or a confusion matrix with K rows and L columns (see <code>table(x, y)</code>)
y	an integer vector of length n (or an object coercible to) representing an L-partition of the same set (e.g., the output of a clustering algorithm we wish to compare with x), or NULL (if x is an K*L confusion matrix)
simplified	whether to assume E=1 in the definition of the pair sets index index, i.e., use Eq. (20) instead of (18); see (Rezaei, Franti, 2016).

Details

Each index except `adjusted_asymmetric_accuracy()` can act as a pairwise partition similarity score: it is symmetric, i.e., $\text{index}(x, y) == \text{index}(y, x)$.

Each index except `mi_score()` (which computes the mutual information score) outputs 1 given two identical partitions. Note that partitions are always defined up to a bijection of the set of possible labels, e.g., (1, 1, 2, 1) and (4, 4, 2, 4) represent the same 2-partition.

`adjusted_asymmetric_accuracy()` (Gagolewski, 2022) only accepts $K = L$. It is an external cluster validity measure which assumes that the label vector x (or rows in the confusion matrix) represents the reference (ground truth) partition. It is a corrected-for-chance summary of the proportion of correctly classified points in each cluster (with cluster matching based on the solution to the maximal linear sum assignment problem; see `normalized_confusion_matrix`), given by: $(\max_{\sigma} \sum_{i=1}^K (c_{i,\sigma(i)} / (c_{i,1} + \dots + c_{i,K})) - 1) / (K - 1)$, where C is the confusion matrix.

`normalized_accuracy()` is defined as $(\text{Accuracy}(C_{\sigma}) - 1/L) / (1 - 1/L)$, where C_{σ} is a version of the confusion matrix for given x and y, $K \leq L$, with columns permuted based on the solution to the maximal linear sum assignment problem. The $\text{Accuracy}(C_{\sigma})$ part is sometimes referred to as set-matching classification rate or pivoted accuracy.

`pair_sets_index()` gives the Pair Sets Index (PSI) adjusted for chance (Rezaei, Franti, 2016), $K \leq L$. Pairing is based on the solution to the linear sum assignment problem of a transformed version of the confusion matrix. Its simplified version assumes E=1 in the definition of the index, i.e., uses Eq. (20) instead of (18).

`rand_score()` gives the Rand score (the "probability" of agreement between the two partitions) and `adjusted_rand_score()` is its version corrected for chance, see (Hubert, Arabie, 1985), its expected value is 0.0 given two independent partitions. Due to the adjustment, the resulting index might also be negative for some inputs.

Similarly, `fm_score()` gives the Fowlkes-Mallows (FM) score and `adjusted_fm_score()` is its adjusted-for-chance version, see (Hubert, Arabie, 1985).

Note that both the (unadjusted) Rand and FM scores are bounded from below by $1/(K + 1)$ if $K = L$, hence their adjusted versions are preferred.

`mi_score()`, `adjusted_mi_score()` and `normalized_mi_score()` are information-theoretic scores, based on mutual information, see the definition of AMI_{sum} and NMI_{sum} in (Vinh et al., 2010).

`normalized_confusion_matrix()` computes the confusion matrix and permutes its rows and columns so that the sum of the elements of the main diagonal is the largest possible (by solving the maximal assignment problem). The function only accepts $K \leq L$. The sole reordering of the columns of a confusion matrix can be determined by calling `normalizing_permutation()`.

Also note that the built-in `table()` determines the standard confusion matrix.

Value

Each cluster validity measure is a single numeric value.

`normalized_confusion_matrix()` returns an integer matrix.

Author(s)

Marek Gagolewski and other contributors

References

Gagolewski M., *A Framework for Benchmarking Clustering Algorithms*, 2022, <https://clustering-benchmarks.gagolewski.com>.

Gagolewski M., Adjusted asymmetric accuracy: A well-behaving external cluster validity measure, 2022, submitted for publication.

Hubert L., Arabie P., Comparing partitions, *Journal of Classification* 2(1), 1985, 193-218, esp. Eqs. (2) and (4).

Meila M., Heckerman D., An experimental comparison of model-based clustering methods, *Machine Learning* 42, 2001, pp. 9-29, [doi:10.1023/A:1007648401407](https://doi.org/10.1023/A:1007648401407).

Rezaei M., Franti P., Set matching measures for external cluster validity, *IEEE Transactions on Knowledge and Data Mining* 28(8), 2016, 2173-2186.

Steinley D., Properties of the Hubert-Arabie adjusted Rand index, *Psychological Methods* 9(3), 2004, pp. 386-396, [doi:10.1037/1082989X.9.3.386](https://doi.org/10.1037/1082989X.9.3.386).

Vinh N.X., Epps J., Bailey J., Information theoretic measures for clusterings comparison: Variants, properties, normalization and correction for chance, *Journal of Machine Learning Research* 11, 2010, 2837-2854.

See Also

The official online manual of **genieclust** at <https://genieclust.gagolewski.com/>

Gagolewski M., **genieclust**: Fast and robust hierarchical clustering, *SoftwareX* 15:100722, 2021, [doi:10.1016/j.softx.2021.100722](https://doi.org/10.1016/j.softx.2021.100722).

Examples

```
y_true <- iris[[5]]
y_pred <- kmeans(as.matrix(iris[1:4]), 3)$cluster
adjusted_asymmetric_accuracy(y_true, y_pred)
normalized_accuracy(y_true, y_pred)
pair_sets_index(y_true, y_pred)
pair_sets_index(y_true, y_pred, simplified=TRUE)
adjusted_rand_score(y_true, y_pred)
rand_score(table(y_true, y_pred)) # the same
adjusted_fm_score(y_true, y_pred)
fm_score(y_true, y_pred)
mi_score(y_true, y_pred)
```

```

normalized_mi_score(y_true, y_pred)
adjusted_mi_score(y_true, y_pred)
normalized_confusion_matrix(y_true, y_pred)
normalizing_permutation(y_true, y_pred)

```

emst_mlpack

Euclidean Minimum Spanning Tree

Description

Provides access to the implementation of the Dual-Tree Boruvka algorithm from the mlpack package (if available). It is based on kd-trees and is fast for (very) low-dimensional Euclidean spaces. For higher dimensional spaces (say, over 5 features) or other metrics, use the parallelised Prim-like algorithm implemented in `mst()`.

Usage

```
emst_mlpack(X, leaf_size = 1, naive = FALSE, verbose = FALSE)
```

Arguments

<code>X</code>	a numeric matrix (or an object coercible to one, e.g., a data frame with numeric-like columns)
<code>leaf_size</code>	size of leaves in the kd-tree, controls the trade-off between speed and memory consumption
<code>naive</code>	logical; whether to use the naive, quadratic-time algorithm
<code>verbose</code>	logical; whether to print diagnostic messages

Value

An object of class `mst`, see `mst()` for details.

Author(s)

Marek Gagolewski and other contributors

References

March W.B., Ram P., Gray A.G., Fast Euclidean Minimum Spanning Tree: Algorithm, Analysis, and Applications, *Proc. ACM SIGKDD'10*, 2010, 603-611, <https://mlpack.org/papers/emst.pdf>.

Curtin R.R., Edel M., Lozhnikov M., Mentekidis Y., Ghaisas S., Zhang S., mlpack 3: A fast, flexible machine learning library, *Journal of Open Source Software* 3(26), 2018, 726.

See Also

The official online manual of **genieclust** at <https://genieclust.gagolewski.com/>

Gagolewski M., **genieclust**: Fast and robust hierarchical clustering, *SoftwareX* 15:100722, 2021, [doi:10.1016/j.softx.2021.100722](https://doi.org/10.1016/j.softx.2021.100722).

gclust

*Hierarchical Clustering Algorithm Genie***Description**

A reimplement of *Genie* - a robust and outlier resistant clustering algorithm (see Gagolewski, Bartoszek, Cena, 2016). The Genie algorithm is based on a minimum spanning tree (MST) of the pairwise distance graph of a given point set. Just like the single linkage, it consumes the edges of the MST in an increasing order of weights. However, it prevents the formation of clusters of highly imbalanced sizes; once the Gini index (see `gini_index()`) of the cluster size distribution raises above `gini_threshold`, a forced merge of a point group of the smallest size is performed. Its appealing simplicity goes hand in hand with its usability; Genie often outperforms other clustering approaches on benchmark data, such as <https://github.com/gagolews/clustering-benchmarks>.

The clustering can now also be computed with respect to the mutual reachability distance (based, e.g., on the Euclidean metric), which is used in the definition of the HDBSCAN* algorithm (see Campello et al., 2015). If $M > 1$, then the mutual reachability distance $m(i, j)$ with smoothing factor M is used instead of the chosen "raw" distance $d(i, j)$. It holds $m(i, j) = \max(d(i, j), c(i), c(j))$, where $c(i)$ is $d(i, k)$ with k being the $(M-1)$ -th nearest neighbour of i . This makes "noise" and "boundary" points being "pulled away" from each other.

The Genie correction together with the smoothing factor $M > 1$ (note that $M = 2$ corresponds to the original distance) gives a robustified version of the HDBSCAN* algorithm that is able to detect a predefined number of clusters. Hence it does not depend on the DBSCAN's somewhat magical `eps` parameter or the HDBSCAN's `min_cluster_size` one.

Usage

```
gclust(d, ...)

## Default S3 method:
gclust(
  d,
  gini_threshold = 0.3,
  distance = c("euclidean", "l2", "manhattan", "cityblock", "l1", "cosine"),
  cast_float32 = TRUE,
  verbose = FALSE,
  ...
)

## S3 method for class 'dist'
gclust(d, gini_threshold = 0.3, verbose = FALSE, ...)
```

```
## S3 method for class 'mst'  
gclust(d, gini_threshold = 0.3, verbose = FALSE, ...)  
  
genie(d, ...)  
  
## Default S3 method:  
genie(  
  d,  
  k,  
  gini_threshold = 0.3,  
  distance = c("euclidean", "l2", "manhattan", "cityblock", "l1", "cosine"),  
  M = 1L,  
  postprocess = c("boundary", "none", "all"),  
  detect_noise = M > 1L,  
  cast_float32 = TRUE,  
  verbose = FALSE,  
  ...  
)  
  
## S3 method for class 'dist'  
genie(  
  d,  
  k,  
  gini_threshold = 0.3,  
  M = 1L,  
  postprocess = c("boundary", "none", "all"),  
  detect_noise = M > 1L,  
  verbose = FALSE,  
  ...  
)  
  
## S3 method for class 'mst'  
genie(  
  d,  
  k,  
  gini_threshold = 0.3,  
  postprocess = c("boundary", "none", "all"),  
  detect_noise = FALSE,  
  verbose = FALSE,  
  ...  
)
```

Arguments

d a numeric matrix (or an object coercible to one, e.g., a data frame with numeric-like columns) or an object of class `dist`, see [dist](#) or an object of class `mst`, see [mst\(\)](#).

...	further arguments passed to other methods.
<code>gini_threshold</code>	threshold for the Genie correction, i.e., the Gini index of the cluster size distribution; Threshold of 1.0 disables the correction. Low thresholds highly penalise the formation of small clusters.
<code>distance</code>	metric used to compute the linkage, one of: "euclidean" (synonym: "l2"), "manhattan" (a.k.a. "l1" and "cityblock"), "cosine".
<code>cast_float32</code>	logical; whether to compute the distances using 32-bit instead of 64-bit precision floating-point arithmetic (up to 2x faster).
<code>verbose</code>	logical; whether to print diagnostic messages and progress information.
<code>k</code>	the desired number of clusters to detect, $k = 1$ with $M > 1$ acts as a noise point detector.
<code>M</code>	smoothing factor; $M \leq 2$ gives the selected distance; otherwise, the mutual reachability distance is used.
<code>postprocess</code>	one of "boundary" (default), "none" or "all"; in effect only if $M > 1$. By default, only "boundary" points are merged with their nearest "core" points (A point is a boundary point if it is a noise point and it's amongst its adjacent vertex's $M-1$ nearest neighbours). To force a classical k -partition of a data set (with no notion of noise), choose "all".
<code>detect_noise</code>	whether the minimum spanning tree's leaves should be marked as noise points, defaults to TRUE if $M > 1$ for compatibility with HDBSCAN*.

Details

Note that, as in the case of all the distance-based methods, the standardisation of the input features is definitely worth giving a try.

If `d` is a numeric matrix or an object of class `dist`, `mst()` will be called to compute an MST, which generally takes at most $O(n^2)$ time (the algorithm we provide is parallelised, environment variable `OMP_NUM_THREADS` controls the number of threads in use). However, see `emst_mlpack()` for a very fast alternative in the case of Euclidean spaces of (very) low dimensionality and $M = 1$.

Given an minimum spanning tree, the algorithm runs in $O(n\sqrt{n})$ time. Therefore, if you want to test different `gini_thresholds`, (or `ks`), it is best to explicitly compute the MST first.

According to the algorithm's original definition, the resulting partition tree (dendrogram) might violate the ultrametricity property (merges might occur at levels that are not increasing w.r.t. a between-cluster distance). Departures from ultrametricity are corrected by applying `height = rev(cummin(rev(height)))`.

Value

`gclust()` computes the whole clustering hierarchy; it returns a list of class `hclust`, see [hclust](#). Use `cutree` to obtain an arbitrary k -partition.

`genie()` returns a k -partition - a vector with elements in $1, \dots, k$, whose i -th element denotes the i -th input point's cluster identifier. Missing values (NA) denote noise points (if `detect_noise` is TRUE).

Author(s)

[Marek Gagolewski](#) and other contributors

References

Gagolewski M., Bartoszek M., Cena A., Genie: A new, fast, and outlier-resistant hierarchical clustering algorithm, *Information Sciences* 363, 2016, 8-23, doi:10.1016/j.ins.2016.05.003.

Campello R., Moulavi D., Zimek A., Sander J., Hierarchical density estimates for data clustering, visualization, and outlier detection, *ACM Transactions on Knowledge Discovery from Data* 10(1), 2015, 5:1-5:51.

See Also

The official online manual of **genieclust** at <https://genieclust.gagolewski.com/>

Gagolewski M., **genieclust**: Fast and robust hierarchical clustering, *SoftwareX* 15:100722, 2021, doi:10.1016/j.softx.2021.100722.

`mst()` for the minimum spanning tree routines.

`adjusted_rand_score()` (amongst others) for external cluster validity measures (partition similarity scores).

Examples

```
library("datasets")
data("iris")
X <- iris[1:4]
h <- gclust(X)
y_pred <- cutree(h, 3)
y_test <- iris[,5]
plot(iris[,2], iris[,3], col=y_pred,
     pch=as.integer(iris[,5]), asp=1, las=1)
adjusted_rand_score(y_test, y_pred)
pair_sets_index(y_test, y_pred)

# Fast for low-dimensional Euclidean spaces:
h <- gclust(emst_mlpack(X))
```

gini_index

Inequity (Inequality) Measures

Description

`gini_index()` gives the normalised Gini index, `bonferroni_index()` implements the Bonferroni index, and `devergottini_index()` implements the De Vergottini index.

Usage

`gini_index(x)`

`bonferroni_index(x)`

`devergottini_index(x)`

Arguments

x numeric vector of non-negative values

Details

These indices can be used to quantify the "inequity" of a numeric sample. They can be perceived as measures of data dispersion. For constant vectors (perfect equity), the indices yield values of 0. Vectors with all elements but one equal to 0 (perfect inequity), are assigned scores of 1. They follow the Pigou-Dalton principle (are Schur-convex): setting $x_i = x_i - h$ and $x_j = x_j + h$ with $h > 0$ and $x_i - h \geq x_j + h$ (taking from the "rich" and giving to the "poor") decreases the inequity.

These indices have applications in economics, amongst others. The Genie clustering algorithm uses the Gini index as a measure of the inequality of cluster sizes.

The normalised Gini index is given by:

$$G(x_1, \dots, x_n) = \frac{\sum_{i=1}^n (n - 2i + 1)x_{\sigma(n-i+1)}}{(n - 1) \sum_{i=1}^n x_i},$$

The normalised Bonferroni index is given by:

$$B(x_1, \dots, x_n) = \frac{\sum_{i=1}^n (n - \sum_{j=1}^i \frac{n}{n-j+1})x_{\sigma(n-i+1)}}{(n - 1) \sum_{i=1}^n x_i}.$$

The normalised De Vergottini index is given by:

$$V(x_1, \dots, x_n) = \frac{1}{\sum_{i=2}^n \frac{1}{i}} \left(\frac{\sum_{i=1}^n \left(\sum_{j=i}^n \frac{1}{j} \right) x_{\sigma(n-i+1)}}{\sum_{i=1}^n x_i} - 1 \right).$$

Here, σ is an ordering permutation of (x_1, \dots, x_n) .

Time complexity: $O(n)$ for sorted (increasingly) data. Otherwise, the vector will be sorted.

Value

The value of the inequity index, a number in $[0, 1]$.

Author(s)

Marek Gagolewski and other contributors

References

- Bonferroni C., *Elementi di Statistica Generale*, Libreria Seber, Firenze, 1930.
- Gagolewski M., Bartoszek M., Cena A., Genie: A new, fast, and outlier-resistant hierarchical clustering algorithm, *Information Sciences* 363, 2016, pp. 8-23. doi:10.1016/j.ins.2016.05.003
- Gini C., *Variabilita e Mutabilita*, Tipografia di Paolo Cuppini, Bologna, 1912.

See Also

The official online manual of **genieclust** at <https://genieclust.gagolewski.com/>

Gagolewski M., **genieclust**: Fast and robust hierarchical clustering, *SoftwareX* 15:100722, 2021, [doi:10.1016/j.softx.2021.100722](https://doi.org/10.1016/j.softx.2021.100722).

Examples

```
gini_index(c(2, 2, 2, 2, 2)) # no inequality
gini_index(c(0, 0, 10, 0, 0)) # one has it all
gini_index(c(7, 0, 3, 0, 0)) # give to the poor, take away from the rich
gini_index(c(6, 0, 3, 1, 0)) # (a.k.a. Pigou-Dalton principle)
bonferroni_index(c(2, 2, 2, 2, 2))
bonferroni_index(c(0, 0, 10, 0, 0))
bonferroni_index(c(7, 0, 3, 0, 0))
bonferroni_index(c(6, 0, 3, 1, 0))
devergottini_index(c(2, 2, 2, 2, 2))
devergottini_index(c(0, 0, 10, 0, 0))
devergottini_index(c(7, 0, 3, 0, 0))
devergottini_index(c(6, 0, 3, 1, 0))
```

mst

Minimum Spanning Tree of the Pairwise Distance Graph

Description

An parallelised implementation of a Jarnik (Prim/Dijkstra)-like algorithm for determining a(*) minimum spanning tree (MST) of a complete undirected graph representing a set of n points with weights given by a pairwise distance matrix.

(*) Note that there might be multiple minimum trees spanning a given graph.

Usage

```
mst(d, ...)
```

Default S3 method:

```
mst(
  d,
  distance = c("euclidean", "l2", "manhattan", "cityblock", "l1", "cosine"),
  M = 1L,
  cast_float32 = TRUE,
  verbose = FALSE,
  ...
)
```

S3 method for class 'dist'

```
mst(d, M = 1L, verbose = FALSE, ...)
```

Arguments

d	either a numeric matrix (or an object coercible to one, e.g., a data frame with numeric-like columns) or an object of class <code>dist</code> , see dist
...	further arguments passed to or from other methods
distance	metric used to compute the linkage, one of: "euclidean" (synonym: "l2"), "manhattan" (a.k.a. "l1" and "cityblock"), "cosine"
M	smoothing factor; $M = 1$ gives the selected distance; otherwise, the mutual reachability distance is used
cast_float32	logical; whether to compute the distances using 32-bit instead of 64-bit precision floating-point arithmetic (up to 2x faster)
verbose	logical; whether to print diagnostic messages and progress information

Details

If `d` is a numeric matrix of size np , the $n(n-1)/2$ distances are computed on the fly, so that $O(nM)$ memory is used.

The algorithm is parallelised; set the `OMP_NUM_THREADS` environment variable [Sys.setenv](#) to control the number of threads used.

Time complexity is $O(n^2)$ for the method accepting an object of class `dist` and $O(pn^2)$ otherwise.

If $M \geq 2$, then the mutual reachability distance $m(i, j)$ with smoothing factor M (see Campello et al. 2015) is used instead of the chosen "raw" distance $d(i, j)$. It holds $m(i, j) = \max(d(i, j), c(i), c(j))$, where $c(i)$ is $d(i, k)$ with k being the $(M-1)$ -th nearest neighbour of i . This makes "noise" and "boundary" points being "pulled away" from each other. Genie++ clustering algorithm (see [gclust](#)) with respect to the mutual reachability distance gains the ability to identify some observations are noise points.

Note that the case $M = 2$ corresponds to the original distance, but we are determining the 1-nearest neighbours separately as well, which is a bit suboptimal; you can file a feature request if this makes your data analysis tasks too slow.

Value

Matrix of class `mst` with $n-1$ rows and 3 columns: `from`, `to` and `dist`. It holds `from < to`. Moreover, `dist` is sorted nondecreasingly. The i -th row gives the i -th edge of the MST. (`from[i]`, `to[i]`) defines the vertices (in $1, \dots, n$) and `dist[i]` gives the weight, i.e., the distance between the corresponding points.

The method attribute gives the name of the distance used. The `Labels` attribute gives the labels of all the input points.

If $M > 1$, the `nn` attribute gives the indices of the $M-1$ nearest neighbours of each point.

Author(s)

[Marek Gagolewski](#) and other contributors

References

- Jarník V., O jistém problému minimalním, *Prace Moravské Přírodovědecké Společnosti* 6, 1930, 57-63.
- Olson C.F., Parallel algorithms for hierarchical clustering, *Parallel Comput.* 21, 1995, 1313-1325.
- Prim R., Shortest connection networks and some generalisations, *Bell Syst. Tech. J.* 36, 1957, 1389-1401.
- Campello R., Moulavi D., Zimek A., Sander J., Hierarchical density estimates for data clustering, visualization, and outlier detection, *ACM Transactions on Knowledge Discovery from Data* 10(1), 2015, 5:1-5:51.

See Also

- The official online manual of **genieclust** at <https://genieclust.gagolewski.com/>
- Gagolewski M., **genieclust**: Fast and robust hierarchical clustering, *SoftwareX* 15:100722, 2021, [doi:10.1016/j.softx.2021.100722](https://doi.org/10.1016/j.softx.2021.100722).
- [emst_mlpack\(\)](#) for a very fast alternative in case of (very) low-dimensional Euclidean spaces (and $M = 1$).

Examples

```
library("datasets")
data("iris")
X <- iris[1:4]
tree <- mst(X)
```


Index

adjusted_asymmetric_accuracy
(comparing_partitions), 5

adjusted_fm_score
(comparing_partitions), 5

adjusted_mi_score
(comparing_partitions), 5

adjusted_rand_score, 12

adjusted_rand_score
(comparing_partitions), 5

bonferroni_index (gini_index), 12

calinski_harabasz_index
(cluster_validity_measures), 3

cluster_validity_measures, 3

comparing_partitions, 5

cutree, 11

devergottini_index (gini_index), 12

dist, 10, 15

dunnowa_index
(cluster_validity_measures), 3

emst_mlpack, 8, 11, 16

fm_score (comparing_partitions), 5

gclust, 9, 15

generalised_dunn_index
(cluster_validity_measures), 3

genie, 2

genie (gclust), 9

genieclust (genieclust-package), 2

genieclust-package, 2

gini_index, 9, 12

hclust, 11

mi_score (comparing_partitions), 5

mst, 8, 10–12, 14

negated_ball_hall_index
(cluster_validity_measures), 3

negated_davies_bouldin_index
(cluster_validity_measures), 3

negated_wcss_index
(cluster_validity_measures), 3

normalized_accuracy
(comparing_partitions), 5

normalized_confusion_matrix, 6

normalized_confusion_matrix
(comparing_partitions), 5

normalized_mi_score
(comparing_partitions), 5

normalizing_permutation
(comparing_partitions), 5

pair_sets_index (comparing_partitions),
5

rand_score (comparing_partitions), 5

silhouette_index
(cluster_validity_measures), 3

silhouette_w_index
(cluster_validity_measures), 3

Sys.setenv, 15

table, 6, 7

wcnn_index (cluster_validity_measures),
3