

Package ‘netCoin’

October 28, 2021

Type Package

Version 2.0.20

Date 2021-10-27

Title Interactive Analytic Networks

Description Create interactive analytic networks. It joins the data analysis power of R to obtain coincidences, co-occurrences and correlations, and the visualization libraries of 'JavaScript' in one package.

License GPL-2 | GPL-3

Depends R (>= 3.5.0)

Imports rD3plot (>= 1.0.0), igraph (>= 1.0.1), Matrix (>= 1.2-4),
haven (>= 1.1.0)

Suggests knitr, rmarkdown, lavaan, shiny, htmltools

VignetteBuilder knitr

NeedsCompilation no

Maintainer Modesto Escobar <modesto@usal.es>

URL <https://modesto-escobar.github.io/netCoin-2.x/>

Encoding UTF-8

BugReports <https://github.com/Modesto-Escobar/netCoin-2.x/issues>

Author Modesto Escobar [cre, aut, cph]
(<<https://orcid.org/0000-0003-2072-6071>>),
David Barrios [aut],
Carlos Prieto [aut],
Luis Martínez-Uribe [aut] (<<https://orcid.org/0000-0002-7795-3972>>),
Pablo Cabrera-Álvarez [aut]

Repository CRAN

Date/Publication 2021-10-28 17:20:05 UTC

R topics documented:

netCoin-package	3
allNet	5
asGallery	7
asNodes	7
barCoin	8
calCentr	10
coexist	11
coin	12
coocur	14
dice	15
dichotomize	16
distant	17
dyncohort	18
edgeList	19
ess	21
events	21
expectedList	22
families	23
finches	24
fromIgraph	24
Galapagos	25
gallery	26
glmCoin	27
incTime	29
layoutCircle	30
layoutGrid	30
links	31
lower	32
mobileEdges	33
multigraphCreate	34
netCoin	35
netCorr	38
pathCoin	39
propCoin	40
saveGhml	41
savePajek	42
shinyCoin	43
sim	44
sociologists	45
surCoin	46
surScat	48
timeCoin	50
toIgraph	51
works	52

netCoin-package *The netCoin package.*

Description

Create interactive networked coincidences. It joins the data analysis power of **R** to study coincidences and the visualization libraries of JavaScript in one package.

Details

Coincidence analysis detects what events, characters, objects, attributes, or characteristics tend to occur together within certain limits.

These given limits are call scenarios (S) and are considered to be the units of analysis, and as such they have to be placed in the rows of a matrix or data.frame.

In each i scenario, a series of J events X_j , which are to be represented as dichotomous variables X_j in columns, may occur (1) or may not occur (0). Scenarios and events constitute an incidence matrix (**I**).

Incidence matrix

	X_1	X_2	X_3	...	X_J
S_1	0	1	0	...	1
S_2	1	0	1	...	0
...
S_n	1	1	0	...	1

From this incidences matrix, a coincidence (**C**) matrix can be obtained with the function `coin`. In this matrix the main diagonal represents frequencies of X_j , while the others elements are number of coincidences between two events.

Coincidence matrix

	X_1	X_2	X_3	...	X_J
X_1	2	1	1	...	1
X_2	1	2	0	...	2
X_3	1	0	1	...	0
...
X_J	1	2	0	...	2

Once there is a coin object, a similarity matrix can be obtained. Similarity matrices available in netCoin are:

- Matching (m), Rogers & Tanimoto (t) Gower (g) Sneath (s) and Anderberg (and).
- Jaccard (j), dice (d), antiDice (a), Ochiai (o) and Kulczynski (k).
- Hamann (ham), Yule (y), Pearson (p), odds ratio (od) and Rusell (r).

Other measures that can be obtained from coin are:

- Relative frequencies (x), conditional frequencies (i) coincidence degree (cc) and probable degree of coincidence (cp).
- Haberman (h) and Z value of Haberman (z)

To obtain similarity and other measures matrices, the function `sim` elaborates a list of them.

Similarity matrix

	X_1	X_2	X_3	...	X_J
X_1	1.73	-.87	.87	...	-.87
X_2	-.87	1.73	-1.73	...	1.73
X_3	.87	-1.73	1.73	...	-1.73
...
X_J	-.87	1.73	-1.73	...	1.73

`edgeList` makes a collection of edges composed by a list of similarity measures whenever a criterium (generally $p(Z) < .50$) is met.

Edge list

	source	target	Haberman	P(z)
1	X1	X3	0.8660254	0.22509243
2	X2	X4	1.7320508	0.09084506

In order to make a graph, two data frames are needed: a nodes data frames with names and other nodes attributes (see `asNodes`) and an edge data frame (see `edgeList`). For more information go to `netCoin`.

Author

Modesto Escobar, Department of Sociology and Communication, University of Salamanca. See <https://sociocav.usal.es/blog/modesto-escobar/>

References

- Escobar, M. (2009): "Redes Semanticas en Textos Periodisticos: Propuestas Tecnicas para su Representacion", en *Empiria*, 17, 13-39.
- Escobar, M.(2015): "Studying Coincidences with Network Analysis and Other Multivariate Tools", in *The Stata Journal*, 15(4), 1118-1156.
- Escobar, M. and J. Gomez Isla (2015): "The Expression of Identity through the Image: The Photographic Archives of Miguel de Unamuno and Joaquin Turina", en *Revista Espanola de Investigaciones Sociologicas*, 152, 23-46.

allNet	<i>Networked coincidences from incidences data.</i>
--------	---

Description

allNet produces a network object of coincidences from a data frame or a matrix with dichotomous values.

Usage

```
allNet(incidences, weight = NULL, subsample = FALSE, pairwise = FALSE,
       minimum=1, maximum = nrow(incidences),
       sort = FALSE, decreasing = TRUE,
       frequency = FALSE, percentages = TRUE,
       procedures = "Haberman", criteria = "Z", Bonferroni = FALSE,
       support = -Inf, minL = -Inf, maxL = Inf,
       directed = FALSE, diagonal = FALSE,
       sortL = NULL, decreasingL = TRUE,
       igraph = FALSE, dir=NULL, ...)
```

Arguments

incidences	an incidence matrix or data frame with only 0/1 variables.
weight	a vector of weights. Optimal for data.frame tables.
subsample	retract the analysis to scenarios with at least one event.
pairwise	Pairwise mode of handling missing values if TRUE. Listwise by default.
minimum	minimum frequency to be considered.
maximum	maximum frequency to be considered.
sort	sort the coincidence matrix according to frequency of events.
decreasing	decreasing or increasing sort of the matrix.
frequency	a logical value true if frequencies are to be shown. Default = FALSE.
percentages	a logical value true if percentages are to be shown. Default = TRUE.
procedures	a vector of statistics of similarity. See below.
criteria	statistic to be use for selection criteria.
Bonferroni	Bonferroni criterium of the signification test.
support	minimum value of the frequency of the coincidence to be edged.
minL	minimum value of the statistic to include the edge in the list.
maxL	maximum value of the statistic to include the edge in the list.
directed	includes same edges only once.
diagonal	includes auto-links.
sortL	sort the list according to the values of a statistic. See below.

decreasingL	order in a decreasing way.
igraph	Produces an igraph object instead of a netCoin object if TRUE.
dir	a "character" string representing the directory where the web files will be saved.
...	Any <code>netCoin</code> argument.

Details

Possible measures in procedures are

- Frequencies (f), Relative frequencies (x), Conditional frequencies (i), Coincidence degree (cc), Probable degree (cp),
- Expected (e), Confidence interval (con)
- Matching (m), Rogers & Tanimoto (t), Gower (g), Sneath (s), Anderberg (and),
- Jaccard (j), Dice (d), antiDice (a), Ochiai (o), Kulczynski (k),
- Hamann (ham), Yule (y), Pearson (p), odds ratio (od), Rusell (r),
- Haberman (h), Z value of Haberman (z),
- Hypergeometric p greater value (hyp).
- Convert a matrix into an edge list (shape).

Value

This function creates a netCoin object (or igraph) and, if stated, a folder in the computer with an HTML document named index.html which contains the produced graph. This file can be directly opened with your browser and sent to a web server to work properly.

Author(s)

Modesto Escobar, Department of Sociology and Communication, University of Salamanca. See <https://sociocav.usal.es/blog/modesto-escobar/>

References

Escobar, M. and Martinez-Urbe, L. (2020) Network Coincidence Analysis: The netCoin R Package. *Journal of Statistical Software*, **93**, 1-32. doi: [10.18637/jss.v093.i11](https://doi.org/10.18637/jss.v093.i11).

Examples

```
# A character column (with separator)
frame <- data.frame(A = c("Man; Women", "Women; Women",
  "Man; Man", "Undet.; Women; Man"))
data <- dichotomize(frame, "A", sep = "; ")[2:4]
allNet(data) # network object
```

asGallery	<i>Images in a grid gallery.</i>
-----------	----------------------------------

Description

asGallery produces a gallery_rd3 object.

Usage

```
asGallery(net)
```

Arguments

net is a network_rd3 object. See [network_rd3](#)

Value

Object of class gallery_rd3.

Author(s)

Modesto Escobar, Department of Sociology and Communication, University of Salamanca. See <https://sociocav.usal.es/blog/modesto-escobar/>

Examples

```
data("Galapagos")
data("finches")
finches$species <- system.file("extdata", finches$species,
  package="netCoin") # copy path to the species field
Net <- allNet(Galapagos, nodes=finches, criteria="hyp", maxL=.05,
  image="species",
  main="Species coincidences in Galapagos Islands",
  note="Data source: Sanderson (2000)")
gallery <- asGallery(Net)
```

asNodes	<i>Nodes data frame.</i>
---------	--------------------------

Description

Nodes data frame from either an edge list or a coin object.

Usage

```
asNodes(C, frequency = TRUE, percentages = FALSE, language = c("en", "es", "ca"))
```

Arguments

C	has to be an edge list or, better, a coin object.
frequency	add frequency of nodes
percentages	add nodes percentages
language	a character vector (es=spanish; en=english; ca=catalan).

Value

A data frame with nodes' names and their frequency and/or percentages if the input is a coin object

Author(s)

Modesto Escobar, Department of Sociology and Communication, University of Salamanca. See <https://sociocav.usal.es/blog/modesto-escobar/>

References

Escobar, M. and Martinez-Urbe, L. (2020) Network Coincidence Analysis: The netCoin R Package. *Journal of Statistical Software*, **93**, 1-32. doi: [10.18637/jss.v093.i11](https://doi.org/10.18637/jss.v093.i11).

Examples

```
# From a random incidence matrix I(25X4)
I <- matrix(rbinom(100, 1, .5), nrow = 25, ncol = 4,
            dimnames = list(NULL, c("A", "B", "C", "D")))
C <- coin(I)
asNodes(C)
```

barCoin	<i>Networked coincidences.</i>
---------	--------------------------------

Description

barCoin produces a barCoin object.

Usage

```
barCoin(data, variables = colnames(data), commonlabel = NULL,
        dichotomies = c("_all", "_none"), valueDicho = 1, weight = NULL,
        subsample = FALSE, sort = NULL, decreasing = TRUE, nodes = NULL,
        name = NULL, select = NULL, scalebar = FALSE, note = NULL,
        label = NULL, text = NULL, color = NULL, defaultColor = "#1f77b4",
        expected = FALSE, confidence = FALSE, level = .95, significance = FALSE,
        minimum = 1, maximum = nrow(data), percentages = FALSE,
        criteria = c("Z", "hyp"), Bonferroni = FALSE,
        support = 1, minL = -Inf, maxL = 1,
        language = c("en", "es", "ca"), cex = 1.0, dir = NULL)
```

Arguments

data	a data frame
variables	a vector of variables included in the previous data frame
commonlabel	a vector of variables whose names are to be included in nodes labels
dichotomies	a vector of dichotomous variables to appear as just one categorie
valueDicho	value to be selected for dichotomous variables. Default is 1
weight	a vector of weights. Optimal for data.framed tables.
subsample	retrict the analysis to scenarios with at least one event.
sort	name of the vector in the nodes data frame to order the graph.
decreasing	decreasing or increasing sort of the graph order.
nodes	a data frame with at least two vectors of names and incidences.
name	name of the vector with names in the nodes data frame.
select	Name of the event (in nodes name column) to start the visualization.
scalebar	Should the bars fill the screen height? Default = FALSE.
note	lower title of the graph.
label	name of the vector with labels in the nodes data frame.
text	name of the vector with html text in the nodes data frame.
color	name of the vector with color variable in the nodes data frame.
defaultColor	a character vector giving a valid html color.
expected	name of the vector with expected coincidences in the links data frame.
confidence	name of the vector with confidence interval in the links data frame.
level	confidence level
significance	name of the vector with significance in the links data frame.
minimum	minimum frequency to be considered.
maximum	maximum frequency to be considered.
percentages	a logical value true if percentages are to be shown. Default = TRUE.
criteria	statistic to be use for selection criteria.
Bonferroni	Bonferroni criterium of the signification test.
support	minimum value of the frequency of the coincidence to be edged.
minL	minimum value of the statistic to include the edge in the list.
maxL	maximum value of the statistic to include the edge in the list.
language	a character vector (es=spanish; en=english; ca=catalan).
cex	number indicating the amount by which plotting text should be scaled relative to the default. Default = 1.
dir	a "character" string representing the directory where the web files will be saved.

Value

Object of class barCoin.

Author(s)

Modesto Escobar, Department of Sociology and Communication, University of Salamanca. See <https://sociocav.usal.es/blog/modesto-escobar/>

Examples

```
# A character column (with separator)
frame <- data.frame(A = c("Man; Women", "Women; Women",
                        "Man; Man", "Undet.; Women; Man"))
data <- dichotomize(frame, "A", sep = "; ")[2:4]

barCoin(data,dichotomies="_all")
barCoin(data,dichotomies="_all",confidence=TRUE,percentages=TRUE)
```

calCentr

*Categorize a network***Description**

This function calculates the centrality measures of a network.

Usage

```
calCentr(graph,
  measures = c("degree", "wdegree", "closeness", "betweenness", "eigen"),
  order = "")
```

Arguments

graph	A netCoin object.
measures	Character vector of the measures to be calculated (See details).
order	Sort the data.frame by the different measures.

Details

This function reproduces some of the most significant classic Social Network Theory's centrality measures. See Wasserman (1994), Freeman (1978), or Bonacich & Lloyd (2001) to know more.

- Degree = Degree centrality is measured by the total amount of direct links with the other nodes.
- Closeness = Closeness centrality is meant to measure one node to the others nodes' sum distances
- Betweenness = Betweenness centrality measures one node undertaking "mediation" role in a network.
- Eigen = Eigenvector centrality measures a node's importance while giving consideration to the importance of its neighbors.

By default, measures = "all", thus all the measures will be calculated. The function can be applied to an igraph or a netCoin object. In case the graph is undirected, it will show the degree, weighted degree, closeness, betweenness and eigen degree. Moreover, if it is directed, it will show the indegree, windegree and outdegree, both weighted and unweighted (See example.).

Value

This function creates a list containing two elements: 1) a data.frame (nodes) with all the centrality measures applied to the graph and 2) another data.frame (graph) with this measures applied to the whole network.

Author(s)

Modesto Escobar, Department of Sociology and Communication, University of Salamanca. See <https://sociocav.usal.es/blog/modesto-escobar/>

Examples

```
# A character column (with separator)
frame <- data.frame(A = c("Man; Women", "Women; Women",
                        "Man; Man", "Undet.; Women; Man"))
data <- dichotomize(frame, "A", sep = "; ")[2:4]
C <- coin(data) # coincidence matrix
N <- asNodes(C) # node data frame
E <- edgeList(C) # edge data frame
G <- netCoin(N, E, showArrows=TRUE) # netCoin object
calCentr(G, "all")
```

coexist

coexist *Interactive network of time coexistences of periods.*

Description

coexist produces interactive graphs representing coexistence. Two periods or lives coexist if they share a given number of years.

Usage

```
coexist(periods, name="name", start="start", end="end",
        fields=names(periods), plusstart=0, minusend=0, igrph=FALSE, ...)
```

Arguments

periods	a data frame with at least three vectors with name, start and end of the periods.
name	name of the vector with names in the periods data frame.
start	name of the vector with starts in the periods data frame.
end	name of the vector with ends in the periods data frame.
fields	vector of the names of the periods data frame to be taken into account.
plusstart	number of years to be trimmed at the beginning of each period.
minusend	number of years to be trimmed at the end of each period.
igrph	produces an igrph object instead of a netCoin class.
...	Any netCoin argument.

Details

Two periods coexists if they have at least one year in common. Periods can be trimmed at the beginning or at the end.

Value

This function creates a netCoin object (or igraph) and, if plotted, a folder in the computer with an HTML document named index.html which contains the produced graph. This file can be directly opened with your browser and sent to a web server to work properly.

A netCoin object has three elements:

nodes	A data frame with the periods.
links	A data frame with the events.
options	A list of options for the interactive graph.

Note

Periods could be the life of people, in whose case start is their birth and end their death year.

Author(s)

Modesto Escobar, Department of Sociology and Communication, University of Salamanca. See <https://sociocav.usal.es/blog/modesto-escobar/>

See Also

[timeCoin](#) and [dyncohort](#)

Examples

```
# With sociologists data.
data(sociologists)
# Produce an igraph object:
coexist(sociologists, start="birth", end="death", igraph=TRUE)
# Omit as coexistence the 15 first years of life:
sociologists$picture <- system.file("extdata", sociologists$picture,
  package="netCoin") # copy path to the picture field
coexist(sociologists, start="birth", end="death", plusstart=15, image="picture", imageName="name")
```

coin

Coincidence matrix.

Description

A coincidence object consists of a list with two elements: 1) the number of scenarios ($\$n$), and 2) a coincidence matrix of events, whose main diagonal figures are the frequency of events and outside this diagonal there are conjoint frequencies of these events ($\$f$)

Usage

```
coin(incidences, minimum = 1, maximum = nrow(incidences),
     sort = FALSE, decreasing = TRUE,
     total = FALSE, subsample = FALSE,
     weight = NULL, pairwise = FALSE)
```

Arguments

incidences	an incidence matrix or data frame with only 0/1 variables
minimum	minimum frequency to be considered
maximum	maximum frequency to be considered
sort	sort the coincidence matrix according to frequency of events
decreasing	decreasing or increasing sort of the matrix
total	add one first row and column with total
subsample	restrict the analysis to scenarios with at least one event
weight	a vector of weights. Optimal for data.frame tables
pairwise	Pairwise mode of handling missing values if TRUE. Listwise by default.

Details

Produce a matrix of coincidences from a matrix of incidences.

Value

An object of coin class

n	Number of scenarios (rows of the incidence matrix)
f	Coincidence matrix

Author(s)

Modesto Escobar, Department of Sociology and Communication, University of Salamanca. See <https://sociocav.usal.es/blog/modesto-escobar/>

References

Escobar, M. and Martinez-Urbe, L. (2020) Network Coincidence Analysis: The netCoin R Package. *Journal of Statistical Software*, **93**, 1-32. doi: [10.18637/jss.v093.i11](https://doi.org/10.18637/jss.v093.i11).

Examples

```
## Random incidence matrix: 25 scenarios, 4 events.
I <- matrix(rbinom(100, 1, .5), nrow = 25, ncol = 4,
            dimnames = list(NULL, c("A", "B", "C", "D")))
coin(I, sort = TRUE)

## Hair by Eye by Sex table from M. Friendly (2000)
```

```

data(HairEyeColor)
H<-as.data.frame(HairEyeColor)
W<-H$Freq
I<-dichotomize(H,c("Hair", "Eye", "Sex"),add=FALSE)
coin(I,w=W)

```

coocur

Cooccurrence matrix.

Description

A cooccurrence object consists of a matrix with the number of occurrences in its main diagonal and the number of cooccurrences outside this diagonal. Besides, this object has two attributes: 1) *n* is the total of the sum of the occurrences in each row. 2) *m* is the sum of the maximum number of occurrences in each row.

Usage

```

coocur(occurrences, minimum = 1, maximum = Inf,
       sort = FALSE, decreasing = TRUE)

```

Arguments

occurrences	an occurrence matrix or data frame
minimum	minimum frequency to be considered
maximum	maximum frequency to be considered
sort	sort the coincidence matrix according to frequency of events
decreasing	decreasing or increasing sort of the matrix

Details

Produce a matrix of cooccurrences from a matrix of occurrences.

Value

An object of *cooc* class with a cooccurrence matrix. It has two attributes:

<i>n</i>	Total sum of occurrences)
<i>m</i>	Sum of maximum occurrences in each row of the occurrence matrix

Author(s)

Modesto Escobar, Department of Sociology and Communication, University of Salamanca. See <https://sociocav.usal.es/blog/modesto-escobar/>

Examples

```

## Tossing two coins five times.
D<-data.frame(Head=c(2,1,1,0,2),Tail=c(0,1,1,2,0))
coocur(D)

```

dice

Data: Roll a die (100 times).

Description

Data frame with events as result.

Usage

```
data("dice")
```

Format

A data frame with 100 observations (scenarios) on the following 11 variables (events):

`dice` : a numeric vector, representing dice results

`1` : a dichotomous vector of the elemental event "1"

`2` : a dichotomous vector of the elemental event "2"

`3` : a dichotomous vector of the elemental event "3"

`4` : a dichotomous vector of the elemental event "4"

`5` : a dichotomous vector of the elemental event "5"

`6` : a dichotomous vector of the elemental event "6"

`odd` : a dichotomous vector of odd events

`even` : a dichotomous vector of even events

`small` : a dichotomous vector of small number events

`large` : a dichotomous vector of large number events

Source

Random extraction via `sample(1:6, 100, replace=TRUE)`

References

See [events](#).

Examples

```
data(dice)
head(dice, 10)
```

dichotomize

*Dichotomize.***Description**

This converts factor(s) or character(s) column(s) of a data frame into a set of dichotomous columns. Their names will correspond to the labels or text of every category.

Usage

```
dichotomize(data, variables,
             sep = "", min = 1, length = 0, values = NULL,
             sparse = FALSE, add = TRUE, sort = TRUE, nas = "None")
```

Arguments

data	a data frame with a factor or textual column which can be simple (only one value for each scenario) or multiple if components are delimited with a separator.
variables	vector of column names that have to be converted into dichotomous vectors.
sep	vector of characters used to divide columns with multiple events. If this separator is "", every unique cell of every column is converted into a dichotomous data frame's column.
min	convert to dichotomous vectors only label or text that has a frequency less or equal to the value of this parameter. If the value of min is between 0 and 1, its value is interpreted as a percentage
length	maximum number of dichotomous columns generated for every variable
values	vector of labels or texts selected to their conversion to dichotomous columns
sparse	produce a sparse matrix instead of a data.frame
add	add the new columns to the input data.frame
sort	order the new columns by their frequencies
nas	variable name to convert the NA values of the set of variables

Value

A data frame composed by the original plus the added dichotomous columns.

Author(s)

Modesto Escobar, Department of Sociology and Communication, University of Salamanca, and Luis Martinez Uribe, Fundacion Juan March. See <https://sociocav.usal.es/blog/modesto-escobar/>

References

Escobar, M. and Martinez-Urbe, L. (2020) Network Coincidence Analysis: The netCoin R Package. *Journal of Statistical Software*, **93**, 1-32. doi: [10.18637/jss.v093.i11](https://doi.org/10.18637/jss.v093.i11).

Examples

```
# A character column
frame1 <- data.frame(A = c("Man", "Women", "Man", "Undet.))
dichotomize(frame1, "A", sep = "; ")

# A character column (with separator)
frame2 <- data.frame(A = c("Man; Women", "Women; Women",
                          "Man; Man", "Undet.; Women; Man"))
dichotomize(frame2, "A", sep = "; ")

# A character column and another factor column (same separator)
frame3 <- data.frame(A = c("Man; Women", "Women; Women",
                          "Man; Man", "Undet.; Women; Man"),
                    C = factor(c(1:4), labels = c("Paris", "New York",
                                                  "London; New York", "<NA>")))
dichotomize(frame3, c("A", "C"), sep = "; ")

# A set of simple character or factor (same levels) variables.
# In this case, you must use "C" separator.
frame4 <- data.frame(A = c("Man", "Women", "Man", "Undet", NA),
                    B = c("Women", "Women", "Man", "Women", NA),
                    C = c(NA, NA, NA, "Man", NA))
dichotomize(frame4, c("A", "B", "C"), sep="C")
```

distant

Distance matrix.

Description

Convert a similarity matrix into a distance matrix.

Usage

```
distant(s, t = FALSE)
```

Arguments

s	a similarity matrix
t	return the same matrix if t=FALSE

Details

For better results, use the parameter distance in [sim](#) function.

Value

A distance matrix.

Author(s)

Modesto Escobar, Department of Sociology and Communication, University of Salamanca. See <https://sociocav.usal.es/blog/modesto-escobar/>

Examples

```
# From a random incidence matrix I(25X4)
I <- matrix(rbinom(100, 1, .5), nrow = 25, ncol = 4,
            dimnames = list(NULL, c("A", "B", "C", "D")))
J <- sim(I, "Jaccard")
distant(J, t = TRUE)
#Same results
sim(I, "Jaccard", distance = TRUE)
```

 dyncohort

Interactive graphs of dynamic cohorts.

Description

dyncohort produces interactive graphs representing dynamic cohorts. Two periods or lives belongs to the same cohort if there are a difference of years in their start less or equal to a given number. In case of people's life, 15 or 25 are appropriate quantities to set. If year is equal to 0, a cohort is defined a those periods or lives that begin at the same year.

Usage

```
dyncohort( periods, name="name", start="start", fields=names( periods ),
           years=0, igrph=FALSE, ...)
```

Arguments

periods	a data frame with at least two vectors with name and start of the periods or lives.
name	name of the vector with names in the data frame.
start	name of the vector with starts in the data frame.
fields	vector of the names of the periods data frame to be taken into account.
years	number of years to be considered as length of the cohort.
igrph	produces an igraph object instead of a netCoin class.
...	Any netCoin argument.

Value

This function creates a timeCoin object (or igraph) and, if plotted, a folder in the computer with an HTML document named index.html which contains the produced graph. This file can be directly opened with your browser and sent to a web server to work properly.

A netCoin object has three elements:

nodes	A data frame with the periods.
links	A data frame with the events.
options	A list of options for the interactive graph.

Note

Periods could be the life of people, in whose case start is their birth year.

Author(s)

Modesto Escobar, Department of Sociology and Communication, University of Salamanca. See <https://sociocav.usal.es/blog/modesto-escobar/>

See Also

[timeCoin](#) and [coexist](#)

Examples

```
# With sociologists data.
data(sociologists)
dyncohort(sociologists, start="birth")
# Consider 15 year dynamic cohort:
sociologists$picture <- system.file("extdata", sociologists$picture,
  package="netCoin") # copy path to the picture field
dyncohort(sociologists, start="birth", year=15, image="picture", imageName="name")
```

edgeList	<i>Edge list.</i>
----------	-------------------

Description

Convert a coincidence/similarity/distance matrix into an edge list form.

Usage

```
edgeList(data, procedures="Haberman",
  criteria="Z", level=.95, Bonferroni=FALSE,
  min=-Inf, max=Inf, support=-Inf, directed=FALSE,
  diagonal=FALSE, sort=NULL, decreasing=TRUE, pairwise=FALSE)
```

Arguments

data	a coin object, let's say an R matrix with frequencies and an attribute (n) giving the number of scenarios. In case of change of shape, data should be a matrix.
procedures	a vector of statistics of similarity. See below.
criteria	statistic to be use for selection criteria.

level	confidence level
Bonferroni	Bonferroni criterium of the signification test.
min	minimum value of the statistic to include the edge in the list.
max	maximum value of the statistic to include the edge in the list.
support	minimum value of the frequency of the coincidence to be edged
directed	includes same edges only once.
diagonal	includes auto-links
sort	sort the list according to the values of a statistic. See below
decreasing	order in a decreasing way.
pairwise	Pairwise mode of handling missing values if TRUE. Listwise by default.

Details

Possible measures in procedures are

- Frequencies (f), Relative frequencies (x), Conditional frequencies (i), Coincidence degree (cc), Probable degree (cp),
- Expected (e), Confidence interval (con)
- Matching (m), Rogers & Tanimoto (t), Gower (g), Sneath (s), Anderberg (and),
- Jaccard (j), Dice (d), antiDice (a), Ochiai (o), Kulczynski (k),
- Hamann (ham), Yule (y), Pearson (p), odds ratio (od), Rusell (r),
- Haberman (h), Z value of Haberman (z),
- Hypergeometric p greater value (hyp).
- Convert a matrix into an edge list (shape).

Value

A data frame in which the two first columns are source and target. The rest of the columns are the different statistics explicited in funcs parameter.

Author(s)

Modesto Escobar, Department of Sociology and Communication, University of Salamanca. See <https://sociocav.usal.es/blog/modesto-escobar/>

References

Escobar, M. and Martinez-Urbe, L. (2020) Network Coincidence Analysis: The netCoin R Package. *Journal of Statistical Software*, **93**, 1-32. doi: [10.18637/jss.v093.i11](https://doi.org/10.18637/jss.v093.i11).

Examples

```
# From a random incidence matrix I(25X4)
I<-matrix(rbinom(100,1,.5),nrow=25,ncol=4,
dimnames=list(NULL,c("A","B","C","D")))
C<-coin(I)
edgeList(C)
```

ess

Data: European Social Survey, Round-8.

Description

A sample size of 1,000 respondents from the European Social Survey, Round-8.

Usage

```
data("ess")
```

Format

A data frame with 1000 cases (respondents) and 5 variables:

Gender Gender (factor vector): Female, Male.

Age Age (recoded factor vector): 15-29, 30-30, 40-49, 50-59, 60-69, 70 and +.

Social participation Social participation (factor vector): No, Yes.

Political participation Political participation (factor vector): No, Yes.

cweight cweight (numeric vector): Cases weight.

References

ESS Round 8: European Social Survey Round 8 Data (2016). Data file edition 2.1. NSD - Norwegian Centre for Research Data, Norway - Data Archive and distributor of ESS data for ESS ERIC. [doi:10.21338/NSD-ESS8-2016](https://doi.org/10.21338/NSD-ESS8-2016).

Examples

```
data("ess")
head(ess, 10)
```

events

Data: Attributes of the dice events.

Description

Data frame with the attributes of the events of dice.

Usage

```
data("events")
```

Format

A data frame with 10 observations on the following 4 variables:

name : a factor vector with 10 levels

label : a factor vector with 10 levels

frequency : a numeric vector

type : a factor vector with 2 levels

Source

```
data(dice); coin.dice<-coin(dice); asNodes(coin.dice)
```

References

See [dice](#).

Examples

```
data(events)
events
```

expectedList

Expected list.

Description

Converts a coin object to a links data frame with coincidences and expected values.

Usage

```
expectedList(data, names = NULL, min = 1, confidence=FALSE)
```

Arguments

data	is a coin object. See coin
names	a character vector.
min	minimum value of the statistic to include the edge in the list.
confidence	add the confidence interval if TRUE.

Value

A links data frame with coincidences and expected values.

Author(s)

Modesto Escobar, Department of Sociology and Communication, University of Salamanca. See <https://sociocav.usal.es/blog/modesto-escobar/>

Examples

```
# A character column (with separator)
frame <- data.frame(A = c("Man; Women", "Women; Women",
                        "Man; Man", "Undet.; Women; Man"))
data <- dichotomize(frame, "A", sep = "; ")[2:4]
C <- coin(data) # coincidence matrix
expectedList(C) # edge data frame
```

families

Data: Italian families in the Renaissance.

Description

Data frame with the characteristics of powerful families of Renaissance Italy.

Usage

```
data("families")
```

Format

A data frame with 16 families (rows) and 6 characteristics.

name Family's name

f.Marriages number of marriage links

f.Business number of business links

wealth wealth's index

priorates number of priorates on control

seat At least priorate

Source

PADGETT, J. F. Y C. K. ANSELL (1993): "Robust Action and the Rise of the Medici, 1400-1434", in *American Journal of Sociology*, 98, 1259-1319. (<http://www.jstor.org/stable/2781822>)

Examples

```
data("families")
head(families)
```

finches

Data: Finches' attributes in Galapagos islands.

Description

Data frame with events as result.

Usage

```
data("finches")
```

Format

A data frame with 13 observations (pinches) and 4 variables (name and characteristics):

name : Genus and species of the finche

frequency : number of islands where the finche can be found

type : Genus of the finche

species : name of the file containing the picture of the finche

References

Sanderson, James (2000). Testing Ecological Patterns: A Well-known Algorithm from Computer Science Aids the Evaluation of Species Distributions. *American Scientist*, 88, pp. 332-339.

Examples

```
data(finches)
head(finches,10)
```

fromIgraph*Produce interactive networks from igraph objects.*

Description

fromIgraph produce an interactive network from an igraph object.

Usage

```
fromIgraph(G, ...)
```

Arguments

G an igraph object.

... Any [network_rd3](#) argument.

Value

This function returns a `network_rd3` object. If the `'dir'` attribute is specified, the function creates a folder in the computer with an HTML document named `index.html` which contains the produced graph. This file can be directly opened with your browser and sent to a web server to work properly.

Author(s)

Modesto Escobar, Department of Sociology and Communication, University of Salamanca. See <https://sociocav.usal.es/blog/modesto-escobar/>

References

Escobar, M. and Martinez-Urbe, L. (2020) Network Coincidence Analysis: The `netCoin` R Package. *Journal of Statistical Software*, **93**, 1-32. doi: [10.18637/jss.v093.i11](https://doi.org/10.18637/jss.v093.i11).

Examples

```
g <- igraph::make_ring(10)
fromIgraph(g)
```

Galapagos

Data: Finches' presence in Galapagos Islands.

Description

Data frame with absence(0) presence(1) of finches in the Galagos Islands.

Usage

```
data("Galapagos")
```

Format

A data frame with 17 localizations (islands) and 13 variables (Genus and species of the finches):

```
Geospiza magnirostris
Geospiza fortis
Geospiza fuliginosa
Geospiza difficilis
Geospiza scandens
Geospiza conirostris
Camarhynchus psittacula
Camarhynchus pauper
Camarhynchus parvulus
Platyspiza crassirostris
```

```
Cactospiza pallida
Cactospiza heliobates
Certhidea olivacea
```

References

Sanderson, James (2000). Testing Ecological Patterns: A Well-known Algorithm from Computer Science Aids the Evaluation of Species Distributions. *American Scientist*, 88, pp. 332-339.

Examples

```
data(Galapagos)
head(Galapagos,10)
```

gallery	<i>Images in a grid gallery.</i>
---------	----------------------------------

Description

gallery produces a gallery_rd3 object.

Usage

```
gallery(nodes, name = NULL, label = NULL, color = NULL,
        ntext = NULL, info = NULL, image = NULL, zoom = 1,
        itemsPerRow = NULL, main = NULL, note = NULL,
        showLegend = TRUE, frequencies = FALSE,
        help = NULL, helpOn = FALSE, description = NULL,
        descriptionWidth = NULL, roundedItems = FALSE, controls = 1:2,
        cex = 1, language = c("en", "es", "ca"), dir = NULL)
```

Arguments

nodes	a data frame with at least three columns of names, start and end.
name	column name with image names in the nodes data frame.
label	column name with image labels in the nodes data frame.
color	column name with image background color variable in the nodes data frame.
ntext	column name with html text in the nodes data frame.
info	column name with information to display in a panel in the nodes data frame.
image	column name which indicates the image paths in the nodes data frame.
zoom	a number between 0.1 and 10 as initial displaying zoom.
itemsPerRow	number of items in each row.
main	upper title of the graph.
note	lower title of the graph.

frequencies	a logical value true if barplots representing node attributes frequencies will be added to the final graph.
showLegend	a logical value true if the legend is to be shown.
help	a character string indicating a help text of the graph.
helpOn	Should the help be shown at the beginning?
description	a character string indicating a description text for the graph.
descriptionWidth	a percentage indicating a width for the description panel (25 by default).
roundedItems	Display items with rounded borders.
controls	a numeric vector indicating which controls will be shown. 1 = topbar, 2 = export buttons. NULL hide all controls, negative values deny each control and 0 deny all.
cex	number indicating the amount by which plotting text should be scaled relative to the default.
language	a character string indicating the language of the graph (en=english (default); es=spanish; ca=catalan).
dir	a character string representing the directory where the web files will be saved.

Value

Object of class gallery_rd3.

Author(s)

Modesto Escobar, Department of Sociology and Communication, University of Salamanca. See <https://sociocav.usal.es/blog/modesto-escobar/>

Examples

```
data("finches")
finches$species <- system.file("extdata", finches$species,
                             package="netCoin") # copy path to the species field
gallery(finches, image="species", main="Species in Galapagos Islands",
        note="Data source: Sanderson (2000)")
```

Description

produces a netCoin object from a set of glm regressions.

Usage

```
glmCoin(formulas, data, weights=NULL, pmax=.05,
        twotail=FALSE, showArrows=TRUE,
        frequency = FALSE, percentage = TRUE,
        color="variable", lwidth="z.value",
        circle= NA, language=c("en", "es", "ca"),
        igrph=FALSE, ...)
```

Arguments

formulas	A set of formulas separated, folowed by the family and a return. For example: model <- "counts ~ outcome + treatment, poisson counts ~ outcome, poisson"
data	Data frame containing the variables in the model.
weights	Optional vector of weights to be used in the fitting process.
pmax	Selection of links with Pr(> z) less than p (one-tail by default).
twotail	Logical value indicating if twotail test must be appied. Default=FALSE.
showArrows	a logical value true if the directional arrows are to be shown. Default = FALSE.
frequency	a logical value true if frequencies are to be shown. Default=FALSE.
percentage	a logical value true if percentages are to be shown. Default=TRUE.
color	Nodes' attribute to be used for expressing color ("variable" by default).
lwidth	Nodes' attribute to be used for widht of arrows ("z.value" by default).
circle	Degre of rotation in case of fixed circled dependent variables.
language	Language of the graph controls.
igrph	Produces an igrph object instead of a netCoin object if TRUE.
...	Any netCoin argument.

Value

This function creates a netCoin object (or igrph) and, if stated, a folder in the computer with an HTML document named index.html which contains the produced graph. This file can be directly opened with your browser and sent to a web server to work properly.

Author(s)

Modesto Escobar, Department of Sociology and Communication, University of Salamanca. See <https://sociocav.usal.es/blog/modesto-escobar/>

Examples

```
## Dobson (1990) Page 93: Randomized Controlled Trial :
counts <- c(18,17,15,20,10,20,25,13,12)
outcome <- gl(3,1,9)
treatment <- gl(3,3)
Dobson <- data.frame(counts=counts, outcome=outcome, treatment=treatment)
model <- "counts ~ outcome + treatment, poisson"
glmCoin(model,Dobson)
```

incTime	<i>Time incidences.</i>
---------	-------------------------

Description

Convert a data frame with two numbers (normally a beginning year and end year) into an incidences matrix whose rows are the intermediate numbers, and whose columns are the content of the names column.

Usage

```
incTime(data, name = "name", beginning = "birth", end= "death")
```

Arguments

data	a data frame a name and two numbers.
name	Column with the names (default= "name").
beginning	Column with the beginning number to include (default= "birth").
end	Column with the end number to include (default= "death").

Value

A data frame in which the two first columns are source and target. The rest of the columns are $sim.=1+threshold-real\ difference$ and $dist.=(difference\ between\ numbers)$

Author(s)

Modesto Escobar, Department of Sociology and Communication, University of Salamanca. See <https://sociocav.usal.es/blog/modesto-escobar/>

Examples

```
# From sociologists data
data("sociologists")
head(incTime(sociologists))[,1:5]
```

layoutCircle	<i>Produce a circle layout of any number of nodes.</i>
--------------	--

Description

layoutCircle produces a circle layout of any number of nodes.

Usage

```
layoutCircle(N,nodes=seq_len(nrow(N)),deg=0,name=NULL)
```

Arguments

N	a data frame of nodes.
nodes	a vector specifying nodes.
deg	degrees to rotate.
name	name of column with node names.

Value

This function returns the input data frame of nodes with the resulting layout applied.

Author(s)

Modesto Escobar, Department of Sociology and Communication, University of Salamanca. See <https://sociocav.usal.es/blog/modesto-escobar/>

Examples

```
A <- data.frame(name=letters)
L <- layoutCircle(A,name="name")
netCoin(A,layout=L)
```

layoutGrid	<i>Produce a layout of any number of nodes.</i>
------------	---

Description

layoutGrid produces a grid layout of any number of nodes.

Usage

```
layoutGrid(N,string,name=NULL,byrow=FALSE)
```

Arguments

N	a data frame of nodes.
string	a character vector specifying grouped nodes.
name	name of column with node names.
byrow	logical. If 'FALSE' (the default) the layout is filled by columns, otherwise the layout is filled by rows.

Value

This function returns the input data frame of nodes with the resulting layout applied.

Author(s)

Modesto Escobar, Department of Sociology and Communication, University of Salamanca. See <https://sociocav.usal.es/blog/modesto-escobar/>

Examples

```
A <- data.frame(name=letters)
L <- layoutGrid(A,"a,b,c,d,e.f,g,h,i,j.k,l,m,n,o.p.q,r,s,t,u.v,w,x,y,z", "name")
netCoin(A,layout=L)
```

links

Data: Links between Italian families in the Renaissance.

Description

Data frame with the marriage and business links.

Usage

```
data("links")
```

Format

A data frame with 36 links (rows) amongst 16 Italian families in the Renaissance.

Albizzi
Acciaiuoli
Barbadori
Bischeri
Castellani
Guadagni

```
Lamberteschi
Medici
Pazzi
Peruzzi
Ridolfi
Salviati
Strozzi
Tornabuoni
Ginori
Pucci
link Type of link: marriage or business
```

Source

PADGETT, J. F. Y C. K. ANSELL (1993): "Robust Action and the Rise of the Medici, 1400-1434", in *American Journal of Sociology*, 98, 1259-1319. (<http://www.jstor.org/stable/2781822>)

Examples

```
data("links")
head(links)
```

lower	<i>Similarity/distance matrix display.</i>
-------	--

Description

Display the lower part of a matrix with a specified number of decimals.

Usage

```
lower(matrix, decimals = 3)
```

Arguments

matrix	a symmetric similarity/distance matrix
decimals	number of decimals to be displayed

Value

A data frame of characters.

Author(s)

Modesto Escobar, Department of Sociology and Communication, University of Salamanca. See <https://sociocav.usal.es/blog/modesto-escobar/>

Examples

```
# From a random incidence matrix I(25X4)
I <- matrix(rbinom(100, 1, .5), nrow = 25, ncol = 4,
            dimnames = list(NULL, c("A", "B", "C", "D")))
lower(sim(I, "Jaccard"), 2)
```

mobileEdges

Mobile Edges.

Description

Convert a data frame with one number (normally a year) into an edge list form with those whose numbers (years) have a difference lower or equal to a quantity.

Usage

```
mobileEdges(data, name = 1, number = 2, difference=0)
```

Arguments

data	a data frame with a name and a number (year).
name	Column with the names (default= first column).
number	Column with the number (year) to compare (default= second column).
difference	Minimum difference between numbers of every two pair of names to create the edge or link (default=15).

Value

A data frame in which the two first columns are source and target. The rest of the columns are sim.=(1+threshold-real difference) and dist.=(difference between numbers)

Author(s)

Modesto Escobar, Department of Sociology and Communication, University of Salamanca. See <https://sociocav.usal.es/blog/modesto-escobar/>

Examples

```
# From a random incidence matrix I(25X4)
data("sociologists")
mobileEdges(sociologists)
```

multigraphCreate *Produce interactive multi graphs.*

Description

multigraphCreate produce an interactive multi graph.

Usage

```
multigraphCreate(..., mode = c("default", "parallel", "frame"),
                 frame = 0, speed = 50, dir = "MultiGraph", show = TRUE)
```

Arguments

...	rD3plot graphs (network_rd3, barplot_rd3, timeplot_rd3) objects or html "directories".
mode	a string specifying the displaying mode. The "default" displays graphs one by one, "parallel" splits screen and "frame" allows dinamic graphs in time.
frame	number of frame to start a dynamic network.
speed	a percentage for frame speed in dynamic networks.
dir	a "character" string representing the directory where the graph will be saved.
show	a logical value true if the graph is to be shown. Default = TRUE.

Value

The function creates a folder in your computer with an HTML document named index.html which contains the graph. This file can be directly opened with your browser.

Author(s)

Modesto Escobar, Department of Sociology and Communication, University of Salamanca. See <https://sociocav.usal.es/blog/modesto-escobar/>

Examples

```
## Not run:
# A character column (with separator)
frame <- data.frame(A = c("Man; Women", "Women; Women",
                          "Man; Man", "Undet.; Women; Man"))
data <- dichotomize(frame, "A", sep = "; ") [2:4]
C <- coin(data) # coincidence matrix
N <- asNodes(C) # node data frame
E <- edgeList(C, c("frequency", "expected", "haberman")) # edge data frame
bC <- barCoin(data, dichotomies = "_all") # barCoin object
cC <- barCoin(data, dichotomies = "_all", expected = TRUE) # barCoin object
nC <- netCoin(N, E) # netCoin object
multigraphCreate("Bar graph" = bC,
```

```

"Conditional bar graph" = cC,
"Net graph"=nC,
dir="./example") # See ./example/index.html file

## End(Not run)

```

netCoin	<i>Networked coincidences.</i>
---------	--------------------------------

Description

netCoin produces a netCoin object of coincidences. Its input has to be two data.frames: one of attributes of events or nodes, and the other of attributes of the edges or links.

Usage

```

netCoin(nodes = NULL, links = NULL, tree = NULL,
        community = NULL, layout = NULL,
        name = NULL, label = NULL, group = NULL, labelSize = NULL,
        size = NULL, color = NULL, shape = NULL, legend = NULL,
        sort = NULL, decreasing = FALSE, ntext = NULL, info = NULL,
        image = NULL, imageNames = NULL, centrality = NULL,
        nodeBipolar = FALSE, nodeFilter = NULL, degreeFilter = NULL,
        lwidth = NULL, lweight = NULL, lcolor = NULL, ltext = NULL,
        intensity = NULL, linkBipolar = FALSE, linkFilter = NULL,
        repulsion = 25, distance = 10, zoom = 1,
        fixed = showCoordinates, limits = NULL,
        main = NULL, note = NULL, showCoordinates = FALSE, showArrows = FALSE,
        showLegend = TRUE, frequencies = FALSE, showAxes = FALSE,
        axesLabels = NULL, scenarios = NULL, help = NULL, helpOn = FALSE,
        mode = c("network", "heatmap"), controls = 1:4, cex = 1,
        background = NULL, defaultColor = "#1f77b4",
        language = c("en", "es", "ca"), dir = NULL)

```

Arguments

nodes	a data frame with at least one vector of names.
links	a data frame with at least two vectors with source and target, including names of nodes.
tree	a data frame with two vectors: source and target, describing relationships between nodes.
name	name of the vector with names in the nodes data frame. By default, if language="en", name is "name".
label	name of the vector with labels in the nodes data frame.
group	name of the vector with groups in the nodes data frame.

community	algorithm to make communities: <code>edge_betweenness("ed")</code> , <code>fast_greedy("fa")</code> , <code>label_prop("la")</code> , <code>leiden_eigen("le")</code> , <code>louvain("lo")</code> , <code>optimal("op")</code> , <code>spinglass("sp")</code> , <code>walktrap("wa")</code>
centrality	calculates the centrality measures of a network. See calCentr .
labelSize	name of the vector with label size in the nodes data frame.
size	name of the vector with size in the nodes data frame.
color	name of the vector with color variable in the nodes data frame.
shape	name of the vector with shape variable in the nodes data frame.
legend	name of the vector with the variable to represent as a legend in the nodes data frame.
ntext	name of the vector with html text in the nodes data frame.
info	name of the vector with information to display in a panel in the nodes data frame.
sort	name of the vector with node order in the nodes data frame (only for heatmap).
decreasing	decreasing or increasing sort of the nodes (only for heatmap).
intensity	name of the vector with intensity variable in the links data frame (only for heatmap).
lwidth	name of the vector with width variable in the links data frame.
lweight	name of the vector with weight variable in the links data frame.
lcolor	name of the vector with color variable in the links data frame.
ltext	name of the vector with labels in the links data frame.
nodeFilter	condition for filtering nodes.
linkFilter	condition for filtering links.
degreeFilter	numeric vector to filter the resulting network by degree.
nodeBipolar	a logical value that polarizes negative and positive node values in the graphical representation. Default = FALSE.
linkBipolar	a logical value that polarizes negative and positive link values in the graphical representation. Default = FALSE.
defaultColor	a character vector giving a valid html color.
repulsion	a percentage for repulsion between nodes.
distance	a percentage for distance of links.
zoom	a number between 0.1 and 10 to start displaying zoom.
fixed	prevent nodes from being dragged.
scenarios	a note showing number of scenarios.
main	upper title of the graph.
note	lower title of the graph.
frequencies	a logical value true if the frequencies can be shown in barplots. Default = FALSE.
help	help text of the graph.
helpOn	Should the help be shown at the beginning?

background	background color or image of the graph.
layout	a matrix with two columns or an algorithm to elaborate the coordinates: davidson.harel drl("da"), circle("ci"), Force-Atlas-2("fo"), fruchterman.reingold("fr"), gem("ge"), grid("gr"), kamada.kawai("ka"), lgl("lg"), mds("md"), random("ra"), reingold.tilford("re"), star("sta"), sugiyama("sug")
limits	vector indicating size references to display layout, must be a numeric vector of length 4: x1, y1, x2, y2.
cex	number indicating the amount by which plotting text should be scaled relative to the default. Default = 1.
controls	a numeric vector indicating which controls will be shown. 1 = sidebar, 2 = selection buttons, 3 = export buttons, 4 = nodes table, 5 = links table. NULL hide all controls, negative values deny each control and 0 deny all.
mode	a character vector indicating the graph mode allowed: network, heatmap or both (both by default).
showCoordinates	a logical value true if the coordinates are to be shown in tables and axes. Default = FALSE.
showArrows	a logical value true if the directional arrows are to be shown. Default = FALSE.
showLegend	a logical value true if the legend is to be shown. Default = TRUE.
showAxes	a logical value true if the axes are to be shown. Default = FALSE.
axesLabels	a character vector giving the axes names.
language	a character vector (es=spanish; en=english; ca=catalan).
image	name of the vector with image files in the nodes data frame.
imageNames	name of the vector with names for image files in the nodes data frame.
dir	a "character" string representing the directory where the web files will be saved.

Value

This function returns a netCoin object. If the 'dir' attribute is specified, the function creates a folder in the computer with an HTML document named index.html which contains the produced graph. This file can be directly opened with your browser and sent to a web server to work properly.

Note

nodes and links arguments can be substituted by a netCoin object to add or change options to it.

Author(s)

Modesto Escobar, Department of Sociology and Communication, University of Salamanca. See <https://sociocav.usal.es/blog/modesto-escobar/>

References

Escobar, M. and Martinez-Urbe, L. (2020) Network Coincidence Analysis: The netCoin R Package. *Journal of Statistical Software*, **93**, 1-32. doi: [10.18637/jss.v093.i11](https://doi.org/10.18637/jss.v093.i11).

Examples

```
# A character column (with separator)
frame <- data.frame(A = c("Man; Women", "Women; Women",
  "Man; Man", "Undet.; Women; Man"))
data <- dichotomize(frame, "A", sep = "; ")
C <- coin(data) # coincidence matrix
N <- asNodes(C) # node data frame
E <- edgeList(C) # edge data frame
netCoin(N, E) # netCoin object
```

netCorr

Networked correlations.

Description

netCorr produces a network object of correlations. Its input has to be at least one set of quantitative variables.

Usage

```
netCorr(variables, weight=NULL, pairwise=FALSE,
  minimum=-Inf, maximum=Inf, sort=FALSE, decreasing=TRUE,
  frequency=FALSE, means=TRUE,
  method="pearson", criteria="p", Bonferroni=FALSE,
  minL=0, maxL=Inf,
  sortL=NULL, decreasingL=TRUE,
  igrph=FALSE, ...)
```

Arguments

variables	a data frame with at least two quantitative variables.
weight	a vector of weights. Optimal for data.framed tables
pairwise	Pairwise mode of handling missing values if TRUE. Listwise by default.
minimum	minimum frequency to be considered
maximum	maximum frequency to be considered
sort	sort the correlation matrix according to the frequency of the events
decreasing	decreasing or increasing sort of the matrix
frequency	a logical value true if frequencies are to be shown. Default=FALSE.
means	a logical value true if means are to be shown. Default=TRUE.
method	a vector of statistics of similarity. Pearson correlation by default. spearman and kendall are also possible
criteria	statistic to be use for selection criteria.
Bonferroni	Bonferroni criterium of the signification test.
minL	minimum value of the statistic to include the edge in the list.

maxL	maximum value of the statistic to include the edge in the list.
sortL	sort the list according to the values of a statistic. See below
decreasingL	order in a decreasing way.
igraph	Produces an igraph object instead of a netCoin object if TRUE
...	Any netCoin argument.

Value

The function creates a netCoin object and eventually a folder in the computer with an HTML document named index.html which contains the produced graph. This file can be directly opened with your browser and sent to a web server to work properly.

Author(s)

Modesto Escobar, Department of Sociology and Communication, University of Salamanca. See <https://sociocav.usal.es/blog/modesto-escobar/>

Examples

```
# A character column (with separator)
data(iris)
netCorr(iris[,1:4],ltext="value",
  main="Correlations between measurements of Iris Species",
  note="Anderson, Edgar (1935) y Fisher, R. A. (1936)") # network object
```

pathCoin

Structural Equation Models Graphs.

Description

pathCoin produces a netCoin object from a lavaan object, i.e., parameters of structural equation model.

Usage

```
pathCoin(model, estimates=c("b","se","z","pvalue","beta"),
  fitMeasures=c("chisq","cfi","rmsea"), ...)
```

Arguments

model	a lavaan object.
estimates	A vector with at least one element amongst "b", "se", "z", "pvalue", "beta".
fitMeasures	Default values: "chisq", "df", "pvalue", "cfi", "rmsea"
...	Any netCoin argument.

Value

The function creates a netCoin object and eventually a folder in the computer with an HTML document named index.html which contains the produced graph. This file can be directly opened with your browser and sent to a web server to work properly.

Author(s)

Modesto Escobar, Department of Sociology and Communication, University of Salamanca. See <https://sociocav.usal.es/blog/modesto-escobar/>

Examples

```
# Classic Wheaton et al. model
library(lavaan)
lower <- '
11.834
6.947 9.364
6.819 5.091 12.532
4.783 5.028 7.495 9.986
-3.839 -3.889 -3.841 -3.625 9.610
-21.899 -18.831 -21.748 -18.775 35.522 450.288 '
wheaton.cov <- getCov(lower,
  names = c("anomia67", "powerless67", "anomia71", "powerless71",
            "education", "sei"))

wheaton.model <- '
# latent variables
ses =~ education + sei
alien67 =~ anomia67 + powerless67
alien71 =~ anomia71 + powerless71
# regressions
alien71 ~ alien67 + ses
alien67 ~ ses
# correlated residuals
anomia67 ~~ anomia71
powerless67 ~~ powerless71
'

fit <- sem(wheaton.model, sample.cov = wheaton.cov, sample.nobs = 932)

pathCoin(fit)
```

propCoin

Express Coin Entries as Fraction of Marginal Table

Description

This is like 'prop.table' for 'coin' objects.

Usage

```
propCoin(x, margin= 0, decimals=1)
```

Arguments

x	'coin' object.
margin	index, or vector of indices to generate margin for.
decimals	integer indicating the number of decimal places to be used.

Value

Table like 'x' expressed relative to 'margin'.

Author(s)

Modesto Escobar, Department of Sociology and Communication, University of Salamanca. See <https://sociocav.usal.es/blog/modesto-escobar/>

Examples

```
## Random incidence matrix: 25 scenarios, 4 events.
I <- matrix(rbinom(100, 1, .5), nrow = 25, ncol = 4,
            dimnames = list(NULL, c("A", "B", "C", "D")))
C <- coin(I, sort = TRUE)

propCoin(C, 1)
```

saveGhml

Save a netCoin object as a .graphml file to be read in Gephi, Pajek, ...

Description

saveGhml produces a .graphml file from a netCoin object.

Usage

```
saveGhml(net, file="netCoin.graphml")
```

Arguments

net	A netCoin object.
file	The name of the file. If not extension, .gexf is used as default.

Value

The function creates a file with vertices and arcs or edges of a netCoin object.

Author(s)

Modesto Escobar, Department of Sociology and Communication, University of Salamanca. See <https://sociocav.usal.es/blog/modesto-escobar/>

Examples

```
## Not run:
# A character column (with separator)
frame <- data.frame(A = c("Man; Women", "Women; Women",
                          "Man; Man", "Undet.; Women; Man"))
data <- dichotomize(frame, "A", add=FALSE, sep = "; ")
graph <- allNet(data, maxL=5) # graph from an incidence matrix

saveGhml(graph,"graph") # save graph.net file

## End(Not run)
```

savePajek	<i>Save a netCoin object as a .net (.paj) file to be read in Pajek, Gephi, ...</i>
-----------	--

Description

savePajek produces a .net (.paj) file from a netCoin object.

Usage

```
savePajek(net, file="file.net", arcs=NULL, edges=NULL,
           partitions=NULL, vectors=NULL)
```

Arguments

net	a netCoin object.
file	The name of the file without extension. It will be .net or .paj according to data. The default is file.net or file.paj
arcs	Names of netCoin\$links to be included and considered as arcs in the Pajek file..
edges	Names of netCoin\$links to be included and considered as edges in the Pajek file..
partitions	Names of netCoin\$nodes to be included and considered as partitions in the Pajek file.
vectors	Names of netCoin\$nodes to be included and considered as vectors in the Pajek file.

Value

The function creates a file with vertices and arcs or edges of a netCoin object. Vectors and partitions can be also included. .

Author(s)

Modesto Escobar, Department of Sociology and Communication, University of Salamanca. See <https://sociocav.usal.es/blog/modesto-escobar/>

Examples

```
## Not run:
# A character column (with separator)
frame <- data.frame(A = c("Man; Women", "Women; Women",
                          "Man; Man", "Undet.; Women; Man"))
data <- dichotomize(frame, "A", add=FALSE, sep = "; ")
graph <- allNet(data) # graph from an incidence matrix

savePajek(graph,"graph",edges="Haberman") # save graph.net file

## End(Not run)
```

shinyCoin

*Include netCoin Plots in Shiny.***Description**

Load a netCoin plot to display in shiny.

Usage

```
shinyCoin(x)
```

Arguments

x is a netCoin, barCoin or timeCoin object.

Author(s)

Modesto Escobar, Department of Sociology and Communication, University of Salamanca. See <https://sociocav.usal.es/blog/modesto-escobar/>

Examples

```
## Not run:
# A character column (with separator)
frame <- data.frame(A = c("Man; Women", "Women; Women",
                          "Man; Man", "Undet.; Women; Man"))
data <- dichotomize(frame, "A", sep="; ")[2:4]
C <- coin(data) # coincidence matrix
N <- asNodes(C) # node data frame
E <- edgeList(C) # edge data frame
net <- netCoin(N, E) # netCoin object
shinyCoin(net)

## End(Not run)
```

sim *Similarity matrix.*

Description

It calculates a similarity/distance matrix from either an incidence data frame/matrix or a coin object.

Usage

```
sim(input, procedures="Jaccard", level=.95, distance=FALSE,
     minimum=1, maximum=Inf, sort=FALSE, decreasing=FALSE,
     weight = NULL, pairwise = FALSE)
```

Arguments

input	a binary data frame or a coin object, let's say an R list composed by a number of scenarios (\$n) and a coincidence matrix with frequencies (\$f).
procedures	a vector of statistics of similarity. See details below.
level	confidence level
distance	convert the similarity matrix into a distance matrix
minimum	minimum frequency to obtain a similarity/distance measure.
maximum	maximum frequency to obtain a similarity/distance measure.
sort	sort the list according to the values of a statistic. See details below
decreasing	order in a decreasing way.
weight	a vector of weights. Optimal for data.frame'd tables
pairwise	Pairwise mode of handling missing values if TRUE. Listwise by default.

Details

Possible measures in procedures are

- Frequencies (f), Relative frequencies (x), Conditional frequencies (i), Coincidence degree (cc), Probable degree (cp),
- Expected (e), Confidence interval (con)
- Matching (m), Rogers & Tanimoto (t), Gower (g), Sneath (s), Anderberg (and),
- Jaccard (j), Dice (d), antiDice (a), Ochiai (o), Kulczynski (k),
- Hamann (ham), Yule (y), Pearson (p), odds ratio (od), Rusell (r),
- Haberman (h), Z value of Haberman (z).
- Hypergeometric p greater value (hyp).

Value

A similarity/distance matrix.

Author(s)

Modesto Escobar, Department of Sociology and Communication, University of Salamanca. See <https://sociocav.usal.es/blog/modesto-escobar/>

Examples

```
# From a random incidence matrix I(25X4)
I<-matrix(rbinom(100,1,.5),nrow=25,ncol=4,
  dimnames=list(NULL,c("A","B","C","D")))
sim(I)
#Same results
C<-coin(I)
sim(C)
```

sociologists

Data: Classical sociologists.

Description

Data frame with names, birth and death year data, birth country and movement.

Usage

```
data("sociologists")
```

Format

A data frame with life's period of 16 sociologists and the following 11 variables to study time coincidences:

name : name and last name of the sociologist.

birth : birth year.

death : death year.

birth_place : birth place.

birth_country : birth country.

death_place : death place.

death_country : death country.

label : combination of name, birth and death dates.

generation : generation (every 25 years) of the sociologists.

school : school of thought.

picture : name of the file where their picture is.

Source

Own elaboration from manuals of sociology.

References

See [events](#).

Examples

```
data(sociologists)
head(sociologists, 10)
tail(sociologists, 10)
```

<code>surCoin</code>	<i>Networked coincidences from a data frame.</i>
----------------------	--

Description

`surCoin` produces a network object of coincidences from a data frame converting variables into dichotomies.

Usage

```
surCoin(data, variables=names(data), commonlabel=NULL,
        dichotomies=NULL, valueDicho=1, metric=NULL, exogenous=NULL,
        weight=NULL, subsample=FALSE, pairwise=FALSE,
        minimum=1, maximum=nrow(data), sort=FALSE, decreasing=TRUE,
        frequency=FALSE, percentages=TRUE,
        procedures="Haberma", criteria="Z", Bonferroni=FALSE,
        support=-Inf, minL=-Inf, maxL=Inf,
        directed=FALSE, diagonal=FALSE, sortL=NULL, decreasingL=TRUE,
        igragh=FALSE, coin=FALSE, dir=NULL, ...)
```

Arguments

<code>data</code>	a data frame.
<code>variables</code>	a vector of variables included in the previous data frame.
<code>commonlabel</code>	a vector of variables whose names are to be included in nodes labels.
<code>dichotomies</code>	a vector of dichotomous variables to appear as just one category.
<code>valueDicho</code>	value or list of values (not vector) to be selected for dichotomous variables. Default is 1.
<code>metric</code>	a vector of metrics.
<code>exogenous</code>	a vector of variables whose relations amongst them are of no interest. None by default.
<code>weight</code>	a vector of weights. Optimal for data.framed tables.
<code>subsample</code>	retrict the analysis to scenarios with at least one event.
<code>pairwise</code>	Pairwise mode of handling missing values if TRUE. Listwise by default.
<code>minimum</code>	minimum frequency to be considered.

maximum	maximum frequency to be considered.
sort	sort the coincidence matrix according to frequency of events.
decreasing	decreasing or increasing sort of the matrix.
frequency	a logical value true if frequencies are to be shown. Default=FALSE.
percentages	a logical value true if percentages are to be shown. Default=TRUE.
procedures	a vector of statistics of similarity. See below.
criteria	statistic to be use for selection criteria.
Bonferroni	Bonferroni criterium of the signification test.
support	minimum value of the frequency of the coincidence to be edged.
minL	minimum value of the statistic to include the edge in the list.
maxL	maximum value of the statistic to include the edge in the list. By default is +Inf, except if criteria="Z" or criteria="hyp", in which case it is .5. It is recommended to change it to .05 if data has been sampled.
directed	includes same edges only once.
diagonal	includes auto-links.
sortL	sort the list according to the values of a statistic. See below.
decreasingL	order in a decreasing way.
igraph	Produces an igraph object instead of a netCoin object if TRUE.
coin	Only return the coincidences matrix if TRUE.
dir	a "character" string representing the directory where the web files will be saved.
...	Any netCoin argument.

Details

Possible measures in procedures are

- Frequencies (f), Relative frequencies (x), Conditional frequencies (i), Coincidence degree (cc), Probable degree (cp),
- Expected (e), Confidence interval (con)
- Matching (m), Rogers & Tanimoto (t), Gower (g), Sneath (s), Anderberg (and),
- Jaccard (j), Dice (d), antiDice (a), Ochiai (o), Kulczynski (k),
- Hamann (ham), Yule (y), Pearson (p), odds ratio (od), Rusell (r),
- Haberman (h), Z value of Haberman (z),
- Hypergeometric p greater value (hyp).
- Convert a matrix into an edge list (shape).

Value

This function creates a netCoin object (or igraph) and, if stated, a folder in the computer with an HTML document named index.html which contains the produced graph. This file can be directly opened with your browser and sent to a web server to work properly.

Author(s)

Modesto Escobar, Department of Sociology and Communication, University of Salamanca. See <https://sociocav.usal.es/blog/modesto-escobar/>

References

Escobar, M. and Martinez-Uribe, L. (2020) Network Coincidence Analysis: The netCoin R Package. *Journal of Statistical Software*, **93**, 1-32. doi: [10.18637/jss.v093.i11](https://doi.org/10.18637/jss.v093.i11).

Examples

```
# A data frame with two variables Gender and Opinion
frame <- data.frame(Gender=c(rep("Man",3),rep("Woman",3)),
                    Opinion=c("Yes","Yes","No","No","No","Yes"))
surCoin(frame,commonlabel="") # network object

# A data frame with two variables (Gender and Hand) and nodes
input <- data.frame(
  Gender = c("Women", "Men", "Men", "Women", "Women","Men",
            "Men", "Men", "Women", "Women", "Men", "Women"),
  Hand   = c("Right", "Left", "Right", "Right", "Right", "Right",
            "Left", "Right", "Right", "Left", "Right", "Right"))
nodes <- data.frame(
  name = c("Gender:Men", "Gender:Women", "Hand:Left", "Hand:Right"),
  label = c("Women(50\u25)", "Men(50\u25)",
            "Left hand(25\u25)", "Right hand(75\u25)"))
G <- surCoin(input, nodes=nodes, proc=c("h","i"), label="label",
            ltext="i", showArrows=TRUE, maxL=.99)
```

surScat

Networked coincidences from a data frame.

Description

surScat produces a network object of coincidences from a data frame converting variables into dichotomies.

Usage

```
surScat(data, variables=names(data), active=variables, type=c("mca", "pca"), nclusters=2,
        maxN=2000, ...)
```

Arguments

data	a data frame.
variables	a vector of variables included in the previous data frame.
active	a vector of variables activated in the previous data frame.

type	Factorial type: mca for qualitative active variables, pca for quantitative active variables.
nclusters	number of clusters.
maxN	Maximum number of rows.
...	Any <code>netCoin</code> argument.

Details

Possible measures in procedures are

- Frequencies (f), Relative frequencies (x), Conditional frequencies (i), Coincidence degree (cc), Probable degree (cp),
- Expected (e), Confidence interval (con)
- Matching (m), Rogers & Tanimoto (t), Gower (g), Sneath (s), Anderberg (and),
- Jaccard (j), Dice (d), antiDice (a), Ochiai (o), Kulczynski (k),
- Hamann (ham), Yule (y), Pearson (p), odds ratio (od), Rusell (r),
- Haberman (h), Z value of Haberman (z),
- Hypergeometric p greater value (hyp).
- Convert a matrix into an edge list (shape).

Value

This function creates a `netCoin` object (or `igraph`) and, if stated, a folder in the computer with an HTML document named `index.html` which contains the produced graph. This file can be directly opened with your browser and sent to a web server to work properly.

Author(s)

Modesto Escobar, Department of Sociology and Communication, University of Salamanca. See <https://sociocav.usal.es/blog/modesto-escobar/>

References

Escobar, M. and Martinez-Urbe, L. (2020) Network Coincidence Analysis: The `netCoin` R Package. *Journal of Statistical Software*, **93**, 1-32. doi: [10.18637/jss.v093.i11](https://doi.org/10.18637/jss.v093.i11).

Examples

```
# A data frame with two variables Gender and Opinion
frame<-data.frame(Gender=c(rep("Man",3),rep("Woman",3)),
                  Opinion=c("Yes","Yes","No","No","No","Yes"))
surScat(frame) # network object
```

timeCoin	<i>Networked coincidences.</i>
----------	--------------------------------

Description

timeCoin produces a timeCoin object.

Usage

```
timeCoin( periods, name = "name", start = "start", end = "end", group = NULL,
          text = NULL, main = NULL, note = NULL, info = NULL,
          events = NULL, eventNames = "name", eventPeriod = "period",
          eventTime = "date", eventColor = NULL, eventShape = NULL,
          cex = 1, language = c("en", "es", "ca"), dir = NULL)
```

Arguments

periods	a data frame with at least three vectors of name, start and end of the periods.
name	name of the vector with names in the periods data frame.
start	name of the vector with starts in the periods data frame.
end	name of the vector with ends in the periods data frame.
group	name of the vector with groups in the periods data frame.
text	name of the vector with html text in the periods data frame.
main	upper title of the graph.
note	lower title of the graph.
info	name of the vector with information to display in a panel in the periods data frame.
events	a data frame of events included into the periods with three columns: event name, periodParent and eventTime
eventNames	name of the vector with names in the events data frame.
eventPeriod	name of the vector with period names in the events data frame.
eventTime	name of the vector with time points in the events data frame.
eventColor	name of the vector with color criteria in the events data frame.
eventShape	name of the vector with shape criteria in the events data frame.
cex	number indicating the amount by which plotting text should be scaled relative to the default. Default = 1.
language	a character vector (es=spanish; en=english; ca=catalan).
dir	a "character" string representing the directory where the web files will be saved.

Value

Object of class timeCoin.

Author(s)

Modesto Escobar, Department of Sociology and Communication, University of Salamanca. See <https://sociocav.usal.es/blog/modesto-escobar/>

Examples

```
# Database of the classical sociologists.
# Only periods
data(sociologists)
timeCoin(sociologists, "name", "birth", "death", "school")

# Periods and events
data(works)
timeCoin(sociologists, "name", "birth", "death", "school",
         events=works, eventNames="label", eventPeriod="author", eventTime="date")
```

toIgraph	<i>igraph object.</i>
----------	-----------------------

Description

igraph object from a network_rd3 object.

Usage

```
toIgraph(net)
```

Arguments

net is a network_rd3 object. See [network_rd3](#)

Value

An igraph object.

Author(s)

Modesto Escobar, Department of Sociology and Communication, University of Salamanca. See <https://sociocav.usal.es/blog/modesto-escobar/>

Examples

```
# A character column (with separator)
frame <- data.frame(A = c("Man; Women", "Women; Women",
                        "Man; Man", "Undet.; Women; Man"))
data <- dichotomize(frame, "A", sep = "; ") [2:4]
C <- coin(data) # coincidence matrix
N <- asNodes(C) # node data frame
E <- edgeList(C)
```

```
net <- netCoin(N, E)
toIgraph(net) # conversion into a igraph object
```

works

Data: Classical sociological works.

Description

Data frame with classical sociological works written by authors in the sociologists data frame.

Usage

```
data("sociologists")
```

Format

A data frame with 54 observations (events) and the following 4 variables to study coincidences in time:

name : name and last name of the author of the work.

label : abbreviation of the complete name.

works : work's name.

date : year of its first publication.

Author(s)

Modesto Escobar, Department of Sociology and Communication, University of Salamanca. See <https://sociocav.usal.es/blog/modesto-escobar/>

Source

Own elaboration from manuals of sociology.

References

See [events](#).

Examples

```
data(works)
head(works, 10)
tail(works, 10)
```

Index

* datasets

- dice, [15](#)
- ess, [21](#)
- events, [21](#)
- families, [23](#)
- finches, [24](#)
- Galapagos, [25](#)
- links, [31](#)
- sociologists, [45](#)
- works, [52](#)

- allNet, [5](#)
- asGallery, [7](#)
- asNodes, [4, 7](#)

- barCoin, [8](#)

- calCentr, [10, 36](#)
- coexist, [11, 19](#)
- coin, [3, 12, 22](#)
- coocur, [14](#)

- dice, [15, 22](#)
- dichotomize, [16](#)
- distant, [17](#)
- dyncohort, [12, 18](#)

- edgeList, [4, 19](#)
- ess, [21](#)
- events, [15, 21, 46, 52](#)
- expectedList, [22](#)

- families, [23](#)
- finches, [24](#)
- fromIgraph, [24](#)

- Galapagos, [25](#)
- gallery, [26](#)
- glmCoin, [27](#)

- incTime, [29](#)

- layoutCircle, [30](#)

- layoutGrid, [30](#)

- links, [31](#)

- lower, [32](#)

- mobileEdges, [33](#)

- multigraphCreate, [34](#)

- netCoin, [4, 6, 10, 11, 18, 28, 35, 39, 47, 49](#)

- netCoin-package, [3](#)

- netCorr, [38](#)

- network_rd3, [7, 24, 51](#)

- pathCoin, [39](#)

- propCoin, [40](#)

- saveGhml, [41](#)

- savePajek, [42](#)

- shinyCoin, [43](#)

- sim, [4, 17, 44](#)

- sociologists, [45](#)

- surCoin, [46](#)

- surScat, [48](#)

- timeCoin, [12, 19, 50](#)

- toIgraph, [51](#)

- works, [52](#)