

Package ‘RcppTOML’

December 3, 2020

Type Package

Title 'Rcpp' Bindings to Parser for Tom's Obvious Markup Language

Version 0.1.7

Date 2020-12-01

Author Dirk Eddelbuettel

Maintainer Dirk Eddelbuettel <edd@debian.org>

Description The configuration format defined by 'TOML' (which expands to ``Tom's Obvious Markup Language'') specifies an excellent format (described at <<https://toml.io/en/>>) suitable for both human editing as well as the common uses of a machine-readable format. This package uses 'Rcpp' to connect the 'cptoml' parser written by Chase Geigle (in C++11) to R.

SystemRequirements A C++11 compiler; g++ (>= 4.9.*) or newer works.

BugReports <https://github.com/eddelbuettel/rcpptoml/issues>

URL <http://dirk.eddelbuettel.com/code/rcpp.toml.html>

Imports Rcpp (>= 0.11.5)

Depends R (>= 3.3.0)

LinkingTo Rcpp

Suggests tinytest

License GPL (>= 2)

NeedsCompilation yes

Repository CRAN

Date/Publication 2020-12-02 23:00:08 UTC

R topics documented:

RcppTOML-package	2
parseTOML	2

Index	5
--------------	----------

RcppTOML-package

R Access to Parser for TOML (Tom's Obvious Markup Language)

Description

TOML (“Tom’s Obvious Markup Language”) is a configuration file grammar for humans. It is easier to read and edit than the alternatives yet arguably more useful as it is strongly typed: values come back as integer, double, (multiline-) character (strings), boolean or Datetime. Moreover, complex nesting and arrays are supported as well.

Details

At present, a single parsing function `parseTOML` (with convenience aliases `tomlparse` and `parseToml`) is implemented. It returns a list object corresponding to the configuration from the supplied file.

Author(s)

Dirk Eddelbuettel put together the R package. Charles Geigle wrote the `cpptoml` parser. Tom Preston-Werner is the Tom behind TOML.

Maintainer: Dirk Eddelbuettel <edd@debian.org>

References

TOML: <https://toml.io/en/>

Examples

```
library(RcppTOML)

file <- system.file("toml", "example.toml", package="RcppTOML")

toml <- parseTOML(file) # given file, return parsed object

summary(toml)          # really sparse summary method
print(toml)           # print is a wrapper around str()
```

parseTOML

Parse a TOML configuration file

Description

The `parseTOML` function parses ‘TOML’ (for ‘Tom’s Obvious Markup Language’) files. The TOML format both highly readable and expressive, allows comments, indentation and other aspects suitable for *human* readers, contains typed objects yet allows everything similar configuration languages permit.

Usage

```
parseTOML(input, verbose = FALSE, fromFile=TRUE, includize=FALSE, escape=TRUE)

## S3 method for class 'toml'
print(x, ...)
## S3 method for class 'toml'
summary(object, ...)
```

Arguments

input	A character object either denoting a path and file (where tilde-expansion is performed as well) from parsing from file, or a containing a suitable 'TOML' expression that is parsed from this expression.
verbose	A logical switch to turn on (very) verbose operation which can be useful in debugging a parsing issue in a file.
fromFile	A logical switch indicating whether input is interpreted as a filename (with path) which is to be parsed, or a whether the 'TOML' expression in the string is parsed; default is file mode.
includize	A logical switch indicating whether the includize stream buffer class for (non-standard but very useful) include statements should be used.
escape	A logical switch indicating whether special characters in strings (namely new line, double quotation mark and backslash) should be escaped in both printed output (when verbose = TRUE) and returned values or only in the printed output. Defaults to TRUE for the sake of backward compatibility.
x	A toml object.
object	A toml object.
...	Furter arguments.

Details

The package uses the 'cpptoml' C++11 parser by Charles Geigle. This requires a recent-enough C++11 compiler which excludes one deployed by Rtools on Windows at the time the package was initially put together.

Following TOML specification this package assumes that any file input is a UTF-8 encoded text file. Any non-file input (when fromFile = FALSE) is converted to UTF-8 if necessary (using R's `enc2utf()`). Note that the conversion to UTF-8 may fail for input with "unknown" declared encoding if the true encoding does not match system's locale.

Value

A toml object is returned, which is really just a list object with a class attribute to allow for `print` and `summary` methods.

Author(s)

Dirk Eddelbuettel put together the R package. Charles Geigle wrote the cpptoml parser. Tom Preston-Werner is the Tom behind TOML.

Maintainer: Dirk Eddelbuettel <edd@debian.org>

References

TOML: <https://toml.io/en/> cpptoml: <https://github.com/skystribe/cpptoml>

Examples

```
library(RcppTOML)

file <- system.file("toml", "example.toml", package="RcppTOML")

toml <- parseTOML(file) # given file, return parsed object

summary(toml)          # really sparse summary method
print(toml)            # print is a wrapper around str()

txt <- "value=''\\nHello\\nWorld!'" # input with \n is ..
parseTOML(input = txt, fromFile = FALSE) # ... (doubly) escaped by default
parseTOML(input = txt, fromFile = FALSE, escape = FALSE) # ... kept 'as is'
```

Index

* **package**

parseTOML, [2](#)

RcppTOML-package, [2](#)

parseTOML, [2](#)

parseToml (parseTOML), [2](#)

print.toml (parseTOML), [2](#)

RcppTOML (RcppTOML-package), [2](#)

RcppTOML-package, [2](#)

summary.toml (parseTOML), [2](#)

tomlparse (parseTOML), [2](#)