

# Package ‘Rwtss’

April 25, 2022

**Title** Client for Web Time-Series Service

**Version** 0.9.2

**Maintainer** Felipe Souza <lipecaso@gmail.com>

**Description** Allows remote access to satellite image time series provided by the web time series service (WTSS) available at servers such as <<https://brazildatacube.dpi.inpe.br/wtss/>>. The functions include listing the data sets available in WTSS servers, describing the contents of a data set, and retrieving a time series based on spatial location and temporal filters.

**URL** <https://github.com/e-sensing/Rwtss/>

**BugReports** <https://github.com/e-sensing/Rwtss/issues>

**ByteCompile** true

**LazyData** true

**License** GPL-3

**Encoding** UTF-8

**Depends** R (>= 3.6.0)

**Imports** assertthat, dplyr, geosphere, ggplot2, reshape2, jsonlite, lubridate, magrittr, purrr, httr, stats, stringr, tibble, zoo

**RoxygenNote** 7.1.2

**Suggests** bfast, knitr, rmarkdown, roxygen2, testthat, spelling, vcr

**VignetteBuilder** knitr

**Language** en-US

**NeedsCompilation** no

**Author** Gilberto Queiroz [aut] (<<https://orcid.org/0000-0001-7534-0219>>),  
Gilberto Camara [aut] (<<https://orcid.org/0000-0002-3681-487X>>),  
Pedro Andrade [aut] (<<https://orcid.org/0000-0001-8675-4046>>),  
Felipe Souza [aut, cre],  
Luiz Assis [aut]

**Repository** CRAN

**Date/Publication** 2022-04-25 08:50:05 UTC

## R topics documented:

Rwtss-package . . . . .	2
.wtss_coverage_description . . . . .	3
.wtss_get_response . . . . .	4
.wtss_ggplot_series . . . . .	4
.wtss_guess_satellite . . . . .	5
.wtss_list_coverages . . . . .	5
.wtss_parse_json . . . . .	6
.wtss_process_request . . . . .	6
.wtss_remove_trailing_dash . . . . .	7
.wtss_send_request . . . . .	7
.wtss_tibble . . . . .	8
.wtss_time_series_processing . . . . .	8
.wtss_to_tibble . . . . .	9
describe_coverage . . . . .	10
list_coverages . . . . .	10
ndvi_ts . . . . .	11
plot . . . . .	11
time_series . . . . .	12
wtss_to_ts . . . . .	14
wtss_to_zoo . . . . .	15
%>% . . . . .	16
<b>Index</b>	<b>17</b>

---

Rwtss-package

*Rwtss*

---

## Description

An R client to the web time series service (WTSS)

## Rwtss API

Implements an R interface to a web time series service (WTSS) that offers time series of remote sensing data using a simple API. A WTSS server takes as input an Earth observation data cube, that has a spatial and a temporal dimension and can be multidimensional in terms of its attributes.

The WTSS API has four commands:

- ‘wtss’: given an URL, creates a connection to a WTSS service
- ‘list\_coverages’: returns a list of coverages (cubes) available in the WTSS server.
- ‘describe\_coverage’: returns the metadata for a given coverage.
- ‘time\_series’: returns a time series for a spatio-temporal location.

### Author(s)

**Maintainer:** Felipe Souza <lipecaso@gmail.com>

Authors:

- Gilberto Queiroz <gilberto.queiroz@inpe.br> ([ORCID](#))
- Gilberto Camara <gilberto.camara@inpe.br> ([ORCID](#))
- Pedro Andrade <pedro.andrade@inpe.br> ([ORCID](#))
- Luiz Assis <luiz.assis@inpe.br>

### See Also

Useful links:

- <https://github.com/e-sensing/Rwtss/>
- Report bugs at <https://github.com/e-sensing/Rwtss/issues>

---

.wtss\_coverage\_description

*Decodes the description from a WTSS coverage*

---

### Description

creates a tibble to store the description of the WTSS coverage

### Usage

```
.wtss_coverage_description(URL, cov)
```

### Arguments

URL	URL of the coverage
cov	coverage response provided by WTSS service

---

`.wtss_get_response`      *Get a response to the WTSS server*

---

**Description**

Sends a request to the WTSS server and gets a response

**Usage**

```
.wtss_get_response(request, ...)
```

**Arguments**

<code>request</code>	valid request according to the WTSS protocol
<code>...</code>	additional parameters that can be added in httr.

**Value**

response from the server

---

`.wtss_ggplot_series`      *Plot one timeSeries using ggplot*

---

**Description**

Plots a set of time series using ggplot. This function is used for showing the same lat/long location in a series of time steps.

**Usage**

```
.wtss_ggplot_series(row, colors = "Dark2")
```

**Arguments**

<code>row</code>	A row of a sits tibble with the time series to be plotted.
<code>colors</code>	The set of Brewer colors to be used for plotting.

---

.wtss\_guess\_satellite *Try a best guess for the type of sensor/satellite*

---

**Description**

Based on resolution, tries to guess what is the satellite.

**Usage**

.wtss\_guess\_satellite(xres)

**Arguments**

xres                    xres of the coverage

**Value**

Satellite sensor pair

**Author(s)**

Gilberto Camara, <gilberto.camara@inpe.br>

---

.wtss\_list\_coverages *Retrieves the list of cubes from the URL server*

---

**Description**

Use the WTSS protocol to find out available coverages

**Usage**

.wtss\_list\_coverages(URL)

**Arguments**

URL                    URL of the WTSS service

**Value**

updated WTSS object.

---

*.wtss\_parse\_json*      *Parse a JSON response from the WTSS server*

---

**Description**

Parse a JSON response from the WTSS service

**Usage**

`.wtss_parse_json(response)`

**Arguments**

response      valid JSON response from the WTSS service

**Value**

parsed JSON document

---

*.wtss\_process\_request*      *Process a request to the WTSS server*

---

**Description**

Process a request

**Usage**

`.wtss_process_request(request)`

**Arguments**

request      valid request to the WTSS service

**Value**

parsed JSON document

---

`.wtss_remove_trailing_dash`

*Remove trailing dashes from a WTSS server address*

---

### **Description**

The WTSS URL cannot have a trailing dash. This functions checks and removes it, if present.

### **Usage**

`.wtss_remove_trailing_dash(URL)`

### **Arguments**

URL                    A WTSS URL

### **Value**

URL without trailing dash

---

`.wtss_send_request`     *Send a request to WTSS server*

---

### **Description**

Sends a request to the WTSS server and times out after 10 tries

### **Usage**

`.wtss_send_request(request, ...)`

### **Arguments**

request                valid request according to the WTSS protocol  
...                     additional parameters that can be added in http.

### **Value**

response from the server

---

`.wtss_tibble`*Create a tibble to store the time series information*

---

**Description**

This function returns an empty tibble that contains the satellite image time series and its meta-data. The columns are <longitude, latitude, start\_date, end\_date, label, cube, time\_series>. WTSS functions produce a tibble as output.

**Usage**

```
.wtss_tibble()
```

**Value**

A tibble.

**Author(s)**

Gilberto Camara, <gilberto.camara@inpe.br>

---

`.wtss_time_series_processing`*Processing a Time Series Result from WTSS*

---

**Description**

Processing a Time Series Result from WTSS

**Usage**

```
.wtss_time_series_processing(items)
```

**Arguments**

`items` Items retrieved from WTSS server

**Value**

tibble with a time series



---

.wtss\_to\_tibble      *Import time series in the zoo format to a tibble*

---

### Description

Converts data from an instance of a zoo series to a sits tibble.

### Usage

```
.wtss_to_tibble(  
  ts,  
  name,  
  bands,  
  longitude,  
  latitude,  
  start_date,  
  end_date,  
  cov_desc  
)
```

### Arguments

ts	list of time series retrieved by WTSS
name	Name of the coverage where data comes from.
bands	Bands to be retrieved from the time series.
longitude	Longitude of the chosen location.
latitude	Latitude of the chosen location.
start_date	Starting date of the time series
end_date	End date of the time series
cov_desc	Description of the WTSS coverage

### Value

Time series in sits tibble format.

### Author(s)

Gilberto Camara, <gilberto.camara@inpe.br>

---

describe_coverage	<i>Retrieves the list of cubes from the URL server</i>
-------------------	--

---

**Description**

Contacts the WTSS server to describe one coverage

**Usage**

```
describe_coverage(URL, name, .print = TRUE)
```

**Arguments**

URL	URL of the server
name	name of coverage
.print	Print the coverage description

**Value**

tibble with coverage description

**Examples**

```
## Not run:  
# Using external server  
describe_coverage("https://brazildatacube.dpi.inpe.br/wtss/",  
                  "LC8_30_16D_STK-1")  
  
## End(Not run)
```

---

list_coverages	<i>List the coverages available in the WTSS service</i>
----------------	---

---

**Description**

Lists coverages available in the WTSS service

**Usage**

```
list_coverages(URL)
```

**Arguments**

URL	URL of the server
-----	-------------------

**Value**

vector with coverage name

**Examples**

```
## Not run:
# Using external server
list_coverages("https://brazildatacube.dpi.inpe.br/wtss/")

## End(Not run)
```

---

ndvi_ts	<i>Example time series from MOD13Q1 product.</i>
---------	--

---

**Description**

A dataset containing a wtss tibble, with extracted time series.

**Usage**

```
data("ndvi_ts")
```

**Format**

A wtss tibble with 388 samples. A wtss tibble contains data and metadata. The first six columns contain the metadata: satellite, sensor, spatial and temporal information, and the coverage from where the data has been extracted. The spatial location is given in longitude and latitude coordinates for the "WGS84" ellipsoid. The 'time\_series' column contains the time series data for each spatiotemporal location.

---

plot	<i>Generic interface for plotting time series</i>
------	---

---

**Description**

Given a tibble with a set of time series, plot them.

**Usage**

```
## S3 method for class 'wtss'
plot(x, y, ..., colors = "Dark2")
```

**Arguments**

x	object of class "wtss"
y	ignored
...	further specifications for <a href="#">plot</a> .
colors	Color palette to be used (based on Color Brewer - default is "Dark2").

**Value**

Input tibble (useful for chaining functions).

**Author(s)**

Gilberto Camara, <gilberto.camara@inpe.br>

**Examples**

```
## Not run:
# Access to external service
# Read one time series from the WTSS server
# plot one time series
wtss_service <- "https://brazildatacube.dpi.inpe.br/wtss/"
ts <- Rwtss::time_series(
  wtss_service,
  name = "MOD13Q1-6",
  attributes = c("NDVI", "EVI"),
  longitude = -45.00,
  latitude = -12.00,
  start_date = "2000-02-18",
  end_date = "2016-12-18",
  token = "YOUR-BDC-TOKEN")

plot(ts)

## End(Not run)
```

---

time\_series

*Get time series*

---

**Description**

Retrieves the time series for a pair of coordinates

**Usage**

```
time_series(
  URL,
  name,
  attributes = NULL,
  longitude,
```

```

    latitude,
    start_date = NULL,
    end_date = NULL,
    token = NULL,
    ...
  )

```

### Arguments

URL	URL of the server
name	Coverage name.
attributes	Vector of band names.
longitude	Longitude in WGS84 coordinate system.
latitude	Latitude in WGS84 coordinate system.
start_date	Start date in the format yyyy-mm-dd or yyyy-mm depending on the coverage.
end_date	End date in the format yyyy-mm-dd or yyyy-mm depending on the coverage.
token	A character with token to be add in URL.
...	Additional parameters that can be added in httr.

### Value

time series in a tibble format (NULL)

### Author(s)

Gilberto Camara

### Examples

```

## Not run:
# connect to a WTSS server
wtss_server <- "https://brazildatacube.dpi.inpe.br/wtss/"
# retrieve a time series
ndvi_ts <- Rwtss::time_series(wtss_server,
                             "LC8_30_16D_STK-1",
                             attributes = "NDVI",
                             latitude = -14.31,
                             longitude = -51.16,
                             token = "YOUR-BDC-TOKEN")

# plot the time series
plot(ndvi_ts)

## End(Not run)

```

wtss\_to\_ts

*Export data to be used to the ts format***Description**

Converts data from a wtss tibble to a time series "ts". A WTSS tibble contains data retrieved from a WTSS server. These data sets are time series with irregular intervals. Given that of many functions that use the R "ts" format, this function converts a time series (a tibble with data and metadata) to the "ts" format. Since "ts" requires regular time series, it interpolates the original irregular time series to a regular time series. To do this, the user needs to specify a period which is recognised by the "ts" format. This period can be either "month", "week", "day", "months", "weeks", "days" or 12, 52, 365. This function creates a new time series with the required frequency and interpolates the missing values using spline interpolation from the "zoo" package (zoo::na.spline).

**Usage**

```
wtss_to_ts(data, band = NULL, period = "week")
```

**Arguments**

data	A sits tibble with time series.
band	Name of the band to be exported (optional if series has only one band)
period	One of c("month", "week", "day"), c("months", "weeks", "days") or c(12, 52, 365)

**Value**

A time series in the ts format.

**Author(s)**

Gilberto Camara, <gilberto.camara@inpe.br>

**Examples**

```
## Not run:
# connect to a WTSS server
wtss_service <- "https://brazildatacube.dpi.inpe.br/wtss/"
# retrieve a time series
ts_wtss <- Rwtss::time_series(
  wtss_service,
  "MOD13Q1-6",
  c("NDVI", "EVI"),
  longitude = -45.00,
  latitude = -12.00,
  start_date = "2000-02-18",
  end_date = "2016-12-18",
  token = "YOUR-BDC-TOKEN")
```

```
# convert to ts
ts <- Rwtss::wtss_to_ts(ts_wtss, band = "NDVI")

## End(Not run)
```

---

wtss\_to\_zoo

*Export data to be used to the zoo format*


---

## Description

Converts data from a tibble to a list of a zoo series.

## Usage

```
wtss_to_zoo(data, band = NULL)
```

## Arguments

data	A tibble with time series.
band	Name of the band to be exported (if NULL all bands are exported).

## Value

List of time series in zoo format.

## Author(s)

Gilberto Camara, <gilberto.camara@inpe.br>

## Examples

```
## Not run:
# retrieve a time series
wtss_service <- "https://brazildatacube.dpi.inpe.br/wtss/"
ts_wtss <- Rwtss::time_series(
  wtss_service,
  "MOD13Q1-6",
  c("NDVI", "EVI"),
  longitude = -45.00,
  latitude = -12.00,
  start_date = "2000-02-18",
  end_date = "2016-12-18",
  token = "YOUR-BDC-TOKEN")
# convert to zoo
zoo.lst <- Rwtss::wtss_to_zoo(ts_wtss)

## End(Not run)
```

---

%>%

*Pipe*

---

**Description**

Magrittr compound assignment pipe-operator.

**Arguments**

lhs, rhs      A visualisation and a function to apply to it.



# Index

## \* datasets

- ndvi\_ts, [11](#)
- .wtss\_coverage\_description, [3](#)
- .wtss\_get\_response, [4](#)
- .wtss\_ggplot\_series, [4](#)
- .wtss\_guess\_satellite, [5](#)
- .wtss\_list\_coverages, [5](#)
- .wtss\_parse\_json, [6](#)
- .wtss\_process\_request, [6](#)
- .wtss\_remove\_trailing\_dash, [7](#)
- .wtss\_send\_request, [7](#)
- .wtss\_tibble, [8](#)
- .wtss\_time\_series\_processing, [8](#)
- .wtss\_to\_tibble, [9](#)
- %>, [16](#)
- \_PACKAGE (Rwtss-package), [2](#)
  
- describe\_coverage, [10](#)
  
- list\_coverages, [10](#)
  
- ndvi\_ts, [11](#)
  
- plot, [11](#), [12](#)
  
- Rwtss (Rwtss-package), [2](#)
- Rwtss-package, [2](#)
  
- time\_series, [12](#)
  
- wtss\_to\_ts, [14](#)
- wtss\_to\_zoo, [15](#)