

Package ‘TSF’

July 15, 2017

Type Package

Title Two Stage Forecasting (TSF) for Long Memory Time Series in Presence of Structural Break

Version 0.1.1

Author Sandipan Samanta, Ranjit Kumar Paul and Dipankar Mitra

Maintainer Dr. Ranjit Kumar Paul <ranjitstat@gmail.com>

Description Forecasting of long memory time series in presence of structural break by using TSF algorithm by Papailias and Dias (2015) <doi:10.1016/j.ijforecast.2015.01.006>.

License GPL

Imports stats, fracdiff, forecast

LazyData TRUE

NeedsCompilation no

Repository CRAN

Date/Publication 2017-07-15 06:49:07 UTC

R topics documented:

forecastTSF	1
StructuralBrekwithLongmemory	3
TSF	4
Index	6

forecastTSF	<i>Forecasting fractionally differenced series using TSF approach</i>
-------------	---

Description

The function is used for forecasting long memory time series using TSF approach

Usage

```
forecastTSF(N0,Xt,bandwidth)
```

Arguments

N0	lead period of forecast
Xt	univariate time series
bandwidth	the bandwidth used in the regression equation

Value

forecastTSF	the predicted values, the out of sample forecasts and the values of long memory parameter
-------------	---

Author(s)

Sandipan Samanta, Ranjit Kumar Paul and Dipankar Mitra

References

Papailias, F. and Dias, G. F. 2015. Forecasting long memory series subject to structural change: A two-stage approach. *International Journal of Forecasting*, 31, 1056 to 1066.

Wang, C. S. H., Bauwens, L. and Hsiao, C. 2013. Forecasting a long memory process subject to structural breaks. *Journal of Econometrics*, 177, 171-184.

Reisen, V. A. (1994) Estimation of the fractional difference parameter in the ARFIMA(p,d,q) model using the smoothed periodogram. *Journal Time Series Analysis*, 15(1), 335 to 350.

Examples

```
## Simulating Long Memory Series
N <- 1000
PHI <- 0.2
THETA <- 0.1
SD <- 1
M <- 0
D <- 0.2
Seed <- 123
N0<-9
bandwidth<-0.9
set.seed(Seed)
Sim.Series <- fracdiff::fracdiff.sim(n = N, ar = c(PHI), ma = c(THETA),
d = D, rand.gen = rnorm, sd = SD, mu = M)

Xt <- as.ts(Sim.Series$series)

## Forecasting using TSF method
forecastTSF (N0,Xt,bandwidth)
```

StructuralBrekwithLongmemory

Predicting fractionally differenced series in presence of structural break

Description

The function is used for prediction of long memory time series in presence of structural break

Usage

```
StructuralBrekwithLongmemory(ts,bandwidth)
```

Arguments

ts	univariate time series
bandwidth	the bandwidth used in the regression equation

Value

StructuralBrekwithLongmemory
the updated series at first step of TSF approach, prediction based on TSF approach and the estimate of long memory parameter

Author(s)

Sandipan Samanta, Ranjit Kumar Paul and Dipankar Mitra

References

- Papailias, F. and Dias, G. F. 2015. Forecasting long memory series subject to structural change: A two-stage approach. *International Journal of Forecasting*, 31, 1056 to 1066.
- Wang, C. S. H., Bauwens, L. and Hsiao, C. 2013. Forecasting a long memory process subject to structural breaks. *Journal of Econometrics*, 177, 171-184.
- Reisen, V. A. (1994) Estimation of the fractional difference parameter in the ARFIMA(p,d,q) model using the smoothed periodogram. *Journal Time Series Analysis*, 15(1), 335 to 350.

Examples

```
## Simulating Long Memory Series
N <- 1000
PHI <- 0.2
THETA <- 0.1
SD <- 1
M <- 0
D <- 0.2
Seed <- 123
bandwidth<-0.9
```

```

set.seed(Seed)
Sim.Series <- fracdiff::fracdiff.sim(n = N, ar = c(PHI), ma = c(THETA),
d = D, rand.gen = rnorm, sd = SD, mu = M)

Xt <- as.ts(Sim.Series$series)

## Forecasting using TSF method
StructuralBrekwithLongmemory(Xt,bandwidth)

```

TSF

Fractionally differenced series for any value of d

Description

The function `fdseries` computes the fractional differenced series for any value of d i.e. positive or negative.

Usage

```
fdseries(x, d)
```

Arguments

<code>x</code>	univariate time series
<code>d</code>	The order of fractional differencing to be done

Value

<code>fdseries</code>	fractionally differenced series for both positive as well as negative d
-----------------------	---

Author(s)

Sandipan Samanta, Ranjit Kumar Paul and Dipankar Mitra

References

- Papailias, F. and Dias, G. F. 2015. Forecasting long memory series subject to structural change: A two-stage approach. *International Journal of Forecasting*, 31, 1056 to 1066.
- Wang, C. S. H., Bauwens, L. and Hsiao, C. 2013. Forecasting a long memory process subject to structural breaks. *Journal of Econometrics*, 177, 171-184.
- Reisen, V. A. (1994) Estimation of the fractional difference parameter in the ARFIMA(p,d,q) model using the smoothed periodogram. *Journal Time Series Analysis*, 15(1), 335 to 350.

Examples

```
## Simulating Long Memory Series
N <- 1000
PHI <- 0.2
THETA <- 0.1
SD <- 1
M <- 0
D <- 0.2
Seed <- 123

set.seed(Seed)
Sim.Series <- fracdiff::fracdiff.sim(n = N, ar = c(PHI), ma = c(THETA),
d = D, rand.gen = rnorm, sd = SD, mu = M)

Xt <- as.ts(Sim.Series$series)

## fractional differencing
fdseries(Xt,d=D)
```

Index

fdseries (TSF), 4

forecastTSF, 1

StructuralBrekwithLongmemory, 3

TSF, 4