

Package ‘brokenstick’

September 8, 2022

Type Package

Title Broken Stick Model for Irregular Longitudinal Data

Version 2.3.0

Description Data on multiple individuals through time are often sampled at times that differ between persons. Irregular observation times can severely complicate the statistical analysis of the data. The broken stick model approximates each subject’s trajectory by one or more connected line segments. The times at which segments connect (breakpoints) are identical for all subjects and under control of the user. A well-fitting broken stick model effectively transforms individual measurements made at irregular times into regular trajectories with common observation times.

Specification of the model requires just three variables: time, measurement and subject. The model is a special case of the linear mixed model, with time as a linear B-spline and subject as the grouping factor. The main assumptions are: subjects are exchangeable, trajectories between consecutive breakpoints are straight, random effects follow a multivariate normal distribution, and unobserved data are missing at random.

The package contains functions for fitting the broken stick model to data, for predicting curves in new data and for plotting broken stick estimates. The package supports two optimization methods, and includes options to structure the variance-covariance matrix of the random effects.

The analyst may use the software to smooth growth curves by a series of connected straight lines, to align irregularly observed curves to a common time grid, to create synthetic curves at a user-specified set of breakpoints, to estimate the time-to-time correlation matrix and to predict future observations. For additional documentation on background, methodology and applica-

tions see <<https://growthcharts.org/brokenstick/articles/manual/manual.html>>.

Depends R (>= 3.5.0)

Imports coda, dplyr, lme4, matrixsampling, methods, rlang, splines, stats, tidyr

Suggests AGD, bookdown, ggplot2, grDevices, gridExtra, knitr, lattice, MASS, Matrix, mice, mvtnorm, plyr, svglite, testthat, rmarkdown

URL <https://github.com/growthcharts/brokenstick>,
<https://growthcharts.org/brokenstick/>

BugReports <https://github.com/growthcharts/brokenstick/issues>

Encoding UTF-8**License** MIT + file LICENSE**LazyData** TRUE**VignetteBuilder** knitr**NeedsCompilation** no**Author** Stef van Buuren [aut, cre]**Maintainer** Stef van Buuren <stef.vanbuuren@tno.nl>**Repository** CRAN**Date/Publication** 2022-09-07 22:23:04 UTC

R topics documented:

brokenstick	2
brokenstick-class	5
brokenstick-pkg	7
control_kr	8
EB	9
fitted.brokenstick	10
fit_200	10
fit_200_light	11
get_knots	11
get_omega	12
get_r2	13
kr	13
make_basis	15
parse_formula	16
plot.brokenstick	16
plot_trajectory	17
predict.brokenstick	19
residuals.brokenstick	24
set_control	25
smocc_200	26
weightloss	26
Index	28

brokenstick

Fit a brokenstick model to irregular data

Description

The `brokenstick()` function fits an irregularly observed series of measurements onto a user-specified grid of points (knots). The model codes the grid by a series of linear B-splines. Each modelled trajectory consists of straight lines that join at the chosen knots and look like a broken stick. Differences between observations are expressed by a random effect per knot.

Usage

```
brokenstick(
  formula,
  data,
  knots = NULL,
  boundary = NULL,
  k = 5L,
  degree = 1L,
  method = c("kr", "lmer"),
  control = set_control(method = method, ...),
  na.action = na.exclude,
  light = FALSE,
  ...
)
```

Arguments

formula	A formula specifying the outcome, the predictor and the group variable in data. The generic shape is <code>formula = y ~ x group</code> . The left-hand side is the outcome, the right-hand side the predictor, and the name of the grouping variable occurs after the <code> </code> sign. Formula treatment is non-standard: 1) <code>y</code> and <code>x</code> should be numeric, 2) only one variable is allowed in each model term (additional variables will be ignored).
data	A data frame or matrix containing the outcome (numeric), predictor (numeric) and group (numeric, factor, character) variable.
knots	Optional, but recommended. Numerical vector with the locations of the internal knots to be placed on the values of the predictor. The function sorts the internal knots in increasing order.
boundary	Optional, but recommended. Numerical vector of length 2 with the left and right boundary knot. The boundary setting is passed to <code>splines::bs()</code> as the <code>Boundary.knots</code> argument. If not specified, the function determines the boundary knots as <code>range(x)</code> . When specified, the boundary range is internally expanded to include at least <code>range(knots)</code> .
k	Optional, a convenience parameter for the number of internal knots. If specified, then <code>k</code> internal knots are placed at equidense quantiles of the predictor. For example, specifying <code>k = 1</code> puts a knot at the 50th quantile (median), setting <code>k = 3</code> puts knots at the 25th, 50th and 75th quantiles, and so on. If the user specifies both <code>k</code> and <code>knots</code> arguments then <code>knots</code> takes precedence. The default is <code>k = 5</code> , so if the user does not specify any of <code>knots</code> , <code>boundary</code> or <code>k</code> , then the knots will be at the 16th, 33th, 50th, 66th and 84th quantile of the predictor.
degree	the degree of the spline. The broken stick model requires linear splines, so the default is <code>degree = 1</code> . Setting <code>degree = 0</code> yields (crisp) dummy coding, and one column less than for <code>degree = 1</code> . The <code>brokenstick</code> package supports only <code>degree = 0</code> and <code>degree = 1</code> .
method	Estimation method. Either <code>"kr"</code> (for the Kasim-Raudenbush sampler) or <code>"lmer"</code> (for <code>lme4::lmer()</code>). Version 1.1.1.9000 changed the default to <code>method = "kr"</code> .

<code>control</code>	List of control options returned by <code>set_control()</code> used to set algorithmic details. A list with parameters. When not specified, the functions sets to defaults for method "kr" by <code>control_kr()</code> , and for method "lmer" by <code>lme4::lmerControl()</code> . For ease of use, the user may set individual options to "kr" (e.g. <code>niter = 500</code>) via the ... arguments.
<code>na.action</code>	A function that indicates what <code>lme4::lmer()</code> should do when the data contain NAs. Default set to <code>na.exclude</code> . Only used by method "lmer".
<code>light</code>	Should the returned object be lighter? If <code>light = TRUE</code> the returned object will contain only the model settings and parameter estimates and not store the data, <code>imp</code> and <code>mod</code> elements. The light object can be used to predict broken stick estimates for new data, but does not disclose the training data and is very small (often <20 Kb).
<code>...</code>	Forwards arguments to <code>control_kr()</code> .

Details

The choice between `method = "kr"` and `method = "lmer"` depends on the size of the data and the complexity of the model. In general, setting `method = "lmer"` can require substantial calculation time for more complex models (say > 8 internal knots) and may not converge. Method "kr" is less sensitive to model complexity and small samples, and has the added benefit that the variance-covariance matrix of the random effects can be constrained through the `cormodel` argument. On the other hand, "lmer" is the better-researched method, and is more efficient for simpler models and datasets with many rows.

The default algorithm since version 2.0 is the Bayesian Kasim-Raudenbush sampler (`method = "kr"`). The variance-covariance matrix of the broken stick estimates absorbs the relations over time. The "kr" method allows enforcing a simple structure on this variance-covariance matrix. Currently, there are three such correlation models: "none" (default), "argyle" and "cole". Specify the seed argument for reproducibility. See `control_kr()` for more details.

The alternative `method = "lmer"` fits the broken stick model by `lme4::lmer()`. With this method, the variance-covariance matrix can only be unstructured. This estimate may be unstable if the number of children is small relative to the number of specified knots. The default setting in `lme4::lmerControl()` is `check.nobs.vs.nRE = "stop"`. The `[set_control()]` function changes this to `check.nobs.vs.nRE = "warning"` by default, since otherwise many broken stick models would not run at all. The method throws warnings that estimates are not stable. It can be time for models with many internal knots. Despite the warnings, the results often look reasonable.

Diagnostics with **coda** and **lme4**: The function returns an object of class `brokenstick`. For `method = "kr"` the list component named "mod" contains a list of mcmc objects that can be further analysed with `coda::acfplot()`, `coda::autocorr()`, `coda::crosscorr()`, `coda::cumuplot()`, `coda::densplot()`, `coda::effectiveSize()`, `coda::geweke.plot()`, `coda::raftery.diag()`, `coda::traceplot()` and the usual `plot()` and `summary()` functions. For `method = "lmer"` the list component named "mod" contains an object of class `lme4::merMod`. These model objects are omitted in light `brokenstick` objects.

Value

A object of class `brokenstick`.

Note

Note that automatic knot specification is data-dependent, and may not reproduce on other data. Likewise, knots specified via `k` are data-dependent and do not transfer to other data sets. Fixing the model requires specifying both knots and boundary.

Examples

```
data <- smocc_200[1:1198, ]

# using kr method, default
f1 <- brokenstick(hgt_z ~ age | id, data, knots = 0:2, seed = 123)
plot(f1, data, n_plot = 9)

# study sampling behaviour of the sigma2 parameter with coda
library("coda")
plot(f1$mod$sigma2)
acfplot(f1$mod$sigma2)

# using lmer method
f2 <- brokenstick(hgt_z ~ age | id, data, knots = 0:2, method = "lmer")
plot(f2, data, n_plot = 9)

# drill down into merMod object with standard diagnostics in lme4
summary(f2$mod)
plot(f2$mod)

# a model with more knots
knots <- round(c(0, 1, 2, 3, 6, 9, 12, 15, 18, 24, 36) / 12, 4)

# method kr takes about 2 seconds
f3 <- brokenstick(hgt_z ~ age | id, data, knots, seed = 222)
plot(f3, data, n_plot = 9)

# method lmer takes about 40 seconds
f4 <- brokenstick(hgt_z ~ age | id, data, knots, method = "lmer")
plot(f4, data, n_plot = 9)
```

brokenstick-class	<i>Class</i> brokenstick
-------------------	--------------------------

Description

The main fitting function `brokenstick()` returns an object of class `brokenstick`. This object collects the fitted broken stick model.

Details

The package exports S3 methods for the brokenstick class for the following generic functions: `coef()`, `fitted()`, `model.frame()`, `model.matrix()`, `plot()`, `predict()`, `print()`, `residuals()` and `summary()`.

The package exports the following helper functions for brokenstick objects: `get_knots()`, `get_omega()` and `get_r2()`.

A brokenstick object is a list with the following named elements:

Elements

`call` Call that created the object

`names` A named list with three elements ("x", "y", "g") providing the variable name for time, outcome and subject, respectively.

`internal` Numeric vector of with internal knots.

`boundary` Numeric vector of length 2 with the boundary knots.

`degree` The degree of the B-spline. See `splines::bs()`. Support only the values of 0 (step model) or 1 (broken stick model).

`method` String, either "kr" or "lmer", identifying the fitting model.

`control` List of control options returned by `set_control()` used to set algorithmic details.

`beta` Numeric vector with fixed effect estimates.

`omega` Numeric matrix with variance-covariance estimates of the broken stick estimates.

`sigma2` Numeric scalar with the mean residual variance.

`sample` A numeric vector with descriptives of the training data.

`light` Should the returned object be lighter? If `light = TRUE` the returned object will contain only the model settings and parameter estimates and not store the `sigma2j`, `sample`, `data`, `imp` and `mod` elements. The light object can be used to predict broken stick estimates for new data, but does not disclose the training data and is small.

`sigma2j` Numeric vector with estimates of the residual variance per group. Only used by method "kr".

`data` The training data used to fit the model.

`imp` The imputations generated for the missing outcome data. Only for method = "kr".

`mod` For method = "kr": A named list with four components, each of class `coda::mcmc`. For method = "lmer": An object of class `lme4::merMod`.

Author(s)

Stef van Buuren, 2021

References

van Buuren S (2021). Broken Stick Model for Irregular Longitudinal Data. *In preparation*.

brokenstick-pkg **brokenstick**: *A package for irregular longitudinal data.*

Description

The broken stick model describes a set of individual curves by a linear mixed model using second-order linear B-splines. The main use of the model is to align irregularly observed data to a user-specified grid of break ages.

Details

The **brokenstick** package contains functions for fitting a broken stick model to data, for predicting broken stick curves for new data, and for plotting the results.

brokenstick functions

The main functions are:

brokenstick()	Fit a broken stick model to irregular data
plot()	Plot observed and fitted trajectories by group
predict()	Obtain predictions on new data
summary()	Extract object summaries

The following functions are user-oriented helpers:

coef()	Extract estimated parameters
fitted()	Calculate fitted values
get_knots()	Obtain the knots from a broken stick model
get_omega()	Extract variance-covariance of random effects
get_r2()	Obtain proportion of explained variance
model.frame()	Extract model frame
model.matrix()	Extract design matrix
residuals()	Extract residuals from broken stick model

The following functions perform calculations:

set_control()	Set controls to steer calculations
control_kr()	Set controls for the kr method

Note

Development of this package was kindly supported under the Healthy Birth, Growth and Development knowledge integration (HBGDki) program of the Bill & Melinda Gates Foundation.

References

van Buuren, S. (2018). *Flexible Imputation of Missing Data. Second Edition*. Chapman & Hall/CRC. Chapter 11. <https://stefvanbuuren.name/fimd/sec-rastering.html#sec:brokenstick>

See Also

[brokenstick](#), [EB](#), [predict.brokenstick](#)

 control_kr

Set controls for Kasim-Raudenbush sampler

Description

Set controls for Kasim-Raudenbush sampler

Usage

```
control_kr(
  niter = 200L,
  nimp = 0L,
  start = 101L,
  thin = 1L,
  seed = NA_integer_,
  cormodel = c("none", "argyle", "cole"),
  ...
)
```

Arguments

niter	Integer. Number of samples from posterior. Default: 200.
nimp	Integer. Number of multiple imputations. Default: 0.
start	Integer. The iteration number of the first observation
thin	Integer. The thinning interval between consecutive observations
seed	Integer. Seed number for <code>base::set.seed()</code> . Use NA to bypass seed setting.
cormodel	String indicating the correlation model: "none" (default), "argyle" or "cole"
...	Allow for dot parameters

Value

A list with eight components. The function calculates parameters `end` (the iteration number of the last iteration) and `thin_imp` (thinning factor for multiple imputations) from the other inputs.

Description

This function can estimate random effect for a given set of model estimates and new user data. The unit may be new to the model. The methods implements the EB estimate (also known as BLUP) as described in Skrondal and Rabe-Hasketh, 2009, p. 683. This function can also provide the broken stick estimate for a given level, the sum of the global (fixed) and individual (random) effects. The current implementation does not provide prediction errors.

Usage

```
EB(model, y, X, Z = X, BS = TRUE)
```

Arguments

model	An object of class brokenstick.
y	A vector of new measurements for unit j, scaled in the same metric as the fitted model.
X	A $n_j \times p$ matrix with fixed effects for unit j, typically produced by <code>bs()</code> .
Z	A $n_j \times q$ matrix with random effects for unit j. The default sets Z equal to X.
BS	A logical indicating whether broken stick estimates should be returned (BS = TRUE) or the random effects (BS = FALSE). The default is TRUE.

Value

A vector of length q containing the random effect or broken stick estimates for unit j.

Author(s)

Stef van Buuren, 2015/2020

References

Skrondal, A., Rabe-Hesketh, S. (2009). Prediction in multilevel generalized linear models. J. R. Statist. Soc. A, 172, 3, 659-687.

fitted.brokenstick *Calculate fitted values*

Description

Calculate fitted values

Usage

```
## S3 method for class 'brokenstick'  
fitted(object, newdata = NULL, ...)
```

Arguments

object	A brokenstick object.
newdata	Optional. A data frame in which to look for variables with which to predict. The training data are used if omitted and if <code>object\$light</code> is FALSE.
...	Additional arguments. Ignored.

Value

A numerical vector with predictions. The number of elements equals the number of rows in `newdata`. If `newdata` is not specified, the function looks for the training data in `object` as the element named `data`.

See Also

Other brokenstick: [residuals.brokenstick\(\)](#)

fit_200 *Broken stick model with nine lines for 200 children*

Description

Object `fit_200` has class `brokenstick` and contains the fitted broken stick model, including the training data and diagnostics.

Format

An object of class `brokenstick`, fitted by the `brokenstick()`.

Details

The dataset was constructed as

```
knots <- round(c(0, 1, 2, 3, 6, 9, 12, 15, 18, 24)/12, 4)
fit_200 <- brokenstick(hgt_z ~ age | id, data = smocc_200,
                      knots = knots, seed = 1)
```

fit_200_light	<i>Broken stick model with nine lines for 200 children (light)</i>
---------------	--

Description

Object fit_200_light has class brokenstick and stores the the model settings and parameter estimates.

Format

An object of class `brokenstick`, fitted by the `brokenstick()`.

Details

The datasets was constructed as

```
knots <- round(c(0, 1, 2, 3, 6, 9, 12, 15, 18, 24)/12, 4)
fit_200_light <- brokenstick(hgt_z ~ age | id, data = smocc_200,
                             knots = knots,
                             light = TRUE, seed = 1)
```

get_knots	<i>Obtain the knots from a broken stick model</i>
-----------	---

Description

Obtain the knots from a broken stick model

Usage

```
get_knots(
  object,
  whatknots = c("all", "internal", "boundary", "dropfirst", "droplast"),
  what = "all"
)
```

Arguments

object	An object of class brokenstick
whatknots	A character vector of length 1 specifies the knot set. Valid values are "all", "internal", "boundary", "dropfirst" and "droplast". The default is whatknots = "all"
what	Deprecated. Use whatknots instead.

Value

A vector with knot locations, either both, internal only or boundary only. The result is NULL if object does not have proper class. Returns numeric(0) if there are no internal knots.

Examples

```
get_knots(fit_200, "internal")
```

```
get_omega
```

Extract Variance and Correlation Components

Description

Extracts variance-covariance or correlation matrix from a brokenstick object.

Usage

```
get_omega(
  x,
  what = c("cov", "cor"),
  whatknots = c("all", "internal", "boundary", "dropfirst", "droplast"),
  names = NULL
)
```

Arguments

x	Object of class brokenstick
what	Either "cov" (default) for the covariance matrix, or "cor" for the correlation matrix.
whatknots	A character vector of length 1 specifies the knot set. Valid values are "all", "internal", "boundary", "dropfirst" and "droplast". The default is whatknots = "all"
names	A vector of column names of. If not specified, the function automatically drops the entries corresponding to the right boundary. Specify names = "all" to prevent dropping.

Value

A numeric matrix, possibly with zero rows and columns if no names match

Examples

```
f1 <- brokenstick(hgt_z ~ age | id, smocc_200[1:1000, ], knots = 0:2, seed = 1)
get_omega(f1, what = "cor", names = c("age_1", "age_2"))
```

`get_r2`*Obtain proportion of explained variance from a broken stick model*

Description

Obtain proportion of explained variance from a broken stick model

Usage

```
get_r2(object, newdata = NULL)
```

Arguments

<code>object</code>	An object of class <code>brokenstick</code>
<code>newdata</code>	Data on which <code>r.squared</code> must be calculated

Value

Proportion of explained variance

Examples

```
get_r2(fit_200)
get_r2(fit_200_light, newdata = smocc_200)
```

`kr`*Kasim-Raudenbush sampler for two-level normal model*

Description

Simulates posterior distributions of parameters from a two-level normal model with heterogeneous within-cluster variances (Kasim and Raudenbush, 1998). Imputations can be drawn as an extra step to the algorithm.

Usage

```
kr(y, x, g, control = control_kr())
```

Arguments

y	Vector with outcome value
x	Matrix with predictor value
g	Vector with group values
control	A list created by <code>control_kr()</code> that sets algorithmic options of the sampler and correlation model.

Details

The speed of the Kasim-Raudenbush sampler is almost independent of the number of random effect, and foremost depends on the total number of iterations.

The defaults `start = 100`, `n = 200` and `thin = 1` provide 200 parameter draws with a *reasonable* approximation to the variance-covariance matrix of the random effects.

For a closer approximations with 200 draws set `control = control_kr(thin = 10)` (*better*) or `thin = 20` (*best*), at the expense of a linear increase in calculation time. Drawing fewer than 50 observations is not recommended, and such results are best treated as *indicative*.

It is possible to draw multiple imputations by setting the `nimp` parameter. For example, to draw five imputations for each missing outcome specify `control = control_kr(nimp = 5)`.

Value

An object of class `kr`, basically a list with components:

- * ``beta`` Fixed effects
- * ``omega`` Variance-covariance of random effects
- * ``sigma2_j`` Residual variance per group
- * ``sigma2`` Average residual variance
- * ``sample`` Descriptive statistics about the data
- * ``imp`` Numeric matrix with ``nimp`` multiple imputations.
- * ``mod`` A list of objects of class `[coda::mcmc()]`

The number of rows in `imp` is equal to the number of missing values in the outcome vector `y`. The number of columns equals `nimp`.

Author(s)

Stef van Buuren, based on `mice::mice.impute.2l.norm()`

References

Kasim RM, Raudenbush SW. (1998). Application of Gibbs sampling to nested variance components models with heterogeneous within-group variance. *Journal of Educational and Behavioral Statistics*, 23(2), 93–116.

make_basis	<i>Create linear splines basis</i>
------------	------------------------------------

Description

This function creates the basis function of a second-order (linear) splines at a user-specific set of break points.

Usage

```
make_basis(  
  x,  
  xname = "x",  
  internal = NULL,  
  boundary = range(x),  
  degree = 1L,  
  warn = TRUE  
)
```

Arguments

x	numeric vector
xname	predictor name. Default is "x"
internal	a vector of internal knots, excluding boundary knots
boundary	vector of external knots
degree	the degree of the spline. The broken stick model requires linear splines, so the default is degree = 1. Setting degree = 0 yields (crisp) dummy coding, and one column less than for degree = 1.
warn	a logical indicating whether warnings from <code>splines::bs()</code> should be given.

Value

A matrix with `length(x)` rows and `length(breaks)` columns, with some extra attributes described by `bs()`.

Note

Before version 0.54, it was standard practice that the knots array always included `boundary[1L]`.

Author(s)

Stef van Buuren, 2020

parse_formula	<i>Parse formula for brokenstick model</i>
---------------	--

Description

A bare bones formula parser to extract variables names from formulas of $y \sim x | g$. It return the name of the first variable mentioned in each formula component.

Usage

```
parse_formula(f)
```

Arguments

f	formula object
---	----------------

Value

A list with elements x, y and g. Each element has length 1.

Author(s)

Stef van Buuren, 2020

plot.brokenstick	<i>Plot observed and fitted trajectories by group</i>
------------------	---

Description

The plot method for a brokenstick object plots the observed and fitted trajectories of one or more groups.

Usage

```
## S3 method for class 'brokenstick'
plot(x, newdata = NULL, ...)
```

Arguments

x	An object of class brokenstick.
newdata	Optional. A data frame in which to look for variables with which to predict. The training data are used if omitted and if object\$light is FALSE.
...	Extra arguments passed down to predict.brokenstick() and plot_trajectory() .

Details

By default, `plot(fit)` will plot the observed and fitted data for the first three groups in the data. The default setting drops the fitted value at the right boundary knot from the display.

Value

An object of class `ggplot2::ggplot`.

Author(s)

Stef van Buuren 2021

See Also

[predict.brokenstick](#), [plot_trajectory](#).

Examples

```
## Not run:
# fit model on raw hgt with knots at 0, 1, 2 and 3 years
fit1 <- brokenstick(hgt ~ age | id, smocc_200, knots = 0:2)
gp <- c(10001, 10005, 10022)
plot(fit1, group = gp, xlab = "Age (years)", ylab = "Length (cm)")

# fit model on standard deviation score
fit2 <- brokenstick(hgt_z ~ age | id, smocc_200, knots = 0:2)
plot(fit2, group = gp, xlab = "Age (years)", ylab = "Length (SDS)")

# built-in model with 11 knots
plot(fit_200, group = gp, xlab = "Age (years)", ylab = "Length (SDS)")

# black and white version
plot(fit_200, group = gp, xlab = "Age (years)", ylab = "Length (SDS)",
     color_y = rep("black", 2), shape_y = 1, linetype_y = 3,
     color_yhat = rep("grey20", 2), shape_yhat = NA)

## End(Not run)
```

plot_trajectory

Plot observed and fitted trajectories from fitted brokenstick model

Description

Plot observed and fitted trajectories from fitted brokenstick model

Usage

```

plot_trajectory(
  x,
  newdata = NULL,
  whatknots = "droplast",
  .x = NULL,
  group = NULL,
  color_y = c(grDevices::hcl(240, 100, 40, 0.7), grDevices::hcl(240, 100, 40, 0.8)),
  size_y = 2,
  linetype_y = 1,
  shape_y = 19,
  color_yhat = c(grDevices::hcl(0, 100, 40, 0.7), grDevices::hcl(0, 100, 40, 0.8)),
  size_yhat = 2,
  linetype_yhat = 1,
  shape_yhat = 19,
  color_imp = c("grey80", "grey80"),
  size_imp = 2,
  ncol = 3L,
  xlab = NULL,
  ylab = NULL,
  xlim = NULL,
  ylim = NULL,
  show = c(TRUE, TRUE, FALSE),
  n_plot = 3L,
  scales = "fixed",
  theme = ggplot2::theme_light(),
  ...
)

```

Arguments

x	An object of class brokenstick.
newdata	A data.frame or matrix
whatknots	Which knots to plot? See get_knots() . The default, whatknots = "droplast", does not plot the right boundary knot.
.x	The x argument of the predict.brokenstick() function.
group	A vector with group identifications
color_y	A character vector with two elements specifying the symbol and line color of the measured data points
size_y	Dot size of measured data points
linetype_y	Line type of data points
shape_y	Symbol for data points
color_yhat	A character vector with two elements specifying the symbol and line color of the predicted data points
size_yhat	Dot size of predicted data points

linetype_yhat	Line type of predicted data
shape_yhat	Symbol for predicted data
color_imp	A character vector with two elements specifying the symbol and line color of the imputed data
size_imp	Dot size of imputed data
ncol	Number of columns in plot
xlab	The label of the x-axis
ylab	The label of the y-axis
xlim	Vector of length 2 with range of x-axis
ylim	Vector of length 2 with range of y-axis
show	A logical vector of length 3. Element 1 specifies whether the observed data are plotted, element 2 specifies whether the broken stick are plotted, element 3 specifies whether imputations are plotted. The default is <code>c(TRUE, TRUE, FALSE)</code> .
n_plot	A integer indicating the number of individual plots. The default is 3, which plots the trajectories of the first three groups. The <code>n_plot</code> is a safety measure to prevent unintended plots of the entire data set.
scales	Axis scaling, e.g. "fixed", "free", and so on
theme	Plotting theme
...	Extra arguments passed down to <code>predict.brokenstick()</code> .

Value

An object of class `ggplot`

See Also

[plot.brokenstick](#)

predict.brokenstick *Predict from a brokenstick model*

Description

The predictions from a broken stick model coincide with the group-conditional means of the random effects. This function takes an object of class `brokenstick` and returns predictions in one of several formats. The user can calculate predictions for new persons, i.e., for persons who are not part of the fitted model, through the `x` and `y` arguments.

Usage

```
## S3 method for class 'brokenstick'
predict(
  object,
  newdata = NULL,
  ...,
  x = NULL,
  y = NULL,
  group = NULL,
  whatknots = "all",
  shape = c("long", "wide", "vector"),
  include_data = TRUE,
  strip_data = TRUE
)
```

Arguments

<code>object</code>	A brokenstick object.
<code>newdata</code>	Optional. A data frame in which to look for variables with which to predict. The training data are used if omitted and if <code>object\$light</code> is FALSE.
<code>...</code>	Not used, but required for extensibility.
<code>x</code>	Optional. A numeric vector with values of the predictor. It could also be the special keyword <code>x = "knots"</code> replaces <code>x</code> by the positions of the knots.
<code>y</code>	Optional. A numeric vector with measurements.
<code>group</code>	A vector with group identifications
<code>whatknots</code>	A character vector of length 1 specifies the knot set. Valid values are "all", "internal", "boundary", "dropfirst" and "droplast". The default is <code>whatknots = "all"</code>
<code>shape</code>	A string: "long" (default), "wide" or "vector" specifying the shape of the return value. Note that use of "wide" with many unique values in <code>x</code> creates an unwieldy, large and sparse matrix.
<code>include_data</code>	A logical indicating whether the observed data from <code>object\$data</code> and <code>newdata</code> should be included into the return value. The default is TRUE. Use <code>include_data = FALSE</code> to keep only added data points (e.g. knots or observed data specified by <code>x</code> and <code>y</code>). Setting <code>include_data = FALSE</code> is useful in combination with <code>shape = "wide"</code> to avoid the warning Values from '.pred' are not uniquely identified. For convenience, in the special case <code>x = "knots"</code> the function overwrites <code>include_data</code> to FALSE to evade observed ages to show up in the wide matrix.
<code>strip_data</code>	Deprecated. Use <code>include_data</code> instead.

Details

The function `predict()` calculates predictions for every row in `newdata`. If the user specifies no `newdata` argument, then the function sets `newdata` equal to the training data (`object$data` if `object$light` is FALSE). For a light object without a `newdata` argument, the function throws the warning "Argument 'newdata' is required for a light brokenstick object." and returns NULL.

It is possible to tailor the behaviour of `predict()` through the `x`, `y` and `group` arguments. What exactly happens depends on which of these arguments is specified:

1. If the user specifies `x`, but no `y` and `group`, the function returns - for every group in `newdata` - predictions at the specified `x` values. This method will use the data from `newdata`.
2. If the user specifies `x` and `y` but no `group`, the function forms a hypothetical new group with the `x` and `y` values. This method uses no information from `newdata`, and also works for a light brokenstick object.
3. If the user specifies `group`, but no `x` or `y`, the function searches for the relevant data in `newdata` and limits its predictions to those groups. This is useful if the user needs a prediction for only one or a few groups. This does not work for a light brokenstick object.
4. If the user specifies `x` and `group`, but no `y`, the function will create new values for `x` in each group, search for the relevant data in `newdata` and provide predictions at values of `x` in those groups.
5. If the user specifies `x`, `y` and `group`, the function assumes that these vectors contain additional data on top on what is already available in `newdata`. The lengths of `x`, `y` and `group` must match. For a light brokenstick object, case effectively becomes case 6. See below.
6. As case 5, but now without `newdata` available. All data are specified through `x`, `y` and `group` and form a data frame. Matching to `newdata` is attempted, but as long as `group` id's are different from the training sample effectively new cases will be made.

Value

If `shape == "long"` a long data.frame of predictions. If `x`, `y` and `group` are not specified, the number of rows in the data frame is guaranteed to be the same as the number of rows in `newdata`.

If `shape == "wide"` a wide data.frame of predictions, one record per group. Note that this format could be inefficient if observations times vary between subjects.

If `shape == "vector"` a vector of predicted values, of all `x`-values and groups.

If the function finds no data, it throws a warnings and returns `NULL`.

Examples

```
library("dplyr")

# -- Data

train <- smocc_200[1:1198, ]
test <- smocc_200[1199:1940, ]
## Not run:
# -- Fit model

fit <- brokenstick(hgt_z ~ age | id, data = train, knots = 0:2, seed = 1)
fit_light <- brokenstick(hgt_z ~ age | id,
  data = train, knots = 0:2,
  light = TRUE, seed = 1
)

# -- Predict, standard cases
```

```

# Use train data, return column with predictions
pred <- predict(fit)
identical(nrow(train), nrow(pred))

# Predict without newdata, not possible for light object
predict(fit_light)

# Use test data
pred <- predict(fit, newdata = test)
identical(nrow(test), nrow(pred))

# Predict, same but using newdata with the light object
pred_light <- predict(fit_light, newdata = test)
identical(pred, pred_light)

# -- Predict, special cases

# -- Case 1: x, -y, -group

# Case 1: x as "knots", standard estimates, train sample (n = 124)
z <- predict(fit, x = "knots", shape = "wide")
head(z, 3)

# Case 1: x as values, linearly interpolated, train sample (n = 124)
z <- predict(fit, x = c(0.5, 1, 1.5), shape = "wide", include_data = FALSE)
head(z, 3)

# Case 1: x as values, linearly interpolated, test sample (n = 76)
z <- predict(fit, test, x = c(0.5, 1, 1.5), shape = "wide", include_data = FALSE)
head(z, 3)

# Case 1: x, not possible for light object
z <- predict(fit_light, x = "knots")

# -- Case 2: x, y, -group

# Case 2: form one new group with id = 0
predict(fit, x = "knots", y = c(1, 1, 0.5, 0), shape = "wide")

# Case 2: works also for a light object
predict(fit_light, x = "knots", y = c(1, 1, 0.5, 0), shape = "wide")

# -- Case 3: -x, -y, group

# Case 3: Predict at observed age for subset of groups, training sample
pred <- predict(fit, group = c(10001, 10005, 10022))
head(pred, 3)

# Case 3: Of course, we cannot do this for light objects

```

```

pred_light <- predict(fit_light, group = c(10001, 10005, 10022))

# Case 3: We can use another sample. Note there is no child 999
pred <- predict(fit, test, group = c(11045, 11120, 999))
tail(pred, 3)

# Case 3: Works also for a light object
pred_light <- predict(fit_light, test, group = c(11045, 11120, 999))
identical(pred, pred_light)

# -- Case 4: x, -y, group

# Case 4: Predict at specified x, only in selected groups, train sample
pred <- predict(fit, x = c(0.5, 1, 1.25), group = c(10001, 10005, 10022),
  include_data = FALSE)
pred

# Case 4: Same, but include observed data and sort
pred_all <- predict(fit,
  x = c(0.5, 1, 1.25), group = c(10001, 10005, 10022)) %>%
  dplyr::arrange(id, age)

# Case 4: Applies also to test sample
pred <- predict(fit, test, x = c(0.5, 1, 1.25), group = c(11045, 11120, 999),
  include_data = FALSE)
pred

# Case 4: Works also with light object
pred_light <- predict(fit_light, test, x = c(0.5, 1, 1.25),
  group = c(11045, 11120, 999), include_data = FALSE)
identical(pred_light, pred)

# -- Case 5: x, y, group

# Case 5: Add new data to training sample, and refreshes broken stick
# estimate at age x.
# Note that novel child (not in train) 999 has one data point
predict(fit,
  x = c(0.9, 0.9, 0.9), y = c(1, 1, 1),
  group = c(10001, 10005, 999), include_data = FALSE)

# Case 5: Same, but now for test sample. Novel child 899 has two data points
predict(fit, test,
  x = c(0.5, 0.9, 0.6, 0.9),
  y = c(0, 0.5, 0.5, 0.6), group = c(11045, 11120, 899, 899),
  include_data = FALSE)

# Case 5: Also works for light object
predict(fit_light, test,
  x = c(0.5, 0.9, 0.6, 0.9),
  y = c(0, 0.5, 0.5, 0.6), group = c(11045, 11120, 899, 899),
  include_data = FALSE)

```

```

# -- Case 6: As Case 5, but without previous data

# Case 6: Same call as last, but now without newdata = test
# All children are de facto novel as they do not occur in the training
# or test samples.
# Note: Predictions for 11045 and 11120 differ from prediction in Case 5.
predict(fit,
  x = c(0.5, 0.9, 0.6, 0.9),
  y = c(0, 0.5, 0.5, 0.6), group = c(11045, 11120, 899, 899))

# This also work for the light brokenstick object
predict(fit_light,
  x = c(0.5, 0.9, 0.6, 0.9),
  y = c(0, 0.5, 0.5, 0.6), group = c(11045, 11120, 899, 899))

## End(Not run)

```

residuals.brokenstick *Extract residuals from brokenstick model*

Description

Extract residuals from brokenstick model

Usage

```
## S3 method for class 'brokenstick'
residuals(object, newdata = NULL, ...)
```

Arguments

object	A brokenstick object.
newdata	Optional. A data frame in which to look for variables with which to predict. The training data are used if omitted and if object\$light is FALSE.
...	Additional arguments. Ignored.

Value

A numerical vector with residuals The number of elements equals the number of rows in newdata. If newdata is not specified, the function looks for the training data in object as the element named data.

See Also

Other brokenstick: [fitted.brokenstick\(\)](#)

set_control	<i>Set controls to steer calculations</i>
-------------	---

Description

Set controls to steer calculations

Usage

```
set_control(  
  method = c("kr", "lmer"),  
  kr = control_kr(...),  
  lmer = lmerControl(check.nobs.vs.nRE = "warning"),  
  ...  
)
```

Arguments

method	String indicating estimation method: "kr" or "lmer"
kr	A list generated by control_kr .
lmer	A list generated by lme4::lmerControl . The default is set to <code>lmerControl(check.nobs.vs.nRE = "warning")</code> , which turns fatal errors with respect the number of parameters into warnings. Use <code>lmerControl(check.nobs.vs.nRE = "ignore")</code> to silence <code>lmer()</code> .
...	Forwards arguments to control_kr()

Value

For method "kr", a list returned by [control_kr\(\)](#). For method "lmer", an object of class `lmerControl`. For other methods, `set_control()` returns `NULL`.

Examples

```
# defaults  
control <- set_control()  
control
```

smocc_200

*Infant growth of 0-2 years, SMOCC data extract***Description**

Longitudinal height and weight measurements during ages 0-2 years for a representative sample of 1933 Dutch children born in 1988-1989. The dataset smocc_200 is sample of size 200 from the full data.

Format

A tibble with 1942 rows and 7 columns:

id ID, unique id of each child (numeric)

age Decimal age, 0-2.68 years (numeric)

sex Sex, "male" or "female" (character)

ga Gestational age, completed weeks (numeric)

bw Birth weight in grammes (numeric)

hgt Height measurement in cm (numeric)

hgt_z Height in SDS relative Fourth Dutch Growth Study 1997 (numeric)

Source

Herngreen WP, van Buuren S, van Wieringen JC, Reerink JD, Verloove-Vanhorick SP & Ruys JH (1994). Growth in length and weight from birth to 2 years of a representative sample of Netherlands children (born in 1988-89) related to socio-economic status and other background characteristics. *Annals of Human Biology*, **21**, 449-463.

weightloss

*Weight loss self-measurement data***Description**

Longitudinal weight measurements from 12 individuals with 63 daily measurement under three conditions.

Format

A data.frame with 695 rows and 6 columns:

subject ID, consecutive person number 1-12 (integer)

day Measurement day, 0-62 (integer)

sex Sex, 1 = male, 0 = female (integer)

week Week number, 1-9 (integer)

condition Condition (control, diet, activity) (factor)

body_weight Body weight in kg (numeric)

Note

Constructed from file `pone.0232680.s001.csv`. We renumbered subject to consecutive integers 1-2 (as in the paper), corrected an error in the condition variable for subjects 4 and 12 to match the paper's Figure 4, and filtered the records to the ones with an observed `body_weight` variable.

Source

Krone T, Boessen R, Bijlsma S, van Stokkum R, Clabbers NDS, Pasman WJ (2020). The possibilities of the use of N-of-1 and do-it-yourself trials in nutritional research. *PloS ONE*, **15**, 5, e0232680.

Index

- * **brokenstick**
 - fitted.brokenstick, 10
 - residuals.brokenstick, 24
- * **datasets**
 - fit_200, 10
 - fit_200_light, 11
 - smocc_200, 26
 - weightloss, 26
- base::set.seed(), 8
- brokenstick, 2, 8, 10, 11
- brokenstick(), 5, 10, 11
- brokenstick-class, 5
- brokenstick-pkg, 7
- coda::acfplot(), 4
- coda::autocorr(), 4
- coda::crosscorr(), 4
- coda::cumuplot(), 4
- coda::densplot(), 4
- coda::effectiveSize(), 4
- coda::geweke.plot(), 4
- coda::mcmc, 6
- coda::raftery.diag(), 4
- coda::traceplot(), 4
- coef(), 6
- control_kr, 8, 25
- control_kr(), 4, 14, 25
- EB, 8, 9
- fit_200, 10
- fit_200_light, 11
- fitted(), 6
- fitted.brokenstick, 10, 24
- get_knots, 11
- get_knots(), 6, 18
- get_omega, 12
- get_omega(), 6
- get_r2, 13
- get_r2(), 6
- ggplot2::ggplot, 17
- kr, 13
- lme4::lmer(), 3, 4
- lme4::lmerControl, 25
- lme4::lmerControl(), 4
- lme4::merMod, 4, 6
- make_basis, 15
- mice::mice.impute.2l.norm(), 14
- model.frame(), 6
- model.matrix(), 6
- parse_formula, 16
- plot(), 6
- plot.brokenstick, 16, 19
- plot_trajectory, 17, 17
- plot_trajectory(), 16
- predict(), 6
- predict.brokenstick, 8, 17, 19
- predict.brokenstick(), 16, 18, 19
- print(), 6
- residuals(), 6
- residuals.brokenstick, 10, 24
- set_control, 25
- set_control(), 4, 6
- smocc_200, 26
- splines::bs(), 3, 6
- summary(), 6
- weightloss, 26