

# Package ‘flexrsurv’

August 24, 2022

**Type** Package

**Title** Flexible Relative Survival Analysis

**Version** 2.0.11

**Date** 2022-08-23

**Author** Isabelle Clerc-Urmès [aut],  
Michel Grzebyk [aut, cre],  
Guy Hédelin [ctb],  
CENSUR working survival group [ctb]

**Maintainer** Michel Grzebyk <michel.grzebyk@inrs.fr>

**Description** Package for parametric relative survival analyses. It allows to model non-linear and non-proportional effects and both non proportional and non linear effects, using splines (B-spline and truncated power basis), Weighted Cumulative Index of Exposure effect, with correction model for the life table. Both non proportional and non linear effects are described in Remontet, L. et al. (2007) <[doi:10.1002/sim.2656](https://doi.org/10.1002/sim.2656)> and Mahboubi, A. et al. (2011) <[doi:10.1002/sim.4208](https://doi.org/10.1002/sim.4208)>.

**License** GPL (>= 2.0)

**Depends** survival

**Suggests** relsurv, mexhaz, ggplot2, date, lubridate

**Imports** utils, orthogonalsplinebasis, methods, stats, Epi, Formula,  
formula.tools, splines, statmod, numDeriv, R.utils, Matrix

**Encoding** latin1

**NeedsCompilation** yes

**Repository** CRAN

**Date/Publication** 2022-08-24 07:00:06 UTC

## R topics documented:

flexrsurv-package . . . . .	2
flexrsurv . . . . .	3
flexrsurvctl . . . . .	8

getBrassHazardFromTable . . . . .	17
getHazardFromTable . . . . .	19
getPseudoHazardFromTable . . . . .	21
logLik.flexrsurv . . . . .	23
NLL . . . . .	23
NPH . . . . .	25
NPHNLL . . . . .	26
predict.flexrsurv . . . . .	27
predictCLT . . . . .	30
print.flexrsurv . . . . .	32
summary.flexrsurv . . . . .	33
WCEI . . . . .	35

<b>Index</b>	<b>37</b>
--------------	-----------

---

flexrsurv-package	<i>Package for flexible relative survival analyses</i>
-------------------	--

---

## Description

flexrsurv is a package for parametric relative survival analyses. The package implements non-linear, non-proportional effects and both non proportional and non linear effects, using splines (B-spline and truncated power basis), Weighted Cumulative Index of Exposure effect, with correction model for the life table. Both non proportional and non linear effects are described in Remontet et al. (2007) [doi:10.1002/sim.2656](https://doi.org/10.1002/sim.2656) and Mahboubi et al. (2011) [doi:10.1002/sim.4208](https://doi.org/10.1002/sim.4208).

## Details

Package:	flexrsurv
Type:	Package
Version:	2.0.11
Date:	2022-08-23
License:	GPL(>)2.0

The main function is `flexrsurv()`

## Author(s)

Michel Grzebyk and Isabelle Clerc-Urmès, with contributions from the CENSUR working survival group.

Maintainer: <[michel.grzebyk@inrs.fr](mailto:michel.grzebyk@inrs.fr)>

## References

Mahboubi, A., M. Abrahamowicz, et al. (2011). "Flexible modeling of the effects of continuous prognostic factors in relative survival." *Stat Med* 30(12): 1351-1365. doi:10.1002/sim.4208

Remontet, L., N. Bossard, et al. (2007). "An overall strategy based on regression models to estimate relative survival and model the effects of prognostic factors in cancer survival studies." *Stat Med* 26(10): 2214-2228. doi:10.1002/sim.2656

## See Also

[flexrsurv](#)

---

flexrsurv

*Fit Relative Survival Model*

---

## Description

flexrsurv is used to fit relative survival regression model. Time dependent variables, non-proportionnal (time dependent) effects, non-linear effects are implemented using Splines (B-spline and truncated power basis). Simultaneously non linear and non proportional effects are implemented using approaches developed by Remontet et al.(2007) and Mahboubi et al. (2011).

## Usage

```
flexrsurv(formula=formula(data),
  data=parent.frame(),
  knots.Bh,
  degree.Bh=3,
  Spline=c("b-spline", "tp-spline", "tpi-spline"),
  log.Bh=FALSE,
  bhlink=c("log", "identity"),
  Min_T=0,
  Max_T=NULL,
  model=c("additive","multiplicative"),
  rate=NULL,
  weights=NULL,
  na.action=NULL,
  int_meth=c("GL", "CAV_SIM", "SIM_3_8", "BOOLE", "BANDS"),
  npoints=20,
  stept=NULL,
  bands=NULL,
  init=NULL,
  initbyglm=TRUE,
  initbands=bands,
  optim.control=list(trace=100, REPORT=1, fnscale=-1, maxit=25),
```

```

optim_meth=c("BFGS", "CG", "Nelder-Mead", "L-BFGS-B", "SANN", "Brent"),
control.glm=list(epsilon=1e-8, maxit=100, trace=FALSE, epsilon.glm=1e-1, maxit.glm=25),
vartype = c("oim", "opg", "none"),
debug=FALSE
)

```

```

flexrsurv.ll(formula=formula(data),
  data=parent.frame(),
  knots.Bh=NULL,
  degree.Bh=3,
  Spline=c("b-spline", "tp-spline", "tpi-spline"),
  log.Bh=FALSE,
  bhlink=c("log", "identity"),
  Min_T=0,
  Max_T=NULL,
  model=c("additive","multiplicative"),
  rate=NULL,
  weights=NULL,
  na.action=NULL,
  int_meth=c("GL", "CAV_SIM", "SIM_3_8", "BOOLE", "GLM", "BANDS"),
  npoints=20,
  stept=NULL,
  bands=NULL,
  init=NULL,
  optim.control=list(trace=100, REPORT=1, fnscale=-1, maxit=25),
  optim_meth=c("BFGS", "CG", "Nelder-Mead", "L-BFGS-B", "SANN", "Brent"),
  vartype = c("oim", "opg", "none"),
  debug=FALSE
)

```

## Arguments

formula	a formula object, with the response on the left of a ~ operator, and the terms on the right. The response must be a survival object as returned by the <a href="#">Surv</a> function.
data	a data.frame in which to interpret the variables named in the formula.
knots.Bh	the internal breakpoints that define the spline used to estimate the baseline hazard. Typical values are the mean or median for one knot, quantiles for more knots.
degree.Bh	degree of the piecewise polynomial of the baseline hazard. Default is 3 for cubic splines.
Spline	a character string specifying the type of spline basis. "b-spline" for B-spline basis, "tp-spline" for truncated power basis and "tpi-spline" for monotone (increasing) truncated power basis.
log.Bh	logical value: if TRUE, an additional basis equal to log(time) is added to the spline bases of time.

bhlink	logical value: if TRUE, log of baseline hazard is modelled, if FALSE, the baseline hazard is out of the log.
Min_T	minimum of time period which is analysed. Default is $\max(0.0, \min(\text{bands}))$ .
Max_T	maximum of time period which is analysed. Default is $\max(c(\text{bands}, \text{timevar}))$
model	character string specifying the type of model for both non-proportionnal and non linear effects. The model method=="additive" assumes effects as explained in Remontet et al.(2007), the model method=="multiplicative" assumes effects as explained in Mahboubi et al. (2011).
rate	an optional vector of the background rate for a relevant comparative population to be used in the fitting process. Should be a numeric vector (for relative survival model). rate is evaluated in the same way as variables in formula, that is first in data and then in the environment of formula.
weights	an optional vector of weights to be used in the fitting process. Should be NULL or a numeric vector. If not null, the total likelihood is the weighted sum of individual likelihood.
na.action	a missing-data filter function, applied to the model.frame, after any subset argument has been used. Default is options()\$na.action.
int_meth	character string specifying the the numerical integration method. Possible values are "GL" for Gauss-Legendre quadrature, "CAV_SIM" for Cavalieri-Simpson's rule, "SIM_3_8" for the Simpson's 3/8 rule, "BOOLE" for the Boole's rule, or "BANDS" for the midpoint rule with specified bands.
npoints	number of points used in the Gauss-Legendre quadrature (when int_meth="GL").
stept	scalar value of the time-step in numerical integration. It is required only when int_meth="CAV_SIM" or "SIM_3_8" or "BOOLE". If no value is supplied, Max_T/500 is used.
bands	bands used to split data in the numerical integration when int_meth="BANDS".
init	starting values of the parameters.
initbyglm	a logical value indicating indicating how are found or refined init values. If TRUE, the fitting method described in Remontet et al.(2007) is used to find or refine starting values. This may speedup the fit. If FALSE, the maximisation of the likelihood starts at values given in init. If init=NULL, the starting values correspond to a constant net hazard equal to the ratio of the number of event over the total number of person-time.
initbands	bands used to split data when initbyglm=TRUE.
optim.control	a list of control parameters passed to the <code>optim()</code> function.
optim_meth	method to be used to optimize the likelihood. See <code>optim</code> .
control.glm	a list of control parameters passed to the <code>glm()</code> function when method="glm".
vartype	character string specifying the type of variance matrix computed by flexrsurv: the inverse of the hessian matrix computed at the MLE estimate (ie. the inverse of the observed information matrix) if vartype="oim", the inverse of the outer product of the gradients if vartype="opg". The variance is not computed when vartype="none".
debug	control the volum of intermediate output

## Details

A full description of the additive and the multiplicative both non-linear and non-proportional models is given respectively in Remontet (2007) and Mahboubi (2011).

`flexrsurv.ll` is the workhorse function: it is not normally called directly.

## Value

`flexrsurv` returns an object of class "flexrsurv". An object of class "flexrsurv" is a list containing at least the following components:

<code>coefficients</code>	a named vector of coefficients
<code>loglik</code>	the log-likelihood
<code>var</code>	estimated covariance matrix for the estimated coefficients
<code>informationMatrix</code>	estimated information matrix
<code>bhlink</code>	the link of baseline hazard: if "identity" $\text{baseline} = \sum g_{0_i} b_i(t)$ ; if "log" $\log(\text{baseline}) = \sum g_{0_i} b_i(t)$ ;
<code>init</code>	vector of the starting values supplied
<code>converged</code>	logical, Was the optimizer algorithm judged to have converged?
<code>linear.predictors</code>	the linear fit on link scale (not including the baseline hazard term if <code>bhlink = "identity"</code> )
<code>fitted.values</code>	the estimated value of the hazard rate at each event time, obtained by transforming the linear predictors by the inverse of the link function
<code>cumulative.hazard</code>	the estimated value of the cumulative hazard in the time interval
<code>call</code>	the matched call
<code>formula</code>	the formula supplied
<code>terms</code>	the <code>terms</code> object used
<code>data</code>	the data argument
<code>rate</code>	the rate vector used
<code>time</code>	the time vector used
<code>workingformula</code>	the formula used by the fitter
<code>optim.control</code>	the value of the <code>optim.control</code> argument supplied
<code>control.glm</code>	the value of the <code>control.glm</code> argument supplied
<code>method</code>	the name of the fitter function used

## References

Mahboubi, A., M. Abrahamowicz, et al. (2011). "Flexible modeling of the effects of continuous prognostic factors in relative survival." *Stat Med* 30(12): 1351-1365. doi:10.1002/sim.4208

Remontet, L., N. Bossard, et al. (2007). "An overall strategy based on regression models to estimate relative survival and model the effects of prognostic factors in cancer survival studies." *Stat Med* 26(10): 2214-2228. doi:10.1002/sim.2656

**See Also**

[print.flexrsurv](#), [summary.flexrsurv](#), [logLik.flexrsurv](#), [predict.flexrsurv](#), [NPH](#), [NLL](#), and [NPHNLL](#).

**Examples**

```

if (requireNamespace("reلسurv", quietly = TRUE)) {

# data from package reلسurv
data(rdata, package="reلسurv")

# rate table from package reلسurv
data(slopop, package="reلسurv")

# get the death rate at event (or end of followup) from slopop for rdata
rdata$iage <- findInterval(rdata$age*365.24+rdata$time, attr(slopop, "cutpoints")[[1]])
rdata$iyear <- findInterval(rdata$year+rdata$time, attr(slopop, "cutpoints")[[2]])
therate <- rep(-1, dim(rdata)[1])
for( i in 1:dim(rdata)[1]){
  therate[i] <- slopop[rdata$iage[i], rdata$iyear[i], rdata$sex[i]]
}

rdata$slorate <- therate

# change sex coding
rdata$sex01 <- rdata$sex -1

# fit a relative survival model with a non linear effect of age
fit <- flexrsurv(Surv(time,cens)~sex01+NLL(age, Knots=60, Degree=3,
                                     Boundary.knots = c(24, 95)),
               rate=slorate, data=rdata,
               knots.Bh=1850, # one interior knot at 5 years
               degree.Bh=3,
               Max_T=5400,
               Spline = "b-spline",
               initbyglm=TRUE,
               initbands=seq(0, 5400, 100),
               int_meth= "BANDS",
               bands=seq(0, 5400, 50)
               )
summary(fit)

# fit a relative survival model with a non linear & non proportional effect of age
fit2 <- flexrsurv(Surv(time,cens)~sex01+NPHNLL(age, time, Knots=60,
                                             Degree=3,
                                             Knots.t = 1850, Degree.t = 3),
                rate=slorate, data=rdata,
                knots.Bh=1850, # one interior knot at 5 years

```

```

        degree.Bh=3,
        Spline = "b-spline",
        initbyglm=TRUE,
        int_meth= "BOOLE",
        step=50
      )
summary(fit2, correlation=TRUE)
}

```

---

flexrsurvclt

*Fit Relative Survival Model and Correct Life Tables*


---

### Description

flexrsurvclt is used to fit relative survival regression model. transition package.

### Usage

```

flexrsurvclt(formula=formula(data),
formula.table=NULL,
data=parent.frame(),
Id,
baselinehazard=TRUE,
firstWCEIadditive=FALSE,
knots.Bh,
degree.Bh=3,
intercept.Bh=TRUE,
Spline=c("b-spline", "tp-spline", "tpi-spline"),
log.Bh=FALSE,
bhlink=c("log", "identity"),
Min_T=0,
Max_T=NULL,
model=c("additive", "multiplicative"),
rate,
logit_start,
logit_end,
logit_start_byperiod = NULL,
logit_end_byperiod = NULL,
weights_byperiod = NULL,
Id_byperiod = NULL,
contrasts.table = NULL,
knots.table=c(-2.5,0,2.5),
degree.table=3,
Spline.table=c("restricted B-splines"),
Spline.CLT=R2bBSplineBasis(knots=c(-2.5,0,2.5), degree=3),
model_correction = c("cohort", "period"),

```



```

weights=NULL,
na.action=NULL,
datacontrol=NULL,
Idcontrol,
ratecontrol,
logit_startcontrol,
logit_endcontrol,
logit_start_byperiodcontrol = NULL,
logit_end_byperiodcontrol = NULL,
weights_byperiodcontrol = NULL,
Id_byperiodcontrol = NULL,
weightscontrol=NULL,
int_meth=c("GL", "CAV_SIM", "SIM_3_8", "BOOLE", "GLM", "BANDS"),
bands=NULL,
npoints=20,
stept=NULL,
init=NULL,
initbyglm=TRUE,
initbands=bands,
optim.control=list(trace=100, REPORT=1, fnscale=-1, maxit=25),
optim_meth=c("BFGS", "CG", "Nelder-Mead", "L-BFGS-B", "SANN", "Brent"),
Coptim.control=list(),
lower = -Inf,
upper = Inf,
control.glm=list(epsilon=1e-8, maxit=100, trace=FALSE,
epsilon.glm=.1, maxit.glm=25),
vartype = c("oim", "opg", "none"),
varmethod = c("optim", "numDeriv.hessian", "numDeriv.jacobian"),
numDeriv.method.args=list(eps=5e-7, d=0.001,
zero.tol=sqrt(.Machine$double.eps/7e-4), r=4, v=2),
debug=FALSE
)

flexrsurvclt.ll(formula=formula(data),
formula.table=NULL,
data=parent.frame(),
Id,
baselinehazard=TRUE,
firstWCEIadditive=FALSE,
knots.Bh,
degree.Bh=3,
Spline=c("b-spline", "tp-spline", "tpi-spline"),
log.Bh=FALSE,
bhlink=c("log", "identity"),
intercept.Bh=TRUE,
Min_T=0,
Max_T=NULL,
model=c("additive", "multiplicative"),

```

```

rate,
logit_start,
logit_end,
logit_start_byperiod = NULL,
logit_end_byperiod = NULL,
weights_byperiod = NULL,
Id_byperiod = NULL,
contrasts.table = NULL,
knots.table=c(-2.5,0,2.5),
degree.table=3,
Spline.table=c("restricted B-splines"),
Spline.CLT=R2bBSplineBasis(knots=c(-2.5,0,2.5), degree=3),
model_correction = c("cohort", "period"),
weights=NULL,
na.action=NULL,
datacontrol=NULL,
Idcontrol,
ratecontrol,
logit_startcontrol,
logit_endcontrol,
logit_start_byperiodcontrol = NULL,
logit_end_byperiodcontrol = NULL,
weights_byperiodcontrol = NULL,
Id_byperiodcontrol = NULL,
weightscontrol=NULL,
int_meth=c("GL", "CAV_SIM", "SIM_3_8", "BOOLE", "GLM", "BANDS"),
bands=NULL,
npoints=20,
stept=NULL,
init=NULL,
optim.control=list(trace=100, REPORT=1, fnscale=-1, maxit=25),
Coptim.control= list(),
optim_meth=c("BFGS", "CG", "Nelder-Mead", "L-BFGS-B", "SANN", "Brent"),
lower = -Inf,
upper = Inf,
vartype = c("oim", "opg", "none"),
varmethod = c("optim", "numDeriv.hessian", "numDeriv.jacobian"),
numDeriv.method.args=list(eps=5e-7, d=0.001,
  zero.tol=sqrt(.Machine$double.eps/7e-4), r=4, v=2),
debug=FALSE
)

```

### Arguments

**formula** a formula object, with the response on the left of a ~ operator, and the terms on the right. The response must be a survival object as returned by the [Surv](#) function.

formula.table	a formula object, with empty left hand side, and the terms on the right. This is the formula of the proportional part of the correction model for the table table
data	a data.frame in which to interpret the variables named in the formulas.
Id	vector whose unique values defines the Ids of the subjects.
baselinehazard	if FALSE, no baseline hazard in the model
firstWCEIadditive	if TRUE, the first WCEI term in the formula is considered as the baseline
knots.Bh	the internal breakpoints that define the spline used to estimate the baseline hazard. Typical values are the mean or median for one knot, quantiles for more knots.
degree.Bh	degree of the piecewise polynomial of the baseline hazard. Default is 3 for cubic splines.
intercept.Bh	TRUE if the first bases is included in the baseline hazard. Default is TRUE.
Spline	a character string specifying the type of spline basis. "b-spline" for B-spline basis, "tp-spline" for truncated power basis and "tpi-spline" for monotone (increasing) truncated power basis.
log.Bh	logical value: if TRUE, an additional basis equal to log(time) is added to the spline bases of time.
bhlink	character string specifying the link function of the baseline hazard: Default is bhlink="log" for including the baseline in the exponential; if bhlink="identity", the baseline hazard is out of the exponential.
Min_T	minimum of time period which is analysed. Default is $\max(0.0, \min(\text{bands}))$ .
Max_T	maximum of time period which is analysed. Default is $\max(c(\text{bands}, \text{timevar}))$
model	character string specifying the type of model for both non-proportional and non linear effects. The model method=="additive" assumes effects as explained in Remontet et al.(2007), the model method=="multiplicative" assumes effects as explained in Mahboubi et al. (2011).
rate	a vector of the background rate for a relevant comparative population to be used in the fitting process. Should be a numeric vector (for relative survival model). rate is evaluated in the same way as variables in formula, that is first in data and then in the environment of formula.
logit_start	a vector of the logit of the cumulative hazard at the start of the interval in the life table. logit_start is evaluated in the same way as variables in formula, that is first in data and then in the environment of formula.
logit_end	a vector of the logit of the cumulative hazard at the end of the interval in the life table. logit_end is evaluated in the same way as variables in formula, that is first in data and then in the environment of formula.
logit_start_byperiod, logit_end_byperiod, weights_byperiod, Id_byperiod	A REPLIR
knots.table	the internal breakpoints on the logit scale that define the knots of the spline used to estimate the correction model of the life table.
degree.table	degree of the piecewise polynomial of the spline used to estimate the correction model of the life table. Default is 3 for cubic splines.

<code>contrasts.table</code>	an optional list. See the <code>contrasts.arg</code> of <code>model.matrix()</code> .
<code>Spline.table</code>	a character string specifying the type of spline basis of the the correction model of the life table. In this version, only "restricted B-splines" is available. "restricted B-splines" are B-spline basis with linear extrapolation + 2nd derivative at boundaries == 0.
<code>Spline.CLT</code>	a S4 object with method <code>deriv()</code> and <code>evaluate()</code> . The spline basis of the correction of the life table can be specified either by the parameters ( <code>knots.table</code> , <code>degree.table</code> ) or an S4 object that can be used for this purpose. <b>IMPORTANT</b> : the coef of the first basis is constrained to one and <code>evaluate(deriv(spline_B), left_boundary_knots) == 1</code>
<code>model_correction</code>	character string specifying A COMPLETE. <code>method_correction="cohort"</code> when the provided logit are those of the survival of individuals; <code>method_correction="period"</code> when the provided logit are those of the survival function of age distribution by period.
<code>weights</code>	an optional vector of weights to be used in the fitting process. Should be NULL or a numeric vector. If not null, the total likelihood is the weighted sum of individual likelihood.
<code>na.action</code>	a missing-data filter function, applied to the <code>model.frame</code> . If NULL, default is <code>options()\$na.action</code> .
<code>datacontrol</code>	a <code>data.frame</code> in which to interpret the variables named in the formula for the control group.
<code>Idcontrol, ratecontrol, logit_startcontrol, logit_endcontrol, weightscontrol</code>	Id, rate, logit of the cumulative hazard at the start and the end of the interval in the life table, and weights for the control group
<code>logit_start_byperiodcontrol, logit_end_byperiodcontrol, weights_byperiodcontrol, Id_byperiodcontrol</code>	A REMPLIR
<code>int_meth</code>	character string specifying the numerical integration method. Possible values are "GL" for Gauss-Legendre method, "CAV_SIM" for Cavalieri-Simpson's rule, "SIM_3_8" for the Simpson's 3/8 rule, "BOOLE" for the Boole's rule, or "BANDS" for the midpoint rule with specified bands.
<code>bands</code>	bands used to split data in the numerical integration when <code>int_meth="BANDS"</code> .
<code>npoints</code>	number of points used in the numerical integration when <code>int_meth="GL"</code> .
<code>stept</code>	scalar value of the time-step in numerical integration. It is required only when <code>int_meth="CAV_SIM"</code> or "SIM_3_8" or "BOOLE". If no value is supplied, <code>Max_T/500</code> is used.
<code>init</code>	starting values of the parameters.
<code>initbyglm</code>	a logical value indicating how are found or refined init values. If TRUE, the fitting method described in Remontet et al.(2007) is used to find or refine starting values. This may speedup the fit. If FALSE, the maximisation of the likelihood starts at values given in <code>init</code> . If <code>init=NULL</code> , the starting values correspond to a constant net hazard equal to the ratio of the number of event over the total number of person-time.
<code>initbands</code>	bands used to split data when <code>initbyglm=TRUE</code> .

<code>optim.control</code>	a list of control parameters passed to the <code>optim()</code> function.
<code>optim_meth</code>	method to be used to optimize the likelihood. See <code>optim</code> .
<code>Coptim.control</code>	a list of control parameters passed to the <code>constrOptim()</code> function See <code>constrOptim</code> .
<code>lower, upper</code>	Bounds on the variables for the "L-BFGS-B" method, or bounds in which to search for method "Brent". See <code>optim</code> .
<code>control.glm</code>	a list of control parameters passed to the <code>glm()</code> function when <code>method="glm"</code> .
<code>vartype</code>	character string specifying the type of variance matrix computed by <code>flexrsurv</code> : the inverse of the hessian matrix computed at the MLE estimate (ie. the inverse of the observed information matrix) if <code>vartype="oim"</code> , the inverse of the outer product of the gradients if <code>vartype="opg"</code> . The variance is not computed when <code>vartype="none"</code> .
<code>varmethod</code>	character string specifying the method to compute the hessian matrix when <code>vartype="oim"</code> . If <code>varmethod="oim"</code> , the hessian matrix is computed by <code>optim</code> . If <code>varmethod="numDeriv.hessian"</code> , the hessian matrix is computed by <code>numDeriv:hessian</code> with <code>method="Richardson"</code> . If <code>varmethod="numDeriv.jacobian"</code> , the hessian matrix is computed by <code>numDeriv:jacobian</code> with <code>method="Richardson"</code> .
<code>numDeriv.method.args</code>	arguments passed to <code>numDeriv:hessian</code> or <code>numDeriv:jacobian</code> when <code>varmethod="numDeriv.hessian"</code> or <code>varmethod="numDeriv.jacobian"</code> . Arguments not specified remain with their default values as specified in details. See <code>numDeriv:grad</code> for details about these parameters.
<code>debug</code>	control the volum of intermediate output

## Details

A full description of the additive and the multiplicative both non-linear and non-proportional models is given respectively in Remontet (2007) and Mahboubi (2011).

`flexrsurv.ll` is the workhorse function: it is not normally called directly.

## Value

`flexrsurv` returns an object of class "flexrsurv". An object of class "flexrsurv" is a list containing at least the following components:

<code>coefficients</code>	a named vector of coefficients
<code>loglik</code>	the log-likelihood
<code>var</code>	estimated covariance matrix for the estimated coefficients
<code>informationMatrix</code>	estimated information matrix
<code>bhlink</code>	the link of baseline hazard: if "identity" $\text{baseline} = \sum g_{0_i} b_i(t)$ ; if "log" $\log(\text{baseline}) = \sum g_{0_i} b_i(t)$ ;
<code>init</code>	vector of the starting values supplied
<code>converged</code>	logical, Was the optimizer algorithm judged to have converged?

linear.predictors	the linear fit on link scale (not including the baseline hazard term if <code>bhlink = "identity"</code> )
fitted.values	the estimated value of the hazard rate at each event time, obtained by transforming the linear predictors by the inverse of the link function
cumulative.hazard	the estimated value of the cumulative hazard in the time interval
call	the matched call
formula	the formula supplied
terms	the <code>terms</code> object used
data	the data argument
rate	the rate vector used
time	the time vector used
workingformula	the formula used by the fitter
optim.control	the value of the <code>optim.control</code> argument supplied
control.glm	the value of the <code>control.glm</code> argument supplied
method	the name of the fitter function used

## References

- Mahboubi, A., M. Abrahamowicz, et al. (2011). "Flexible modeling of the effects of continuous prognostic factors in relative survival." *Stat Med* 30(12): 1351-1365. doi:[10.1002/sim.4208](https://doi.org/10.1002/sim.4208)
- Remontet, L., N. Bossard, et al. (2007). "An overall strategy based on regression models to estimate relative survival and model the effects of prognostic factors in cancer survival studies." *Stat Med* 26(10): 2214-2228. doi:[10.1002/sim.2656](https://doi.org/10.1002/sim.2656)

## See Also

[print.flexrsurv](#), [summary.flexrsurv](#), [logLik.flexrsurv](#), [predict.flexrsurv](#), [NPH](#), [NLL](#), and [NPHNLL](#).

## Examples

```
if (requireNamespace("relsurv", quietly = TRUE) & requireNamespace("date", quietly = TRUE)) {

  library(date)
  # data from package relsurv
  data(rdata, package="relsurv")

  class(rdata$year)<-"integer"

  # rate table from package relsurv
  data(slopop, package="relsurv")
}
```

```

# get the death rate at event (or end of followup) from slopop for rdata
rdata$siage <- findInterval(rdata$age*365.24+rdata$time, attr(slopop, "cutpoints")[[1]])
rdata$siyear <- findInterval(rdata$year+rdata$time, attr(slopop, "cutpoints")[[2]])
therate <- rep(-1, dim(rdata)[1])
for( i in 1:dim(rdata)[1]){
  therate[i] <- slopop[rdata$siage[i], rdata$siyear[i], rdata$sex[i]]
}

rdata$slorate <- therate

# get the logit_start and logit_end
# logit start at age 18

tmpsurv <- Surv(rep(0, length(rdata$time)), rdata$time, rdata$cens)

HH <- getHazardFromTable(tmpsurv, startdate=rdata$year,
  startage=rdata$age*365.25 , matchdata=rdata, ratetable=slopop,
  age="age", year="year",
  rmap=list(sex=sex),
  agemin=18,
  ratename = "poprate", cumrateendname ="cumrateend", cumrateentername ="cumrateenter"
)

rdata$slorate <- HH$poprate
rdata$logit_start <- log(exp(HH$cumrateenter)-1)
rdata$logit_end <- log(exp(HH$cumrateend)-1)

rdata$Id <- 1:dim(rdata)[1]

# change sex coding
rdata$sex01 <- rdata$sex -1

# fit a relative survival model with a non linear effect of age
# without correction of life table
# partial likelihood
fit00 <- flexrsurvclt(Surv(time,cens)~sex01+NLL(age, Knots=60, Degree=3,
  Boundary.knots = c(24, 95)),
  rate=slorate,
  data=rdata,
  knots.Bh=1850, # one interior knot at 5 years
  degree.Bh=3,
  Max_T=5400,
  Spline = "b-spline",
  initbyglm=TRUE,
  initbands=seq(0, 5400, 100),
  int_meth= "BANDS",
  bands=seq(0, 5400, 50)
)

```





```

    formula.table= ~sex,
                    rate=slorate,
                    logit_start=logit_start,
                    logit_end=logit_end,
data=rdata,
Id=Id,
                    knots.Bh=1850, # one interior knot at 5 years
                    degree.Bh=3,
                    Max_T=5400,
                    Spline = "b-spline",
                    Spline.CLT=flexrsurv::R2bBSplineBasis(knots=c(-2.5,0,2.5), degree=3),
                    initbyglm=TRUE,
                    initbands=seq(0, 5400, 100),
                    int_meth= "BANDS",
                    bands=seq(0, 5400, 50)
                    )
summary(fit2)

AIC(fit0, fit1, fit2)
}

```

---

getBrassHazardFromTable

*Compute expected hazards with respect to a corrected reference life table*

---

## Description

returns the cumulative hazard and the hazard rate of subjects in a reference life table

## Usage

```

getBrassPseudoHazardFromTable(Y, startdate, startage, matchdata = NULL,
    ratetable = survival::survexp.us,
    age = 1, year = 2, rmap,
    agemin = 16, scale = 365.25,
    ratename = "rateend",
    cumrateendname = "cumrateend",
    cumrateentername = "cumrateenter",
    idname = "Id_byperiod",
    origin = "01/01/1970", format="%d/%m/%Y",
    left.open = FALSE,
    SplineBrass=R2bBSplineBasis(knots=c(-2.5,0,2.5), degree=3)*c(1, 0, 1),
    verbose=FALSE)

```

**Arguments**

Y	An object with interval data. It can be an object of class <a href="#">Surv</a> with arguments <code>time</code> , <code>time2</code> and <code>event</code> or a two-column matrix with starting time in the first column and ending time in the second column.
startdate	a numeric vector such that <code>as.Date(startdate)</code> is interpreted as the date of the start (when <code>Y[,]==0</code> ).
startage	a numeric vector of age in days the start (when <code>Y[,]==0</code> ).
matchdata	an optional <code>data.frame</code> in which to interpret the additional variables to be mapped to the <code>ratetable</code> variables.
ratetable	an object of class <a href="#">ratetable</a> , ie a table of event rates.
age, year	character values of the names of the age and period variables in the rate table.
rmap	an optional list that maps data set names to the <code>ratetable</code> names. See <a href="#">survexp</a> an example bellow.
agemin	numeric value of the age at which the cumulative hazard starts.
scale	numeric value to scale <code>agemin</code> .
ratename, cumrateendname, cumrateentname, idname	names of the returned variables
origin, format	passed to <a href="#">as.Date</a>
left.open	logical, passed to <a href="#">findInterval</a>
SplineBrass	Spline basis used to transform the rates
verbose	logical, if true the progression of the computation is output.

**Details**

The cumulative rates are computed using [survexp](#).

**Value**

A `data.frame` with 3 columns with the rate at the ending time, the cumulative rate from `agemin` up to the starting time and up to the ending time.

**See Also**

[getHazardFromTable](#) for the cumulative hazard and the hazard rate of subjects in a reference life table. [survexp](#)

**Examples**

```
if (requireNamespace("relsurv", quietly = TRUE) & requireNamespace("date", quietly = TRUE)) {
  library(date)
  # data from package relsurv
  data(rdata, package="relsurv")
}
```

```

# rate table from package relsurv
data(slopop, package="relSurv")

tmpsurv <- Surv(rep(0, length(rdata$time)), rdata$time, rdata$cens)

HH <- getPseudoHazardFromTable(tmpsurv, startdate=rdata$year,
                               startage=rdata$age*365.25, matchdata=rdata, ratetable=slopop,
                               age="age", year="year",
                               rmap=list(sex=sex),
                               agemin=18,
                               ratename = "poprate",
                               cumrateendname = "cumrateend",
                               cumrateentername = "cumrateenter",
                               idname="Id_byperiod"
                               )
summary(HH)
}

```

---

getHazardFromTable      *computes expected hazards with respect to a reference life table*

---

## Description

returns the cumulative hazard and the hazard rate of subjects in a reference life table

## Usage

```

getHazardFromTable(Y, startdate, startage, matchdata = NULL,
                  ratetable = survival::survexp.us,
                  age = 1, year = 2, rmap, agemin = 16, scale = 365.25,
                  ratename = "rateend",
                  cumrateendname = "cumrateend",
                  cumrateentername = "cumrateenter",
                  origin = "01/01/1970", format = "%d/%m/%Y",
                  left.open = FALSE, verbose=FALSE)

```

## Arguments

Y	An object with interval data. It can be an object of class <a href="#">Surv</a> with arguments <code>time</code> , <code>time2</code> and <code>event</code> or a two-column matrix with starting time in the first column and ending time in the second column.
startdate	a numeric vector such that <code>as.Date(startdate)</code> is interpreted as the date of the start (when <code>Y[,]==0</code> ).
startage	a numeric vector of age in days the start (when <code>Y[,]==0</code> ).
matchdata	an optional data.frame in which to interpret the additional variables to be mapped to the <code>ratetable</code> variables.

ratetable	an object of class <a href="#">ratetable</a> , ie a table of event rates.
age, year	character values of the names of the age and period variables in the rate table.
rmap	an optional list that maps data set names to the ratetable names. See <a href="#">survexp</a> an example bellow.
agemin	numeric value of the age at which the cumulative hazard starts.
scale	numeric value to scale agemin.
ratename, cumrateendname, cumrateentname	names of the returned variables
origin, format	arguments passed <a href="#">as.Date</a>
left.open	logical, passed to <a href="#">findInterval</a>
verbose	logical, if true the progression of the computation is output.

### Details

The cumulative rates are computed using [survexp](#).

### Value

A data.frame with 3 columns with the rate at the ending time, the cumulative rate from agemin up to the starting time and up to the ending time.

### See Also

[getPseudoHazardFromTable](#) for the cumulative hazard in each period of a reference life table.  
[getBrassHazardFromTable](#) for the cumulative hazard in a corrected reference life table. [survexp](#)

### Examples

```
if (requireNamespace("relsurv", quietly = TRUE) & requireNamespace("date", quietly = TRUE)) {

  library(date)
  # data from package relsurv
  data(rdata, package="relsurv")

  # rate table from package relsurv
  data(slopop, package="relsurv")

  tmpsurv <- Surv(rep(0, length(rdata$time)), rdata$time, rdata$cens)

  HH <- getHazardFromTable(tmpsurv, startdate=rdata$year,
    startage=rdata$age*365.25, matchdata=rdata, ratetable=slopop,
    age="age", year="year",
    rmap=list(sex=sex),
    agemin=18,
    ratename = "poprate",
    cumrateendname ="cumrateend",
    cumrateentname ="cumrateenter"
```

```

summary(HH)
}

```

---

```
getPseudoHazardFromTable
```

*Computes expected hazards with respect to a reference life table*

---

### Description

\*\*\* à mettre à jour \*\*\*

return the cumulative hazard and the hazard rate of subjects in a reference life table

### Usage

```

getPseudoHazardFromTable(Y, startdate, startage, matchdata = NULL,
  ratetable = survival::survexp.us,
  age = 1, year = 2, rmap,
  agemin = 16, scale = 365.25,
  ratename = "rateend",
  cumrateendname = "cumrateend",
  cumrateentername = "cumrateenter",
  idname = "Id_byperiod",
  origin = "01/01/1970", format="%d/%m/%Y",
  left.open = FALSE, verbose=FALSE)

```

### Arguments

Y	An object with interval data. It can be an object of class <a href="#">Surv</a> with arguments <code>time</code> , <code>time2</code> and <code>event</code> or a two-column matrix with starting time in the first column and ending time in the second column.
startdate	a numeric vector such that <code>as.Date(startdate)</code> is interpreted as the date of the start (when <code>Y[,]==0</code> ).
startage	a numeric vector of age in days the start (when <code>Y[,]==0</code> ).
matchdata	an optional <code>data.frame</code> in which to interpret the additional variables to be mapped to the <code>ratetable</code> variables.
ratetable	an object of class <a href="#">ratetable</a> , ie a table of event rates.
age, year	character values of the names of the age and period variables in the rate table.
rmap	an optional list that maps data set names to the <code>ratetable</code> names. See <a href="#">survexp</a> an example bellow.
agemin	numeric value of the age at which the cumulative hazard starts.
scale	numeric value to scale <code>agemin</code> .
ratename, cumrateendname, cumrateentername, idname	names of the returned variables

origin, format passed to [as.Date](#)  
 left.open logical, passed to [findInterval](#)  
 verbose logical, if true the progression of the computation is output.

### Details

The cumulative rates are computed using [survexp](#).

### Value

A data.frame with 3 columns with the rate at the ending time, the cumulative rate from agemin up to the starting time and upt to the ending time.

### See Also

[getHazardFromTable](#) for the cumulative hazard and the hazard rate of subjects in a reference life table. [survexp](#)

### Examples

```
if (requireNamespace("reldat", quietly = TRUE) & requireNamespace("date", quietly = TRUE)) {

  library(date)
  # data from package reldat
  data(rdata, package="reldat")

  # rate table from package reldat
  data(slopop, package="reldat")

  tmpsurv <- Surv(rep(0, length(rdata$time)), rdata$time, rdata$cens)

  HH <- getPseudoHazardFromTable(tmpsurv, startdate=rdata$year,
                                startage=rdata$age*365.25, matchdata=rdata, ratetable=slopop,
                                age="age", year="year",
                                rmap=list(sex=sex),
                                agemin=18,
                                ratename = "poprate",
                                cumrateendname = "cumrateend",
                                cumrateentername = "cumrateenter",
                                idname="Id_byperiod"
                                )

  summary(HH)
}
```

---

logLik.flexrsurv	<i>Log-Likelihood and the number of observations for a flexrsuv fit.</i>
------------------	--

---

**Description**

Function to extract Log-Likelihood and the number of observations from a flexrsuv or flexrsuvclt fit.

**Usage**

```
## S3 method for class 'flexrsurv'  
logLik(object, ...)  
  
## S3 method for class 'flexrsurv'  
nobs(object, ...)
```

**Arguments**

object	any object of class flexrsuv results of a <a href="#">flexrsurv</a> fit.
...	not used

**Value**

logLik returns a standard logLik object (see [logLik](#))  
nobs returns a single number, normally an integer.

**See Also**

[logLik](#), [nobs](#).

---

NLL	<i>Non Log-Linear effect</i>
-----	------------------------------

---

**Description**

Generate the spline basis matrix for non log-linear effect.

**Usage**

```
NLL(x,
    Spline = c("b-spline", "tp-spline", "tpi-spline"),
    Knots = NULL,
    Degree = 3,
    Intercept = FALSE,
    Boundary.knots = range(x),
    Keep.duplicates = TRUE,
    outer.ok = TRUE,
    ...)
```

**Arguments**

x	the predictor variable.
Spline	a character string specifying the type of spline basis. "b-spline" for B-spline basis, "tp-spline" for truncated power basis and "tpi-spline" for monotone (increasing) truncated power basis.
Knots	the internal breakpoints that define the spline used to estimate the NLL effect. By default there are none.
Degree	degree of splines which are considered.
Intercept	a logical value indicating whether intercept/first basis of spline should be considered.
Boundary.knots	range of variable which is analysed.
Keep.duplicates	Should duplicate interior knots be kept or removed. Defaults is FALSE, which removes duplicate knots with a warning if duplicate interior knots are found.
outer.ok	logical indicating how are managed x values outside the knots. If FALSE, return NA, if TRUE, return 0 for the corresponding x values.
...	not used

**Details**

NLL is based on package [orthogonalsplinebasis](#)

**See Also**

[NPH](#) and [NPHNLL](#).



---

NPH *Non Proportional Hazard effect*

---

**Description**

Generate the design matrix of spline basis for non proportional effect.

**Usage**

```
NPH(x,
    timevar,
    Spline = c("b-spline", "tp-spline", "tpi-spline"),
    Knots.t = NULL,
    Degree.t = 3,
    Intercept.t = TRUE,
    Boundary.knots.t = c(0, max(timevar)),
    Keep.duplicates.t = TRUE,
    outer.ok = TRUE,
    ...)
```

**Arguments**

x	the predictor variable.
timevar	the time variable.
Spline	a character string specifying the type of spline basis. "b-spline" for B-spline basis, "tp-spline" for truncated power basis and "tpi-spline" for monotone (increasing) truncated power basis.
Knots.t	the internal breakpoints that define the spline used to estimate the NPH effect. By default there are none.
Degree.t	degree of splines which are considered.
Intercept.t	a logical value indicating whether intercept/first basis of spline should be considered.
Boundary.knots.t	range of time period which is analysed. By default it is $c(0, \max(\text{timevar}))$ .
Keep.duplicates.t	Should duplicate interior knots be kept or removed. Defaults is FALSE, which removes duplicate knots with a warning if duplicate interior knots are found.
outer.ok	logical indicating how are managed timevar values outside the knots. If FALSE, return NA, if TRUE, return $\emptyset$ for the corresponding timevar values.
...	not used

**Details**

NPH is based on package [orthogonalsplinebasis](#)

**See Also**

[NLL](#), and [NPHNLL](#).

---

NPHNLL

*Non Proportional Hazard and Non Log-Linear effect*

---

**Description**

Generate the design matrix of spline basis for both non log-linear and non proportional effect.

**Usage**

```
NPHNLL(x,
  timevar,
  model = c("additive", "multiplicative"),
  Spline = c("b-spline", "tp-spline", "tpi-spline"),
  Knots = NULL,
  Degree = 3,
  Intercept = FALSE,
  Boundary.knots = range(x),
  Knots.t = NULL,
  Degree.t = 3,
  Intercept.t = (model == "multiplicative"),
  Boundary.knots.t = c(0, max(timevar)),
  outer.ok = TRUE,
  Keep.duplicates = TRUE,
  xdimnames = ":XxXxXxXxXxX ",
  tdimnames = ":TtTtTtTtTtT ")
```

**Arguments**

x	the predictor variable.
timevar	the time variable.
model	character string specifying the type of model for both non-proportionnal and non linear effects. The model method=="additive" assumes effects as explained in Remontet et al.(2007), the model method=="multiplicative" assumes effects as explained in Mahboubi et al. (2011).
Spline	a character string specifying the type of spline basis. "b-spline" for B-spline basis, "tp-spline" for truncated power basis and "tpi-spline" for monotone (increasing) truncated power basis.
Knots	the internal breakpoints that define the spline used to estimate the NLL part of effect. By default there are none.
Degree	degree of splines of variable which are considered.
Intercept	a logical value indicating whether intercept/first basis of spline should be considered.

Boundary.knots	range of variable which is analysed.
Knots.t	the internal breakpoints that define the spline used to estimate the NPH part of effect. By default there are none.
Degree.t	degree of splines of time variable which are considered.
Intercept.t	a logical value indicating whether intercept/first basis of spline should be considered.
Boundary.knots.t	range of time period which is analysed.
Keep.duplicates	Should duplicate interior knots be kept or removed. Defaults is FALSE, which removes duplicate knots with a warning if duplicate interior knots are found.
outer.ok	logical indicating how are managed timevar or x values outside the knots. If FALSE, return NA, if TRUE, return $\emptyset$ for the corresponding timevar or x values.
xdimnames	string to build dimnames of x bases
tdimnames	string to build dimnames of timevar bases

## Details

NPHNLL is based on package [orthogonalsplinebasis](#)

## References

- Mahboubi, A., M. Abrahamowicz, et al. (2011). "Flexible modeling of the effects of continuous prognostic factors in relative survival." *Stat Med* 30(12): 1351-1365. doi:[10.1002/sim.4208](#)
- Remontet, L., N. Bossard, et al. (2007). "An overall strategy based on regression models to estimate relative survival and model the effects of prognostic factors in cancer survival studies." *Stat Med* 26(10): 2214-2228. doi:[10.1002/sim.2656](#)

## See Also

[NPH](#) and [NLL](#).

---

predict.flexrsurv      *Predictions for a relative survival model*

---

## Description

Predict linear predictors, hazard and cumulative hazard for a model fitted by flexrsurv

## Usage

```
## S3 method for class 'flexrsurv'
predict(object, newdata= NULL,
        type = c("lp", "link", "risk", "hazard", "hazardrate",
                 "rate", "loghazard", "log", "lograte",
                 "cumulative.rate", "cumulative.hazard", "cumulative", "cum",
                 "survival", "surv", "netsurv"),
        se.fit=FALSE, na.action=na.pass, ...)
```

**Arguments**

object	the results of a flexrsurv fit.
newdata	Optional new data at which to do predictions. If absent predictions are for the data frame used in the original fit.
type	the type of predicted value. Choices are the linear predictor ("lp", "log", "loghazard", "lograte"), the hazard ("rate", "hazard", "hazardrate", "risk") or the cumulative hazard ("cum", "cumulative.hazard", "cumulative").
se.fit	if TRUE, pointwise standard errors are produced for the predictions (not available for cumulative hazard).
na.action	function determining what should be done with missing values in newdata. The default is to predict NA.
...	For future methods

**Details**

For cumulative hazard, the cumulative hazard is computed from 0 until the given end time. The cumulative hazard is computed using the same numerical integration method as the one used to fit the model.

**Value**

a vector or a list containing the predictions (element "fit") and their standard errors (element "se.fit") if the se.fit option is TRUE.

**Note**

To work correctly, arguments `Boundary.knots` and `Boundary.knots.t` must be included in the call to `NPH()`, `NLL()` and `NPHNLL()` in the formula of `flexrsurv`

**See Also**

[predict](#), [flexrsurv](#), [flexrsurvclt](#)

**Examples**

```
if (requireNamespace("relsurv", quietly = TRUE)) {

# data from package relsurv
data(rdata, package="relsurv")

# rate table from package relsurv
data(slopop, package="relsurv")

# get the death rate at event (or end of followup) from slopop for rdata
rdata$iage <- findInterval(rdata$age*365.24+rdata$time, attr(slopop, "cutpoints")[[1]])
```

```

rdata$year <- findInterval(rdata$year+rdata$time, attr(slopop, "cutpoints")[[2]])
therate <- rep(-1, dim(rdata)[1])
for( i in 1:dim(rdata)[1]){
  therate[i] <- slopop[rdata$age[i], rdata$year[i], rdata$sex[i]]
}

rdata$slorate <- therate

# change sex coding
rdata$sex01 <- rdata$sex -1
# centering age
rdata$agec <- rdata$age- 60

# fit a relative survival model with a non linear effect of age
fit <- flexrsurv(Surv(time,cens)~sex01+NLL(age, Knots=60, Degree=3,
      Boundary.knots = c(24, 95)),
      rate=slorate, data=rdata,
      knots.Bh=1850, # one interior knot at 5 years
      degree.Bh=3,
      Spline = "b-spline",
      initbyglm=TRUE,
      int_meth= "BOOLE",
      step=50
      )
summary(fit, correlation=TRUE)

newrdata <- rdata
newrdata$age <- rep(60, length(rdata$age))
newrdata$sex <- factor(newrdata$sex, labels=c("m", "f"))

linpred <- predict(fit, newdata=newrdata, type="lp", se.fit=TRUE )
predhazard <- predict(fit, newdata=newrdata, type="hazard" , se.fit=TRUE )
predcumhazard <- predict(fit, newdata=newrdata, type="cum", se.fit=TRUE)

require(ggplot2)
tmp <- cbind(newrdata, linpred)
glp <- ggplot(tmp, aes(time, colour=sex))
glp + geom_ribbon(aes(ymin = fit-2*se.fit, ymax = fit + 2*se.fit, fill=sex)) +
  geom_line(aes(y=fit)) +
  scale_fill_manual(values = alpha(c("blue", "red"), .3))

tmp <- cbind(newrdata, predhazard)
glp <- ggplot(tmp, aes(time, colour=sex))
glp + geom_ribbon(aes(ymin = fit-2*se.fit, ymax = fit + 2*se.fit, fill=sex)) +
  geom_line(aes(y=fit)) +
  scale_fill_manual(values = alpha(c("blue", "red"), .3))

```

```

tmp <- cbind(newrdata, predcumhazard)
glp <- ggplot(tmp, aes(time, colour=sex))
glp + geom_ribbon(aes(ymin = fit-2*se.fit, ymax = fit + 2*se.fit, fill=sex)) +
  geom_line(aes(y=fit)) +
  scale_fill_manual(values = alpha(c("blue", "red"), .3))
}

```

---

predictCLT

*Predictions for relational life table model*

---

### Description

Predict the relational model for a life table correction model fitted by `flexrsuvclt` or for specified knots, degree and coefficients

### Usage

```
predictCLT (...)
```

```

## S3 method for class 'flexrsuvclt'
predictCLT(object, newdata= NULL,
  type = c("clt", "correction"),
  se.fit=FALSE, na.action=na.pass, newcoef = NULL, ...)

```

```

## Default S3 method:
predictCLT(knots, degree, newdata, newcoef, ...)

```

### Arguments

<code>object</code>	the results of a <code>flexrsuvclt</code> fit.
<code>newdata</code>	Optional new vector of logarithm of the cumulative distribution odds (LCDO) at which to do predictions. If absent predictions are for values of the LCDO used in the original fit ( <code>logit_end</code> parameter in the call to <code>flexrsuvclt</code> ).
<code>newcoef</code>	Optional new coefficients for which to do predictions. If absent predictions are for the coefficients of the fitted model in <code>object</code> .
<code>type</code>	the type of predicted value. Choices are <code>"clt"</code> or <code>"correction"</code> to compute the corrected logarithm of the cumulative distribution odds.
<code>se.fit</code>	if TRUE, pointwise standard errors are produced for the predictions (not yet implemented).
<code>knots, degree</code>	knots and degree of the relational model.
<code>na.action</code>	function determining what should be done with missing values in <code>newdata</code> . The default is to predict NA.
<code>...</code>	For future methods

**Details**

predictCLT with knots and degree arguments computes corrected values of .

**Value**

a vector or a list containing the predicted relational model (element "fit") and their standard errors (element "se.fit") if the se.fit option is TRUE.

**See Also**

[predict.flexrsurvclt](#), [flexrsurv](#), [flexrsurvclt](#)

**Examples**

```
if (requireNamespace("remsurv", quietly = TRUE) & requireNamespace("date", quietly = TRUE)) {

  library(date)
  # data from package remsurv
  data(rdata, package="remsurv")

  class(rdata$year)<-"integer"

  # rate table from package remsurv
  data(slopop, package="remsurv")

  # get the death rate at event (or end of followup) from slopop for rdata
  rdata$iage <- findInterval(rdata$age*365.24+rdata$time, attr(slopop, "cutpoints")[[1]])
  rdata$iyear <- findInterval(rdata$year+rdata$time, attr(slopop, "cutpoints")[[2]])
  thetrate <- rep(-1, dim(rdata)[1])
  for( i in 1:dim(rdata)[1]){
    thetrate[i] <- slopop[rdata$iage[i], rdata$iyear[i], rdata$sex[i]]
  }

  rdata$slorate <- thetrate

  # get the logit_start and logit_end
  # logit start at age 18

  tmpsurv <- Surv(rep(0, length(rdata$time)), rdata$time, rdata$cens)

  HH <- getHazardFromTable(tmpsurv, startdate=rdata$year,
    startage=rdata$age*365.25 , matchdata=rdata, ratetable=slopop,
    age="age", year="year",
    rmap=list(sex=sex),
    agemin=18,
    ratename = "poprate", cumrateendname ="cumrateend", cumrateentername ="cumrateenter"
```

```

    )

    rdata$slorate <- HH$poprate
    rdata$logit_start <- log(exp(HH$cumrateenter)-1)
    rdata$logit_end <- log(exp(HH$cumrateend)-1)

    rdata$Id <- 1:dim(rdata)[1]

    # change sex coding
    rdata$sex01 <- rdata$sex -1

    # fit a relative survival model with a non linear effect of age
    # with correction of life table
    # full likelihood
    fit1 <- flexrsurvclt(Surv(time,cens)~sex01+NLL(age, Knots=60, Degree=3,
                                                Boundary.knots = c(24, 95)),
                       rate=slorate,
                       logit_start=logit_start,
                       logit_end=logit_end,
    data=rdata,
    Id=Id,
                       knots.Bh=1850, # one interior knot at 5 years
                       degree.Bh=3,
                       Max_T=5400,
                       Spline = "b-spline",
    Spline.CLT=flexrsurv:::R2bBSplineBasis(knots=c(-2.5,0,2.5), degree=3),
                       initbyglm=TRUE,
                       initbands=seq(0, 5400, 100),
                       int_meth= "BANDS",
                       bands=seq(0, 5400, 50)
    )

    corrected_logit_end <- predictCLT(fit1)

    try_logit_end <- predictCLT(knots=c(-2.5,0,2.5), degree=3, newcoef = c(0.5, 2),
                               newdata = rdata$logit_end )

    plot(rdata$logit_end, corrected_logit_end)
    points(rdata$logit_end, try_logit_end, col = 2)

}

```



**Description**

Print number of observations, number of events, the formula, the estimated coefficients and the log likelihood.

**Usage**

```
## S3 method for class 'flexrsurv'
print(x,
      digits = max(3, getOption("digits") - 3), ...)
```

**Arguments**

x                    the result of a call to the flexrsurv function.  
 digits              the minimum number of significant digits to be printed in values, see [print.default](#).  
 ...                  other options

**See Also**

The default method [print.default](#), and help for the function [flexrsurv](#), [flexrsurvclt](#).

summary.flexrsurv

*Summarizing Flexible Relative Survival Model Fits***Description**

summary methods for class flexrsurv. Produces and prints summaries of the results of a fitted Relative Survival Model

**Usage**

```
## S3 method for class 'flexrsurv'
summary(object, correlation = FALSE, symbolic.cor = FALSE, ...)

## S3 method for class 'summary.flexrsurv'
print(x, digits = max(3L, getOption("digits") - 3L),
      symbolic.cor = x$symbolic.cor,
      signif.stars = getOption("show.signif.stars"), ...)
```

**Arguments**

object              an object of class "flexrsurv", usually, a result of a call to [flexrsurv](#).  
 x                    an object of class "summary.flexrsurv", usually, a result of a call to [summary.flexrsurv](#).  
 correlation        logical; if TRUE, the correlation matrix of the estimated parameters is returned and printed.

symbolic.cor	logical. If TRUE, print the correlations in a symbolic form (see <a href="#">symnum</a> ) rather than as numbers.
digits	the number of significant digits to use when printing.
signif.stars	logical. If TRUE, 'significance stars' are printed for each coefficient.
...	further arguments passed to or from other methods.

### Details

print.summary.glm tries to be smart about formatting the coefficients, standard errors, etc. and additionally gives 'significance stars' if signif.stars is TRUE.

Correlations are printed to two decimal places (or symbolically): to see the actual correlations print summary(object)\$correlation directly.

The dispersion of a GLM is not used in the fitting process, but it is needed to find standard errors. If dispersion is not supplied or NULL, the dispersion is taken as 1 for the binomial and Poisson families, and otherwise estimated by the residual Chisquared statistic (calculated from cases with non-zero weights) divided by the residual degrees of freedom.

### Value

The function summary.flexrsurv computes and returns a list of summary statistics of the fitted flexible relative survival model given in object. The returned value is an object of class "summary.flexrsurv", which a list with components:

call	the "call" component from object.
terms	the "terms" component from object.
coefficients	the matrix of coefficients, standard errors, z-values and p-values.
cov	the estimated covariance matrix of the estimated coefficients.
correlation	(only if correlation is true.) the estimated correlations of the estimated coefficients.
symbolic.cor	(only if correlation is true.) the value of the argument symbolic.cor.
loglik	the "loglik" component from object.
df.residual	the "df.residual" component from object.

### See Also

[summary](#), [flexrsurv](#), [flexrsurvclt](#).

### Examples

```
if (requireNamespace("relsurv", quietly = TRUE)) {
  # data from package relsurv
  data(rdata, package="relsurv")
  # rate table from package relsurv
  data(slopop, package="relsurv")
}
```

```

# get the death rate at event (or end of followup) from slopop for rdata
rdata$iage <- findInterval(rdata$age*365.24+rdata$time, attr(slopop, "cutpoints")[[1]])
rdata$iyear <- findInterval(rdata$year+rdata$time, attr(slopop, "cutpoints")[[2]])
therate <- rep(-1, dim(rdata)[1])
for( i in 1:dim(rdata)[1]){
  therate[i] <- slopop[rdata$iage[i], rdata$iyear[i], rdata$sex[i]]
}

rdata$slorate <- therate

# change sex coding
rdata$sex01 <- rdata$sex -1

# fit a relative survival model with a non linear effect of age

fit <- flexrsurv(Surv(time,cens)~sex01+NLL(age, Knots=60, Degree=3),
  rate=slorate, data=rdata,
  knots.Bh=1850, # one interior knot at 5 years
  degree.Bh=3,
  Spline = "b-spline",
  initbyglm=TRUE,
  initbands=seq(from=0, to=5400, by=200),
  int_meth= "CAV_SIM",
  step=50
)

summary(fit)
}

```

---

WCEI

*Weighted cumulative exposure index*


---

### Description

Generate the spline basis matrix for Weighted cumulative exposure index.

### Usage

```

WCEI(x,
  timevar,
  fromT=0,
  Spline.WCEI=NULL,
  Spline = c("m-spline", "b-spline", "tp-spline", "tpi-spline"),
  Knots.t = NULL,
  Degree.t = 3,
  Intercept.t = TRUE,

```

```

Boundary.knots.t = range(c(timevar, fromT)),
Keep.duplicates.t = TRUE,
outer.ok = TRUE,
...)
```

### Arguments

<code>x</code>	the exposure variable.
<code>timevar</code>	the time variable.
<code>fromT</code>	Time at which starts exposure
<code>Spline.WCEI</code>	a S4 object with method <code>deriv()</code> , <code>evaluate()</code> and <code>predict()</code> .
<code>Spline</code>	a character string specifying the type of spline basis. "b-spline" for B-spline basis, "tp-spline" for truncated power basis and "tpi-spline" for monotone (increasing) truncated power basis.
<code>Knots.t</code>	the internal breakpoints that define the spline used to estimate the WCEI effect. By default there are none.
<code>Degree.t</code>	degree of splines which are considered.
<code>Intercept.t</code>	a logical value indicating whether intercept/first basis of spline should be considered.
<code>Boundary.knots.t</code>	range of variable which is analysed.
<code>Keep.duplicates.t</code>	Should duplicate interior knots be kept or removed. Defaults is FALSE, which removes duplicate knots with a warning if duplicate interior knots are found.
<code>outer.ok</code>	logical indicating how are managed x values outside the knots. If FALSE, return NA, if TRUE, return $\emptyset$ for the corresponding x values.
<code>...</code>	not used

### Details

WCEI is based on package [orthogonalsplinebasis](#)

### See Also

[NLL NPH](#) and [NPHNLL](#).

# Index

- \* **models**
  - flexrsurv, 3
  - flexrsurvclt, 8
- \* **model**
  - flexrsurv-package, 2
- \* **nonlinear**
  - flexrsurv, 3
  - flexrsurv-package, 2
  - flexrsurvclt, 8
- \* **package**
  - flexrsurv-package, 2
- \* **survival**
  - flexrsurv, 3
  - flexrsurv-package, 2
  - flexrsurvclt, 8
  - getBrassHazardFromTable, 17
  - getHazardFromTable, 19
  - getPseudoHazardFromTable, 21
- as.Date, 18, 20, 22
- constrOptim, 13
- constrOptim(), 13
- findInterval, 18, 20, 22
- Flexrsurv (flexrsurv), 3
- flexrsurv, 3, 3, 23, 28, 31, 33, 34
- Flexrsurv-package (flexrsurv-package), 2
- flexrsurv-package, 2
- Flexrsurvclt (flexrsurvclt), 8
- flexrsurvclt, 8, 28, 31, 33, 34
- Flexrsurvpackage (flexrsurv-package), 2
- flexrsurvpackage (flexrsurv-package), 2
- getBrassHazardFromTable, 17, 20
- getBrassPseudoHazardFromTable (getBrassHazardFromTable), 17
- getHazardFromTable, 18, 19, 22
- getPseudoHazardFromTable, 20, 21
- glm(), 5, 13
- logLik, 23
- logLik.flexrsurv, 7, 14, 23
- model.matrix(), 12
- NLL, 7, 14, 23, 26, 27, 36
- nobs, 23
- nobs.flexrsurv (logLik.flexrsurv), 23
- NPH, 7, 14, 24, 25, 27, 36
- NPHNLL, 7, 14, 24, 26, 26, 36
- numDeriv:grad, 13
- numDeriv:hessian, 13
- numDeriv:jacobian, 13
- optim, 5, 13
- optim(), 5, 13
- orthogonalsplinebasis, 24, 25, 27, 36
- predict, 28
- predict.flexrsurv, 7, 14, 27
- predict.flexrsurvclt, 31
- predict.flexrsurvclt (predict.flexrsurv), 27
- predictCLT, 30
- print.default, 33
- print.flexrsurv, 7, 14, 32
- print.summary.flexrsurv (summary.flexrsurv), 33
- ratetable, 18, 20, 21
- summary, 34
- summary.flexrsurv, 7, 14, 33
- Surv, 4, 10, 18, 19, 21
- survexp, 18, 20–22
- symnum, 34
- terms, 6, 14
- WCEI, 35