

Package ‘frenchCurve’

June 18, 2022

Type Package

Title Generate Open or Closed Interpolating Curves

Version 0.2.0

Author Bill Venables

Maintainer Bill Venables <Bill.Venables@gmail.com>

Description Functions for finding smooth interpolating curves connecting a series of points in the plane. Curves may be open or closed, that is, with the first and last point of the curve at the initial point.

License GPL-2

Imports stats, sp

Depends graphics, grDevices

Encoding UTF-8

RoxygenNote 7.2.0

Suggests ggplot2, knitr, rmarkdown

VignetteBuilder knitr

NeedsCompilation no

Repository CRAN

Date/Publication 2022-06-18 06:30:06 UTC

R topics documented:

adjust_curve	2
as.data.frame.curve	2
as_complex	3
as_polygon	4
complexReplacement	5
open_curve	5
%inside%	7

Index	8
--------------	----------

adjust_curve	<i>Interactive curve adjustment</i>
--------------	-------------------------------------

Description

A simple interactive device for adjusting a curve. Given a set of points, the curve is plotted and may then be adjusted interactively by clicking on any of the points, one at a time, and clicking again at its intended new position.

Usage

```
adjust_curve(
  x,
  y = NULL,
  ...,
  plotit = TRUE,
  curve = open_curve,
  ccolour = "#DF536B",
  pcolour = "#2297E6"
)
```

Arguments

x, y	Any means of specifying points in the plane, as accepted by xy.coords()
...	additional arguments past on to curve()
plotit	logical: should the curve be plotted (TRUE) or can it be assumed the points are already on the display (FALSE)?
curve	One of the curve type functions of this package
ccolour	character string: colour for the curve in the plot
pcolour	character string: colour for the points in the plot

Value

The adjusted points which define the adjusted curve

as.data.frame.curve	<i>Conversion to data frame</i>
---------------------	---------------------------------

Description

Method function to convert an object inheriting from class "curve" to a data.frame

Usage

```
## S3 method for class 'curve'
as.data.frame(x, row.names = NULL, optional = FALSE, ...)
```

Arguments

x An object inheriting from class "curve"
row.names, optional, ...
 as for `as.data.frame`.

Value

A data frame object

Examples

```
library(ggplot2)
set.seed(1234)
z <- complex(real = runif(5), imaginary = runif(5))
z <- z[order(Arg(z - mean(z)))]
cz <- closed_curve(z)
oz <- open_curve(z)
ggplot() + geom_path(data = as.data.frame(cz), aes(x,y), colour = "#DF536B") +
  geom_path(data = as.data.frame(oz), aes(x,y), colour = "#2297E6") +
  geom_point(data = as.data.frame(z), aes(x = Re(z), y = Im(z))) +
  geom_segment(data = as.data.frame(z), aes(x = Re(mean(z)),
                                           y = Im(mean(z)),
                                           xend = Re(z),
                                           yend = Im(z)),
              arrow = arrow(angle=15, length=unit(0.125, "inches")),
              colour = alpha("grey", 1/2)) +
  theme_bw()
```

as_complex

Coerce two dimensional points to complex

Description

Convenience function for allowing any of the usual ways two dimensional points can be specified in traditional graphics to define a complex variable

Usage

```
as_complex(x, y = NULL)
```

Arguments

x, y A two dimensional specification, as allowed by `grDevices::xy.coords`

Value

A complex vector

Examples

```
loc <- cbind(runif(20), runif(20))
z <- as_complex(loc)
z <- z-mean(z)
Mod(z) <- 1
z <- z[order(Arg(z))]
plot(closed_curve(z), asp = 1, col = 2)
lines(z, col = 4)
points(z, pch=16)
```

as_polygon

Make a Simple Polygon or Points

Description

A simple polygon is here defined as a data frame with numeric components x and y without any duplicate rows. The order of rows is significant in defining the associated figure.

Usage

```
as_polygon(x, y = NULL, ...)

## Default S3 method:
as_polygon(x, y = NULL, ...)

## S3 method for class 'curve'
as_polygon(x, y = NULL, ...)

as_points(x, y = NULL)
```

Arguments

x, y	any specification of 2-d points, or a "curve" object
...	additional arguments not currently used

Details

A 'points' object is defined as a data frame with numeric columns x and y.

Value

a data frame with components x and y

complexReplacement	<i>Complex vector property replacement functions</i>
--------------------	--

Description

Complex vector property replacement functions

Usage

```
Re(x) <- value
```

```
Im(x) <- value
```

```
Mod(x) <- value
```

```
Arg(x) <- value
```

Arguments

x a complex vector to be altered

value the numerical value vector to be used in the alteration

Value

An appropriately modified complex vector

open_curve	<i>Curved Interpolation</i>
------------	-----------------------------

Description

Interpolate between ordered 2-d points with a smooth curve. `open_curve()` produces an open curve; `closed_curve()` produces a closed curve. Bezier curves are also provided.

Usage

```
open_curve(x, y = NULL, n = 100 * length(z), asp = 1, ...)
```

```
## S3 method for class 'curve'
```

```
plot(  
  x,  
  y = NULL,  
  type = "l",  
  lty = "solid",  
  xpd = NA,
```

```

    pch = 20,
    ...,
    include_points = TRUE
)

## S3 method for class 'curve'
points(x, pch = 20, xpd = NA, ...)

## S3 method for class 'curve'
lines(x, xpd = NA, ...)

closed_curve(x, y = NULL, n0 = 500 * length(z0), asp = 1, ...)

bezier_curve(x, y = NULL, n = 500, t = seq(0, 1, length.out = n), ...)

```

Arguments

x, y	Any of the forms used to specify a 2-d set of points or an object of class "curve"
n, n0	number of points in the interpolating curve
asp	the relative scale for x versus that of y
...	additional arguments past on to other methods
pch, type, lty, xpd	plot arguments or traditional graphics parameters
include_points	logical:should points be included in the plot?
t	for Bezier curves, parameter value sequence ranging from 0 to 1

Value

a list with components x, y, and points, of S3 class "curve"

Examples

```

oldPar <- par(pty = "s", mfrow = c(2, 2), mar = c(1,1,2,1), xpd = NA)
z <- (complex(argument = seq(-0.9*base::pi, 0.9*base::pi, length = 20)) +
      complex(modulus = 0.125, argument = runif(20, -base::pi, base::pi))) *
      complex(argument = runif(1, -base::pi, base::pi))

plot(z, asp=1, axes = FALSE, ann = FALSE, panel.first = grid())
title(main = "Open")
segments(Re(z[1]), Im(z[1]), Re(z[20]), Im(z[20]), col = "grey", lty = "dashed")
lines(open_curve(z), col = "red")

plot(z, asp=1, axes = FALSE, ann = FALSE, panel.first = grid())
title(main = "Closed")
lines(closed_curve(z), col = "royal blue")

plot(z, asp=1, axes = FALSE, ann = FALSE, panel.first = grid())
title(main = "Bezier")
lines(bezier_curve(z), col = "dark green")

```

```
plot(z, asp=1, axes = FALSE, ann = FALSE, panel.first = grid())
title(main = "Circle")
lines(complex(argument = seq(-base::pi, base::pi, len = 500)),
      col = "purple")

par(oldPar)
```

`%inside%`*Check if points lie inside a simple polygon*

Description

Check if points lie inside a simple polygon

Usage

```
points %inside% polygon
```

Arguments

<code>points</code>	a data.frame with components x,y specifying the points
<code>polygon</code>	a data.frame with components x,y specifying the polygon

Value

a logical value matching the number of points, TRUE = "inside"

Examples

```
oldPar <- par(pty = "s", las = 1, xpd = NA)
pts <- expand.grid(x = seq(0, 1, len=25), y = seq(0, 1, len=25))
pol <- (1 + 1i)/2 + complex(argument = seq(-base::pi, base::pi, len=100))/3
show_red <- as_points(pts) %inside% as_polygon(pol)
plot(pts, col = ifelse(show_red, "red", "royal blue"), ann = FALSE, bty = "n",
     pch = ".", cex = ifelse(show_red, 4, 2.5), asp = 1)
polygon(pol, lwd = 0.5)
par(oldPar)
```

Index

`%inside%`, 7

`adjust_curve`, 2

`Arg<- (complexReplacement)`, 5

`as.data.frame`, 3

`as.data.frame.curve`, 2

`as_complex`, 3

`as_points (as_polygon)`, 4

`as_polygon`, 4

`bezier_curve (open_curve)`, 5

`closed_curve (open_curve)`, 5

`complexReplacement`, 5

`Im<- (complexReplacement)`, 5

`lines.curve (open_curve)`, 5

`Mod<- (complexReplacement)`, 5

`open_curve`, 5

`plot.curve (open_curve)`, 5

`points.curve (open_curve)`, 5

`Re<- (complexReplacement)`, 5