

Package ‘icertool’

January 20, 2022

Title Calculate and Plot ICER

Version 0.0.3

Description The app will calculate the ICER (incremental cost-effectiveness ratio) Rawlins (2012) <[doi:10.1016/B978-0-7020-4084-9.00044-6](https://doi.org/10.1016/B978-0-7020-4084-9.00044-6)> from the mean costs and quality-adjusted life years (QALY) Torrance and Feeny (2009) <[doi:10.1017/S0266462300008461](https://doi.org/10.1017/S0266462300008461)> for a set of treatment options, and draw the efficiency frontier in the costs-effectiveness plane. The app automatically identifies and excludes dominated and extended-dominated options from the ICER calculation.

License GPL-3

Encoding UTF-8

RoxygenNote 7.1.2

Imports shiny, shinythemes, purrr, DT, tidyverse, readxl, ggplot2, ggrepel, digest, shinyhelper

NeedsCompilation no

Author David Epstein [aut] (<<https://orcid.org/0000-0002-2275-0916>>),
Daniel Perez-Troncoso [aut, cre]
(<<https://orcid.org/0000-0003-0091-8148>>)

Maintainer Daniel Perez-Troncoso <danielperez@ugr.es>

Repository CRAN

Date/Publication 2022-01-20 19:12:45 UTC

R topics documented:

icertool	2
Index	3

Description

The app will calculate the ICER (incremental cost-effectiveness ratio) (Rawlins, 2012) doi: [10.1016/B9780702040849.000446](https://doi.org/10.1016/B9780702040849.000446) from the mean costs and quality-adjusted life years (QALY) (Torrance and Feeny, 2009) doi: [10.1017/S0266462300008461](https://doi.org/10.1017/S0266462300008461) for a set of treatment options, and draw the efficiency frontier in the costs-effectiveness plane. The app automatically identifies and excludes dominated and extended-dominated options from the ICER calculation.

Usage

```
icertool()
```

Value

The function 'icertool()' does not return a value. 'icertool()' returns a plot that can be copied from the graphical interface.

In the results tab, to copy an image of the graph to a word-processor document, right-click with your mouse on the graph and select 'Copy image', then go to your word-processor document and select 'Paste Special' and 'Bitmap image'

Examples

```
if (interactive()){  
  
  data.0 <- as.data.frame(read_excel("icer.xlsx"))  
  
  cq<-myicer(data.0)  
  
  my_ce <- ce_plot(data.0,cq)  
  
  my_ce + theme(text = element_text(size = 12)) + geom_text_repel()  
  
  cq  
  
}
```

Index

icertool, [2](#)