

Package ‘normalizeH’

July 21, 2022

Version 1.0.0

Date 2022-07-20

Title Normalize Hadamard Matrix

Author Baidya Nath Mandal [aut, cre]

Maintainer Baidya Nath Mandal <mandal.stat@gmail.com>

Depends R (>= 4.2.0)

Suggests HadamardR

Description Normalize a given Hadamard matrix. A Hadamard matrix is said to be normalized when its first row and first column entries are all 1, see Hedayat, A. and Wallis, W. D. (1978) ``Hadamard matrices and their applications. The Annals of Statistics, 1184-1238." <doi:10.1214/aos/1176344370>.

License GPL (>= 2)

NeedsCompilation no

Repository CRAN

Date/Publication 2022-07-21 12:30:02 UTC

R topics documented:

normalizeH	1
Index	3

normalizeH	<i>Normalized Hadamard Matrix</i>
------------	-----------------------------------

Description

Converts a given Hadamard matrix to its normalized form

Usage

```
normalizeH(H)
```

Arguments

H A Hadamard matrix

Value

A normalize Hadamard matrix of same dimension as the input matrix.

Author(s)

Baidya Nath Mandal <mandal.stat@gmail.com>

Examples

```
H = matrix(c(1,1,1,-1),nrow = 2)
normalizeH(H)
```

```
require(HadamardR)
h8 <- Hadamard_Matrix(8)
normalizeH(h8)
```

Index

* **Hadamard matrix**

normalizeH, 1

* **normalized**

normalizeH, 1

normalizeH, 1