

Package ‘plot.matrix’

March 16, 2022

Type Package

Title Visualizes a Matrix as Heatmap

Version 1.6.2

Date 2022-03-16

Description Visualizes a matrix object plainly as heatmap. It provides S3 functions to plot simple matrices and loading matrices.

License GPL-3

URL <https://github.com/sigbertklinke/plot.matrix> (development version)

RoxygenNote 7.1.2

LazyData true

Suggests devtools, knitr, rmarkdown, psych, png

VignetteBuilder knitr

Encoding UTF-8

NeedsCompilation no

Author Sigbert Klinke [aut, cre],
Frédéric Chevalier [ctb]

Maintainer Sigbert Klinke <sigbert@hu-berlin.de>

Repository CRAN

Date/Publication 2022-03-16 11:40:02 UTC

R topics documented:

air.pvalue	2
as.cor	3
assignColors	3
bfi.2	5
fmt	7
plot.assoc	8
plot.cor	9
plot.loadings	10

plot.matrix	11
plot.pvalue	15
Titanic.cramer	16

Index	17
--------------	-----------

air.pvalue	<i>New York Air Quality Measurements</i>
------------	--

Description

p-values of pairwise correlation test of the complete-cases of daily air quality measurements in New York, May to September 1973.

Usage

```
data(air.pvalue)
```

Format

A 4x4 matrix with p values of pairwise correlation tests ([cor.test](#)).

Ozone Ozone (ppb)

Solar.R Solar R (lang)

Wind Wind (mph)

Temp Temperature (degrees F)

Source

The data are derived from the [New York Air Quality Measurements](#) data set.

References

Chambers, J. M., Cleveland, W. S., Kleiner, B. and Tukey, P. A. (1983) Graphical Methods for Data Analysis. Belmont, CA: Wadsworth.

Examples

```
data(air.pvalue)
plot(as.pvalue(air.pvalue))
```

`as.cor`*as.XXX conversion functions*

Description

as.XXX conversion functions

Usage

```
as.cor(x)
```

```
as.assoc(x)
```

```
as.pvalue(x)
```

Arguments

x numeric matrix: matrix to convert

Value

a matrix with an appropriate class

Examples

```
# as.cor
c <- cor(airquality, use="complete.obs")
# as.assoc
# as.pvalue
data(air.pvalue)
plot(as.pvalue(air.pvalue))
```

`assignColors`*assignColors*

Description

Assign to each value in x a color according to the choices of breaks and col.

Usage

```
assignColors(x, breaks = NULL, col = heat.colors, na.col = "white")
```

Arguments

x	numeric or non-numeric vector
breaks	vector with breaks
col	vector with colors or color function
na.col	color for NA or out-of-range values

Details

Depending if x is a numeric or non-numeric vector colors are assigned to each value.

In case of a numeric vector breaks can be

- a number, giving the number of intervals covering the range of x,
- a vector of two numbers, given the range to cover with 10 intervals, or
- a vector with more than two numbers, specify the interval borders

In case of a non-numeric vector breaks must contain all values which are will get a color. If breaks is not given then a sensible default is choosen: in case of a numeric vector derived from [pretty](#) and otherwise all unique values/levels are used.

col can be either be a vector of colors or a function which generates via col(n) a set of n colors. The default is to use [heat.colors](#).

Possible color functions in R packages can be found by `vignette('plot.matrix')`.

Value

vector of color with the same length as x with the attributes breaks the breaks used, col the color coding and na.col the color for NA and out-of-range entries

Examples

```
## numeric vector
x <- runif(10)
assignColors(x)
# set breaks
assignColors(x, breaks=15)
assignColors(x, breaks=c(0,1))
# set colors
assignColors(x, col=c("red", "green", "blue"))
assignColors(x, col=topo.colors)
# NA and out-of-range
x[5] <- NA
assignColors(x, breaks=seq(0.5, 1, by=0.1), na.col="red")
## logical vector
l <- sample(c(NA, TRUE, FALSE), size=10, replace=TRUE)
assignColors(l)
assignColors(l, breaks=c("FALSE", "TRUE"), col=c("red", "blue"))
## character vector
t <- sample(letters, size=10, replace=TRUE)
assignColors(t)
assignColors(t, col=rainbow(5))
```

bfi.2

25 Personality items representing 5 factors

Description

25 personality self report items taken from the International Personality Item Pool (ipip.ori.org) were included as part of the Synthetic Aperture Personality Assessment (SAPA) web based personality assessment project. In contrast to the original data bfi from the library psych (version 1.8.12) it contains only the 25 personality self report items and the 2436 complete observations.

Usage

```
data(bfi.2)
```

Format

A data frame with 2436 observations on the following 25 variables (the q numbers are the SAPA item numbers).

- A1 Am indifferent to the feelings of others. (q_146)
- A2 Inquire about others' well-being. (q_1162)
- A3 Know how to comfort others. (q_1206)
- A4 Love children. (q_1364)
- A5 Make people feel at ease. (q_1419)
- C1 Am exacting in my work. (q_124)
- C2 Continue until everything is perfect. (q_530)
- C3 Do things according to a plan. (q_619)
- C4 Do things in a half-way manner. (q_626)
- C5 Waste my time. (q_1949)
- E1 Don't talk a lot. (q_712)
- E2 Find it difficult to approach others. (q_901)
- E3 Know how to captivate people. (q_1205)
- E4 Make friends easily. (q_1410)
- E5 Take charge. (q_1768)
- N1 Get angry easily. (q_952)
- N2 Get irritated easily. (q_974)
- N3 Have frequent mood swings. (q_1099)
- N4 Often feel blue. (q_1479)
- N5 Panic easily. (q_1505)
- O1 Am full of ideas. (q_128)
- O2 Avoid difficult reading material.(q_316)

- 03 Carry the conversation to a higher level. (q_492)
- 04 Spend time reflecting on things. (q_1738)
- 05 Will not probe deeply into a subject. (q_1964)

The 25 items are organized by five putative factors: Agreeableness, Conscientiousness, Extraversion, Neuroticism, and Openness.

The item data were collected using a 6 point response scale:

- 1 Very Inaccurate
- 2 Moderately Inaccurate
- 3 Slightly Inaccurate
- 4 Slightly Accurate
- 5 Moderately Accurate
- 6 Very Accurate

as part of the Synthetic Aptitude Personality Assessment (SAPA <https://www.sapa-project.org/>) project. To see an example of the data collection technique, visit <https://www.sapa-project.org/> or the International Cognitive Ability Resource at <https://icar-project.com/>. The items given were sampled from the International Personality Item Pool of Lewis Goldberg using the sampling technique of SAPA. This is a sample data set taken from the much larger SAPA data bank.

Note

The bfi.2 data set and items should not be confused with the BFI (Big Five Inventory) of Oliver John and colleagues (John, O. P., Donahue, E. M., & Kentle, R. L. (1991). *The Big Five Inventory—Versions 4a and 54*. Berkeley, CA: University of California, Berkeley, Institute of Personality and Social Research.)

Source

The items are from the ipip (Goldberg, 1999). The data are from the SAPA project (Revelle, Wilt and Rosenthal, 2010), collected Spring, 2010 (<https://www.sapa-project.org/>).

References

- Goldberg, L.R. (1999) A broad-bandwidth, public domain, personality inventory measuring the lower-level facets of several five-factor models. In Mervielde, I. and Deary, I. and De Fruyt, F. and Ostendorf, F. (eds) *Personality psychology in Europe*. 7. Tilburg University Press. Tilburg, The Netherlands.
- Revelle, W., Wilt, J., and Rosenthal, A. (2010) Individual Differences in Cognition: New Methods for examining the Personality-Cognition Link In Gruszka, A. and Matthews, G. and Szymura, B. (Eds.) *Handbook of Individual Differences in Cognition: Attention, Memory and Executive Control*, Springer.
- Revelle, W, Condon, D.M., Wilt, J., French, J.A., Brown, A., and Elleman, L.G. (2016) Web and phone based data collection using planned missing designs. In Fielding, N.G., Lee, R.M. and Blank, G. (Eds). *SAGE Handbook of Online Research Methods (2nd Ed)*, Sage Publications.

Examples

```
data(bfi.2)
library("psych")
fa <- fa(bfi.2, 5, rotate="varimax")
par(mar=c(5.1, 4.1, 4.1, 4.1)) # adapt margins
plot(loadings(fa), cex=0.5)
```

fmt

fmt

Description

Rounds and adds trailing zeros (by default if digits is lower than 4).

Usage

```
fmt(x, digits = 2L, zeros = digits < 4L, ...)
```

Arguments

x	numeric: vector.
digits	integer: Digits that should be used for rounding.
zeros	logical: Should trailing zeros be added?
...	passed to format for fmt.

Value

formatted x as text.

Source

Similar to function `fmt` from the package `exams`. In the function `round2` has been replaced by `round`.

See Also

[exams::fmt](#)

Examples

```
## this is also employed internally in the fmt() formatting function
fmt(c(0.005, 0.015))

## the main purpose of fmt() is that some numeric result can be displayed
## both at high accuracy and then at the rounding that students should do
## (e.g., with 2 or 3 digits)
sol <- runif(1)
fmt(sol, 6)
```

```

fmt(sol, 2)

## but fmt() also assures showing a very high number of significant digits
## (up to 12)
sol <- 123456 + sol
sol
fmt(sol, 6)
fmt(sol, 2)

## and fmt() also takes care of adding trailing zeros (if digits < 4)
fmt(1)
fmt(1, digits = 3)
fmt(1, digits = 6)

```

plot.assoc

plot.assoc

Description

Visualizes a association matrix with a colored or gray heatmap. As a rule of thumb the breaks are determined by the **effect sizes** given by Cohen ($c(-1, -0.4, -0.2, -0.05, 0, +0.05, +0.2, +0.4, +1)$). You may need to modify `mar` with the `par` command from its default $c(5.1, 4.1, 4.1, 2.1)$. See

- `vignette('plot.matrix')` for detailed examples, and
- `plot.matrix` for further parameters.

Usage

```

## S3 method for class 'assoc'
plot(x, reorder = TRUE, gray = FALSE, grey = FALSE, ...)

```

Arguments

<code>x</code>	matrix: association within [0,+1]
<code>reorder</code>	logical: if the rows (variables) of the loading matrix should be reordered (default: TRUE)
<code>gray</code>	logical: should be a gray scale color palette used or not (default: FALSE)
<code>grey</code>	logical: should be a gray scale color palette used or not (default: FALSE)
<code>...</code>	further parameter given to the <code>plot.matrix</code> command

Details

If either the parameter `grey` or `gray` is TRUE then a gray color palette is used.

Value

a plot

Examples

```

par(mar=c(5.1, 4.1, 4.1, 4.1))
# association matrix
data(Titanic.cramer)
plot(as.assoc(Titanic.cramer))
plot(as.assoc(Titanic.cramer), gray=TRUE)
plot(as.assoc(Titanic.cramer[,1:3]), reorder=FALSE)

```

plot.cor

plot.cor

Description

Visualizes a correlation matrix with a colored or gray heatmap. As a rule of thumb the breaks are determined by the **effect sizes** given by Cohen ($c(-1, -0.4, -0.2, -0.05, 0, +0.05, +0.2, +0.4, +1)$). You may need to modify `mar` with the `par` command from its default $c(5.1, 4.1, 4.1, 2.1)$. See

- `vignette('plot.matrix')` for detailed examples, and
- `plot.matrix` for further parameters.

Usage

```

## S3 method for class 'cor'
plot(x, reorder = TRUE, gray = FALSE, grey = FALSE, ...)

```

Arguments

<code>x</code>	matrix: correlation within [-1,+1]
<code>reorder</code>	logical: if the rows (variables) of the loading matrix should be reordered (default: TRUE)
<code>gray</code>	logical: should be a gray scale color palette used or not (default: FALSE)
<code>grey</code>	logical: should be a gray scale color palette used or not (default: FALSE)
<code>...</code>	further parameter given to the <code>plot.matrix</code> command

Details

If either the parameter `grey` or `gray` is TRUE then a gray color palette is used.

Value

a plot

Examples

```

par(mar=c(5.1, 4.1, 4.1, 4.1))
# correlation matrix
c <- cor(airquality[,1:4], use="pairwise")
plot(as.cor(c))
plot(as.cor(c), gray=TRUE)
plot(as.cor(c[,1:3]), reorder=FALSE)

```

plot.loadings

plot.loadings

Description

Visualizes the loadings matrix from a Factor Analysis or a Principal Component Analysis matrix with a gray or colored heatmap. As a rule of thumb the breaks are determined by $c(-1, -0.866, -0.707, -0.5, -0.4, 0, +0.4, +0.4)$, is used. You may need to modify `mar` with the `par` command from its default $c(5.1, 4.1, 4.1, 2.1)$. See

- `vignette('plot.matrix')` for detailed examples, and
- `plot.matrix` for further parameters.

Usage

```

## S3 method for class 'loadings'
plot(x, reorder = TRUE, gray = FALSE, grey = FALSE, ...)

```

Arguments

<code>x</code>	matrix: loadings
<code>reorder</code>	logical: if the rows (variables) of the loading matrix should be reordered (default: TRUE)
<code>gray</code>	logical: should be a gray scale color palette used or not (default: FALSE)
<code>grey</code>	logical: should be a gray scale color palette used or not (default: FALSE)
<code>...</code>	further parameter given to the <code>plot.matrix</code> command

Details

If either the parameter `grey` or `gray` is TRUE then a gray color palette is used.

Value

a plot

Examples

```
data(bfi.2)
library("psych")
par(mar=c(5.1, 4.1, 4.1, 4.1))
# Factor analysis
fa <- factanal(bfi.2, 5)
plot(loadings(fa))
plot(loadings(fa), grey=TRUE)
# Principal Component Analysis I
pa <- princomp(bfi.2)
plot(loadings(pa), digits=NA)
# Principal Component Analysis II
pa <- prcomp(bfi.2)
ld <- structure(pa$rotation, class="loadings")
plot(ld, digits=NA)
```

plot.matrix

plot.matrix

Description

Visualizes a matrix with a colored heatmap and optionally a color key. It distinguishes between numeric and non-numeric matrices. You may need to modify `mar` with the `graphics::par()` command from its default `c(5.1, 4.1, 4.1, 2.1)`. For further see the vignette `vignette('plot.matrix')`

Usage

```
## S3 method for class 'matrix'
plot(
  x,
  y = NULL,
  breaks = NULL,
  col = heat.colors,
  na.col = "white",
  na.cell = TRUE,
  na.print = TRUE,
  digits = NA,
  fmt.cell = NULL,
  fmt.key = NULL,
  spacing.key = c(1, 0.5, 0),
  polygon.cell = NULL,
  polygon.key = NULL,
  text.cell = NULL,
  key = list(side = 4, las = 1),
  axis.col = list(side = 1),
  axis.row = list(side = 2),
  axis.key = NULL,
  max.col = 70,
```

```
    ...
  )
```

Arguments

<code>x</code>	matrix
<code>y</code>	unused
<code>breaks</code>	breaks for numeric values or values for <code>col</code>
<code>col</code>	a vector of colors or a function, e.g. <code>grDevices::heat.colors()</code> with one parameter <code>n</code>
<code>na.col</code>	color for missing value (default: white)
<code>na.cell</code>	to draw cells with missing values (default: TRUE)
<code>na.print</code>	print NA (or any given characters) when values are missing. If FALSE, nothing is printed. If <code>na.cell</code> is FALSE, this will have no effect.
<code>digits</code>	number of digits for numeric data or length of string for non-numeric data
<code>fmt.cell</code>	format string for writing matrix entries, overwrites <code>digits</code> , defaults to NULL
<code>fmt.key</code>	format string for writing key entries, overwrites <code>digits</code> , defaults to <code>fmt</code>
<code>spacing.key</code>	spacing between plot and legend, key width, spacing between key and axis (default: <code>c(1, 0.5, 0)</code>)
<code>polygon.cell</code>	list of parameters used for <code>graphics::polygon()</code> for heatmap
<code>polygon.key</code>	list of parameters used for <code>graphics::polygon()</code> for key
<code>text.cell</code>	list of parameters used for <code>graphics::text()</code> for matrix entries
<code>key</code>	list of parameters used for <code>[graphics::axis()]</code> . If set to NULL then no information will be plotted. Instead of <code>key=list(side=4)</code> you may use <code>key=4</code> or <code>key="right"</code> .
<code>axis.col</code>	list of parameters used for <code>graphics::axis()</code> for axis of matrix columns. Instead of <code>axis.col=list(side=1)</code> you may use <code>axis.col=1</code> or <code>axis.col="bottom"</code> .
<code>axis.row</code>	list of parameters used for <code>graphics::axis()</code> for axis of matrix rows. Instead of <code>axis.row=list(side=2)</code> you may use <code>axis.row=2</code> or <code>axis.col="left"</code> .
<code>axis.key</code>	as key
<code>max.col</code>	numeric: if the distance between the text color and the cell color is smaller than <code>max.col</code> then either white or black will be used as text color, defaults to 70
<code>...</code>	further parameter given to the <code>graphics::plot()</code> command

Details

A color key is drawn if either `key` (defaults to `list(cex=1)`) or `fmt.key` (defaults to NULL) is not NULL.

If you want to plot the matrix entries you must set either `digits` or `fmt`. For a non-numeric matrix `digits` gives the length of the string printed, a negative value results in right-justified string. For a numeric matrix `digits` determines the number of decimal places, a negative value uses a "exponential" decimal notation. You may set format strings `fmt` and `fmt.key` directly. Settings `digits` leads to the following format strings (`n` the absolute value of `digits`):

```

x numeric and digits>0:      "%+.nf"
x numeric and digits<0:      "%+.ne"
x non-numeric and digits>0:  "%+ns"
x non-numeric and digits<0:  "%-ns"

```

If no colors are given then the `grDevices::heat.colors()` will be used. Alternatively you may specify your own color function that delivers a vector with n colors if called by `col(n)`. The final colors and breaks used depend if `plot.matrix` gets a numeric or non-numeric matrix.

Numeric matrix: In general it must hold `length(col)+1==length(breaks)`.

1. **breaks==NULL and col==NULL** The colors are taken from `heat.colors(10)` and the eleven breaks are calculated as an equidistant grid between `min(x)` and `max(x)`.
2. **breaks==NULL and col is a color function** Ten colors are taken from the color function and eleven breaks are calculated as an equidistant grid between `min(x)` and `max(x)`.
3. **breaks==NULL and col is a vector of colors** The `length(col)+1` breaks are calculated as an equidistant grid between `min(x)` and `max(x)`.
4. **breaks are given and col==NULL** The colors are taken from `heat.colors(length(breaks)-1)`.
5. **breaks are given and col is a color function** The `length(breaks)-1` colors are taken from the color function.
6. **breaks are given and col is a vector of colors** If not `length(col)+1==length(breaks)` holds then the `length(col)+1` breaks are calculated as an equidistant grid between `min(breaks)` and `max(breaks)`.

Non-numeric matrix: In general it must hold `length(col)==length(breaks)`. At first the number of unique elements in x is determined: `nu`.

1. **breaks==NULL and col==NULL** The colors are taken from `heat.colors(nu)` and the breaks are set to the unique elements of x .
2. **breaks==NULL and col is a color function** The `nu` colors are taken from color function and the breaks are set to the unique elements of x .
3. **breaks==NULL and col is a vector of colors** The `length(col)` breaks are calculated as an equidistant grid between `min(x)` and `max(x)`.
4. **breaks are given and color==NULL** The colors are taken from `heat.colors(length(breaks))`.
5. **breaks are given and color is a color function** The `length(breaks)` colors are taken from color function.
6. **breaks are given and color is a vector of colors** If not `length(colors)==length(breaks)` holds then either breaks or color is shorten to the shorter of both.

If the difference between polygon color and the text color is smaller `max.col` then as text color is either white or black (depending which one is further away from the polygon color). The distance is computed as $\Delta C/3$ as in https://en.wikipedia.org/wiki/Color_difference#Euclidean given.

Value

invisibly a list with elements

cell.polygon[[i, j]] the polygon parameters used to draw the elements of the matrix

cell.text[[i, j]] the text parameters used to draw the elements of the matrix

plot the plot parameters used to draw the basic plot

axis.col the axis parameters used to draw column axis

axis.row the axis parameters used to draw row axis

key.polygon[[i]] the polygon parameters used to draw the elements of the key

key.axis the axis parameters used to draw key axis

A NULL means the elements has not been drawn.

Note

The use of `fmt` or `fmt.key` have the same restrictions as the use of `fmt` in `base::sprintf()`:

The format string is passed down the OS's sprintf function, and incorrect formats can cause the latter to crash the R process. R does perform sanity checks on the format, but not all possible user errors on all platforms have been tested, and some might be terminal.

Examples

```
par(mar=c(5.1, 4.1, 4.1, 4.1))
# numeric matrix
x <- matrix(runif(50), nrow=10)
plot(x)
plot(x, key=NULL)
plot(x, key=list(cex.axis=0.5, tick=FALSE))
plot(x, digits=3)
plot(x, breaks=range(x), digits=3, cex=0.6)
# logical matrix
m <- matrix(runif(50)<0.5, nrow=10)
plot(m)
plot(m, col=c("red", "blue"))
plot(m, key=NULL, digits=1)
# character matrix
s <- matrix(sample(letters[1:10], 50, replace=TRUE), nrow=10)
plot(s)
plot(s, col=topo.colors)
plot(s, digits=10)
plot(s, digits=1, col=heat.colors(5), breaks=letters[1:5])
plot(s, digits=1, col=heat.colors(5), breaks=c('a', 'c', 'e', 'g', 'i'))
# contingency table
tab <- table(round(rnorm(100)), round(rnorm(100)))
plot(unclass(tab))
# chisquare test residuals
cst <- chisq.test(apply(HairEyeColor, 1:2, sum))
col <- colorRampPalette(c("blue", "white", "red"))
plot(cst$residuals, col=col, breaks=c(-7.5,7.5))
```

```

# triangular matrix
x[upper.tri(x)] <- NA
plot(x, digit=2)
plot(x, na.print=FALSE)
plot(x, na.cell=FALSE)
# use the standard plot instead of plot.matrix
x <- matrix(runif(50), nrow=2)
plot(as.data.frame(x))
plot.default(x)
## Not run:
# unload the package permanently with devtools
library("devtools")
unload('plot.matrix')

## End(Not run)

```

plot.pvalue

plot.pvalue

Description

Visualizes a matrix of p-values with a colored or gray heatmap. As a rule of thumb the breaks are determined by `c(0, 0.001, 0.01, 0.05, 0.1, 1)`. You may need to modify `mar` with the `par` command from its default `c(5.1, 4.1, 4.1, 2.1)`. See

- `vignette('plot.matrix')` for detailed examples, and
- `plot.matrix` for further parameters.

Usage

```

## S3 method for class 'pvalue'
plot(x, reorder = TRUE, gray = FALSE, grey = FALSE, ...)

```

Arguments

<code>x</code>	matrix: p-values within [0,1]
<code>reorder</code>	logical: if the rows (variables) of the loading matrix should be reordered (default: TRUE)
<code>gray</code>	logical: should be a gray scale color palette used or not (default: FALSE)
<code>grey</code>	logical: should be a gray scale color palette used or not (default: FALSE)
<code>...</code>	further parameter given to the <code>plot.matrix</code> command

Details

If either the parameter `grey` or `gray` is TRUE then a gray color palette is used.

Value

a plot

Examples

```
par(mar=c(5.1, 4.1, 4.1, 4.1))
# correlation matrix
data(air.pvalue)
plot(as.pvalue(air.pvalue))
plot(as.pvalue(air.pvalue), gray=TRUE)
plot(as.pvalue(air.pvalue[,1:3]), reorder=FALSE)
```

Titanic.cramer

Survival of passengers on the Titanic

Description

Matrix of Cramer's V computed on the variables economic status (class), sex, age and survival of the fate of passengers on the fatal maiden voyage of the ocean liner 'Titanic'.

Usage

```
data(Titanic.cramer)
```

Format

A 4x4 matrix with Cramer's V computed on

Class 1st, 2nd, 3rd, Crew

Sex Male, Female

Age Child, Adult

Survived No, Yes

Source

The data are derived from the [Survival of passengers on the Titanic](#) data set.

Examples

```
data(Titanic.cramer)
plot(as.assoc(Titanic.cramer))
```


Index

* datasets

- air.pvalue, 2
- bfi.2, 5
- Titanic.cramer, 16

air.pvalue, 2

as.assoc (as.cor), 3

as.cor, 3

as.pvalue (as.cor), 3

assignColors, 3

base::sprintf(), 14

bfi.2, 5

cor.test, 2

exams::fmt, 7

fmt, 7

graphics::axis(), 12

graphics::par(), 11

graphics::plot(), 12

graphics::polygon(), 12

graphics::text(), 12

grDevices::heat.colors(), 13

heat.colors, 4

New York Air Quality Measurements, 2

par, 8–10, 15

plot (plot.matrix), 11

plot.assoc, 8

plot.cor, 9

plot.loadings, 10

plot.matrix, 8–10, 11, 15

plot.pvalue, 15

pretty, 4

Survival of passengers on the Titanic,
16

Titanic.cramer, 16