

# Package ‘promethee123’

December 21, 2020

**Type** Package

**Title** PROMETHEE I, II, and III Methods

**Version** 0.1.0

**Author** Miguel Angelo Lellis Moreira [aut, cre],  
Marcos dos Santos [aut],  
Carlos Francisco Simoes Gomes [aut]

**Maintainer** Miguel Angelo Lellis Moreira <miguelllellis@hotmail.com>

**Description** The PROMETHEE method is a multi-criteria decision-making method addressing with outranking problems. The method establishes a preference structure between the alternatives, having a preference function for each criterion. IN this context, three variants of the method is carried out: PROMETHEE I (Partial Outranking), PROMETHEE II (Total Outranking), and PROMETHEE III (Outranking by Intervals).

**License** GPL-3

**Imports** ggplot2,cowplot

**Encoding** UTF-8

**LazyData** true

**NeedsCompilation** no

**Repository** CRAN

**Date/Publication** 2020-12-21 10:30:03 UTC

## R topics documented:

promethee123 . . . . . 2

**Index** . . . . . 4

---

 promethee123

 PROMETHEE I, II, and III Methods
 

---

### Description

The PROMETHEE method is a multi-criteria decision-making method addressing with outranking problems. The method establishes a preference structure between the alternatives, having a preference function for each criterion. IN this context, three variants of the method is carried out: PROMETHEE I (Partial pre-ordering), PROMETHEE II (Total pre-ordering), and PROMETHEE III (pre-ordering by intervals).

### Usage

```
promethee123(alternatives, criteria, decision_matrix, min_max,
normalization_function, q_indifference, p_preference, s_curve_change, criteria_weights)
```

### Arguments

|                        |   |
|------------------------|---|
| alternatives           | The names respective to set of alternatives in evaluation   |
| criteria               | The names respective to set of criteria in evaluation   |
| decision_matrix        | A matrix where rows correspond to the criteria and columns correspond to alternatives, there is inputed the performance of alternatives in each criterion |
| min_max                | A vector with objectives, minimize or maximize, to each criteria.   |
| normalization_function | Numerical description relative to each type of normalization function to each criterion   |
| q_indifference         | Indifference threshold  |
| p_preference           | Preference threshold  |
| s_curve_change         | Threshold of changing in the curve  |
| criteria_weights       | Numerical representation of the respective importance for each criterion  |

### Details

- For normalization function we have six types: [ 1 ] for USUAL (0 or 1) — [ 2 ] for U-SHAPE (0 or 1) q [ 3 ] for V-SHAPE (x/p or 1) p [ 4 ] for LEVEL (0, 0.5 or 1) q , p [ 5 ] for V-SHAPE I (0, (x-q)/(p-q) or 1) q , p [ 6 ] for GAUSSIAN (0 or  $1 - e^{(-x^2/2*s^2)}$ ) s  $\frac{q}{s}$  q = indifference parameter p = preference parameter s = parameter to indicate change in the preference curve
- The input of thresholds depends of the type of preference function used;
- The sum of weights must be 1;

**Value**

- Performance in each criterion;
- Global Index of Importance;
- Importance Flows (Positive, Negative, and Net);
- Preference relations in PROMETHEE I;
- Total Outranking in PROMETHEE II;
- Preference relations in PROMETHEE III;
- Graphical representations of PROMETHEE I, II, and III.

**Author(s)**

Miguel Angelo Lellis Moreira <miguellellis@hotmail.com>, Marcos dos Santos <marcosdossantos\_doutorado\_uff@yahoo.com>, Carlos Francisco Simoes Gomes <cfsg1@bol.com.br>

**References**

BRANS, Jean-Pierre; DE SMET, Yves. PROMETHEE methods. In: Multiple criteria decision analysis. Springer, New York, NY, 2016. p. 187-219. DOI: 10.1007/978-1-4939-3094-4\_6. <[https://link.springer.com/chapter/10.1007/978-1-4939-3094-4\\_6](https://link.springer.com/chapter/10.1007/978-1-4939-3094-4_6)>

**Examples**

```
alternatives <- c("SARP", "ORAC", "TOTS", "MICRO", "IBRP")

criteria <- c("Price", "Complexity", "Security", "Performance")

decision_matrix <- matrix(c(15, 29, 38, 24, 25.5,
                           7.5, 9, 8.5, 8, 7,
                           1, 2, 4, 3, 3,
                           50, 110, 90, 75, 85),
                          ncol = length(alternatives), nrow = length(criteria), byrow = TRUE)

min_max <- c("min", "min", "max", "max")

normalization_function <- c(5, 5, 5, 5)
q_indifference <- c(2, 0.5, 1, 10)
p_preference <- c(5, 1, 2, 20)
s_curve_change <- c("", "", "", "")

criteria_weights <- c(0.2, 0.2, 0.3, 0.3)

promethee123(alternatives, criteria, decision_matrix, min_max, normalization_function,
             q_indifference, p_preference, s_curve_change, criteria_weights)
```

# Index

promethee123, [2](#)