

# Package ‘rtemps’

November 4, 2020

**Type** Package

**Title** R Templates for Reproducible Data Analyses

**Version** 0.8.0

**Description** A collection of R Markdown templates for nicely structured, reproducible data analyses in R. The templates have embedded examples on how to write citations, footnotes, equations and use colored message/info boxes, how to cross-reference different parts/sections in the report, provide a nice table of contents (toc) with a References section and proper R session information as well as examples using DT tables and ggplot2 graphs. The bookdown Lite template theme supports code folding.

**License** MIT + file LICENSE

**URL** <https://github.com/bblodfon/rtemps>

**Encoding** UTF-8

**LazyData** true

**RoxygenNote** 7.0.2

**Imports** knitr, rmarkdown, bookdown, DT, ggplot2, xfun

**NeedsCompilation** no

**Author** John Zobolas [aut, cph, cre] (<<https://orcid.org/0000-0002-3609-8674>>)

**Maintainer** John Zobolas <bblodfon@gmail.com>

**Repository** CRAN

**Date/Publication** 2020-11-04 21:40:03 UTC

## R topics documented:

create_rtemp . . . . .	2
<b>Index</b>	<b>3</b>

---

create_rtemp	<i>Create a new directory with the specified R template</i>
--------------	---

---

### Description

This function creates a new directory under the current directory, which will contain the given files of the specified template, ready to be rendered.

### Usage

```
create_rtemp(dirname = "new-dir", template = "united_html")
```

### Arguments

dirname	name of the directory to create. If not specified, a directory <i>new-dir</i> will be created.
template	which template to use?

### Details

The available templates are: *united\_html* (default), *bookdown\_lite*. The name of the main .Rmd file will be *index.Rmd*.

### Examples

```
## Not run:  
create_rtemp(dirname = "tmp_dir", template = "united_html")  
  
## End(Not run)
```

# Index

create\_rtemp, [2](#)