

Package ‘humanFormat’

August 7, 2022

Type Package

Depends testthat

Title Human-Friendly Formatting Functions

Version 1.2

Date 2022-07-25

Author Dustin Sallings

Maintainer Dustin Sallings <dustin@spy.net>

Description Format quantities of time or bytes into human-friendly strings.

License MIT + file LICENSE

URL <https://github.com/dustin/humanFormat>

BugReports <https://github.com/dustin/humanFormat/issues>

NeedsCompilation no

Repository CRAN

Date/Publication 2022-08-07 06:30:02 UTC

R topics documented:

| | |
|-----------------------------|---|
| durationConstants | 2 |
| formatBytes | 2 |
| formatDuration | 3 |
| humanFormat | 4 |

| | |
|--------------|----------|
| Index | 5 |
|--------------|----------|

durationConstants *Duration constants*

Description

These constants are used to express the number of nanoseconds in different time units.

Usage

```
kNanosecond
kMicrosecond
kMillisecond
kSecond
kMinute
kHour
```

Details

These are useful for computing specific time durations or for converting from quantities in one unit to another unit (e.g. time in milliseconds to time in nanoseconds for duration formatting).

- kNanosecond: One nanosecond;
- kMicrosecond: One microsecond (1000 nanosecond);
- kMillisecond: One millisecond (1000 microseconds);
- kSecond: One second (1000 milliseconds);
- kMinute: One minute (60 seconds);
- kHour: One hour (60 minutes).

Examples

```
# To calculate 4 minute, 3 seconds and 14 microseconds:
4*kMinute + 3*kSecond + 14*kMicrosecond
```

formatBytes *Format a number of bytes into a human readable string.*

Description

Formats a number of bytes into a human readable string.

When invoked as formatBytes, SI sizes are used. You may specify IEC sizes by using formatIECBytes.

Usage

```
formatBytes(b, fmt="%.2f")
formatSIBytes(b, fmt="%.2f")
formatIECBytes(b, fmt="%.2f")
```

Arguments

| | |
|-----|---|
| b | Number of bytes |
| fmt | String format for the numeric part of the bytes |

Examples

```
# returns "934.82 MB"
formatBytes(934818582)

# returns "891.51 MiB"
formatIECBytes(934818582)

# returns c("8.43 KB", "3.52 KB", "624.62 KB", "46", "7.36 KB")
formatBytes(c(8429, 3525, 624624, 46, 7357))
```

| | |
|----------------|---|
| formatDuration | <i>Format nanosecond durations into human readable strings.</i> |
|----------------|---|

Description

Format individual or vectors of durations into human friendly text.

Usage

```
formatDuration(ns)
formatNanoseconds(ns)

formatMicroseconds(us)
formatMilliseconds(ms)
formatSeconds(s)
```

Arguments

| | |
|----|--------------------------|
| ns | Duration in nanoseconds |
| us | Duration in microseconds |
| ms | Duration in milliseconds |
| s | Duration in seconds |

See Also

[durationConstants](#) constants for various duration lengths

Examples

```
formatDuration(0)
formatDuration(1)
formatNanoseconds(34)

formatMicroseconds(235)

formatMilliseconds(2487)

formatSeconds(7213)

formatDuration(c(0, 1, 1000, 2039, 205958, 284859249525))
```

humanFormat

Format numbers into human readable strings

Description

When working with durations, bytes, and other items with odd bases, it's often useful to format the numbers into human readable units.

Details

- [formatDuration](#): format durations
- [formatBytes](#): format byte sizes

| | |
|-------------|---|
| Package: | humanFormat |
| Type: | Package |
| Version: | 1.1 |
| Date: | 2016-05-13 |
| License: | MIT |
| BugReports: | https://github.com/dustin/humanFormat/issues |

Author(s)

Dustin Sallings

Maintainer: Dustin Sallings <dustin@spy.net>

Index

* **format**

humanFormat, 4

durationConstants, 2, 3

formatBytes, 2, 4

formatDuration, 3, 4

formatIECBytes (formatBytes), 2

formatMicroseconds (formatDuration), 3

formatMilliseconds (formatDuration), 3

formatNanoseconds (formatDuration), 3

formatSeconds (formatDuration), 3

formatSIBytes (formatBytes), 2

humanFormat, 4

kHour (durationConstants), 2

kMicrosecond (durationConstants), 2

kMillisecond (durationConstants), 2

kMinute (durationConstants), 2

kNanosecond (durationConstants), 2

kSecond (durationConstants), 2